


	7214 PARTS LIST (ONE JACK)							
PART#	DESCRIPTION	QUAI						
1383	SCREW-3/4-10 X 1 1/4 FHSCS Z							
1800	CUSHION-DAMPENING RING-SMALL/THICK							
1592	CYLINDER-2 1/2 X 16 SL							
3151	FOOT-SL 10" OCT W/COLLAR							
	7761A PARTS LIST (FOUR JACKS)	6						
1124	FITTING-#4 JIC X #4 OR MALE 90							
1201	WASHER-1/2 SAE FLAT ZINC							
1403	FITTING-RESTRICTOR #6 X #4							
1911DD	BOLT-1/2-13 X 1 1/2 HCS ZINC GR 5	24						
3116	NUT-1/2-13 FLANGE-SERR	24						
	7761B PARTS LIST (FOUR JACKS)							
1638	PLATE-LEG BOLT 3"	2						
1641	PLATE-MH BOLT 2" 10 HOLE							
	10 10 000 55169 COUNTY ROAD 3 #	REVISIONS						
<u> </u>	ualizer 55169 COUNTY ROAD 3 #							



Warranty authorization must come directly from Equalizer Systems. (200) 246-2650.

L'andiana 55169 COUNTY ROAD 3	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE	TITLE	0: 150 10051	USED ON:	
Equalizer 55169 COUNTY ROAD 3 ELKHART, IN 46515						MH 16 SL LEG ASSEMBLY NEWMAR			
NOTICE — This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be					.xxx ± 0.010	SIZE SCA A 1:	SIZE SCALE MATERIAL		
					1 .x ± 0.010	DRW BY:	IDATE:	PART NAME:	
						SJ.	3/30/12	MH 16 SL LEG ASSEMBLY	
					REMOVE ALL BURRS AND		Y DATE:	PAGE: DWG NO.: REV:	
construed as an agreement of the above.					SHARP EDGES .015 MAX	-	<u> -</u>	1 OF 3 P7214/7761 -	





NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

.XXX ± 0.010 .XX ± 0.010 .X ± 0.030

| PART NAME: | MH 16 SL LEG ASSEMBLY | PAGE: | DWG NO.: | REV | 3 OF 3 | P7214/7761 | -DRW BY: DATE: SJ 3/30/12 ANG. ± 1/2° SJ 3/31 REMOVE ALL BURRS AND APP'D BY DATE: SHARP EDGES .015 MAX