STR-DH540

Sony 5.2 Ch. 4K AV Receiver

Bring the excitement home with 5.2 channels, 725 watts⁸ and iPhone® and iPod® connectivity. It also handles all of your components with 4 HD inputs and 4K resolution pass-through. Now, all of your music and movies will get the multi-layered sound quality they deserve with HD Digital Cinema Sound and auto calibration for easy set-up.



Bullets

- 5.2 Channel 725W A/V Receiver (145W x 5 @ 6 ohms 1kHz 0.5% THD)
- iPod®/iPhone® video and music playback5 via USB
- 4 HDMI™ Inputs
- 4K Pass-through
- HD Digital Cinema Sound™with Front-High speakers (HD DCS)
- Digital Cinema Audio Calibration for Quick Set-Up
- Dolby® TrueHD, Pro logic IIz and dts® HD Enhanced Audio Codecs²
- 3D pass-through
- Audio Return Channel uses just one cable for TV audio⁷
- Standby pass-through of Audio & Video via HDMI™ connected devices
- BRAVIA® Sync for multi-device control w/ one remote⁴
- 24p True Cinema™ pass-through

Features

iPod®/iPhone® Music and Video playback

Listen to music and watch video stored on your iPod® or iPhone® while charging your device. ⁵

4 HDMI Inputs

Get versatile HD connection options with six HD inputs. Four HDMI™ inputs (up to 4K) let you connect a Sony® PlayStation®3 entertainment system, Blu-ray Disc™ player, any 2 other HDMI-capable devices, for high definition video and audio.⁶

Digital Cinema Auto Calibration - Quick Speaker Set Up

Ensure you get the best sound experience from your A/V receiver and speakers with Digital Cinema Auto Calibration. Simply place the included microphone where you will be seated and settings are automatically optimized based on the distance, delays and placement of your speakers.

HD Digital Cinema Sound and Front High Speakers

Optimize your receiver to mimic the sound characteristics of movie theaters. Front Height mode enables vocal height and 3D effects for better positioning of effects giving added depth to visuals and concerts.

4K Pass-through

Future-proof your system and take a quantum leap in video clarity. The STR-DH540 allows native 4K video content to be passed through to a 4K television or projector.

3D Pass-through

Compatible with Blu-ray 3D[™] movies, video games and other 3D content¹

Advanced Blu-ray Disc[™] Audio Decoding

Experience sound closer to the way it was captured with LPCM, Dolby® trueHD3, ProLogic IIz and dts®-HD master audio codecs.²

Audio Return Channel

Eliminate the need for extra cables connected to your TV. This feature allows audio to be sent from your compatible TV to your receiver through the same HDMI™ cable already being used to send audio and video to your TV.⁷

Standby pass-through of Audio & Video

Conveniently access all your HDMI™ connected devices without having to power on the receiver.

BRAVIA® Sync Capable

Conveniently operate and control select Sony® BRAVIA® Sync devices with one remote including: Sony Blu-ray Disc™ Players, BRAVIA® HDTVs, Sony home theater products.⁴

24p True Cinema[™] (pass-through)

Watch Blu-ray Disc™ movies in their native frame rate (24 frames per second) when paired with a 24p HDTV and playback device like a Blu-ray Disc™ Player or PlayStation®3 gaming console via HDMI™ cable. ⁶

Specifications

Amplifier/Receiver				96kHz/24bit	Yes		2ch	Yes
Amplifier Features	4 Ohm/8 Ohm	Yes (6 ohm)		Dolby Digital	Yes (Dolby		A.F.D. Auto	Yes
	Switching			EX/ Dolby Digital	Digital EX and Dolby Digital)		Analog Direct	Yes
	Advanced Auto	Yes		Dolby Dual	Yes	Sound Field	Headphone 2ch	Yes
	Volume Night Mode	Yes		Mono Dolby	Yes (Prologic,		Headphone Direct	Yes
	Number			Prologic/II / Ilx /Ilz	li, lix, liz)		Jazz Club	Yes
	of Amp channels	5ch	Decoding	Dolby TruHD/Dolby Digital +	Yes (Dolby TruHD and Dolby Digital		Live Concert	Yes
	Speaker Impedance	6-160hms	Format				Multi Stereo	Yes
Amplifier Power	(6Ohms, 1kHz, 1ch	0.9%		DTS / DTS-ES	+) Yes (only		Neo:6 Cinema	Yes
	driven) THD	01770		(Matrix6.1 /	Dicrete 6.1)		Neo:6 Music	Yes
	(60hms,			Discrete6.1) DTS 96/24/			PLII Movie	Yes
	1kHz, 2ch driven) THD	1%		D15 90/24/ DTS Neo:6	Yes		PLII Music	Yes
	6Ohms, 1kHz, 1ch	145W		DTS HD MA/ DTS HD HR	Yes/Yes		Portable Audio Enhancer	Yes
	driven			LPCM	Yes (2CH/		Pure Direct	Yes
	6Ohms, 1kHz, 2ch driven	105W+105W			5.1CH /7.1CH)		Sound Field Link	Yes
	60hms, 20-						Auto Tuning	Yes
	20kHz, 2ch driven	90W+90W / (0.09%)				Tuner	Direct Tuning	Yes (via remote)
DCAC Features	Band	6					Preset	00 FM 00 111
	DCAC	D.C.A.C.					Channel (FM/AM)	30 FM, 30 AM
	Mic	Mono				Inputs and Out		
Audio Features								2 (not
						Audio Inputs	Analog Audio In	including AV in)
							Coaxial	1
							Optical In	2
						Audio Outputs	Headphone	Yes

Audio Outputs

Speaker Inputs

and Outputs

Out Center

Front (Bass/

Front A (L/R) Yes

Treble)

Yes

Yes

SONY make.believe

Video InputsComposite Video Out: Inc. Monitor Out1HDMI In4HDMI Out1HDMI Out1CotherVesAldo StandbyVesDigital Input AssignVesDigital Input Assign10 digit dot natrixPower200WPower0.3WPower0.3WPower120V 60HzPower120V 60HzPower48kHzPower60msecPower60msecPower98 <th></th> <th>AV In: Including Front AV</th> <th>2</th>		AV In: Including Front AV	2	
IDMI OutIOtherIAuto StandbyYesDigital Input AsignYesDigital Input Asign10 digit dot matrixPower0.3WPower0.3WPower120V 60HzPower120V 60HzSleep TimerYes (up to 2 hours)A/V SYNCYes (Up to 2 hours)A/V Sync 	Video Inputs	Video Out: Inc. Monitor	1	
OtherAuto StandbyVesDigital Input AssignVesDigital Input AssignVesDisplay10 digit dot 		HDMI In	4	
Auto StandbyYesDigital Input AssignVesDigital Input Assign10 digit dot matrixDisplay10 digit dot matrixPower200WPower0.3WPower120V 60HzPower120V 60HzSleep TimerYes (up to 2 hours)A/V SyncYes (up to 2 hours)A/V Sync48kHzA/V Sync60msecA/V Sync60msecA/V Sync60msecSampling Frequency48kHzA/V Sync ChannelYesAudio Return ChannelYesAudio Return ChannelYesAudio NetionelYesAudio NetionelYesAudio NotigetYesBRAVIA® SYNC™System Audio Control,BRAVIA® SYNC™System Power Of, Theater Mode(No		HDMI Out	1	
StandbyYesDigital Input AssignYesDigital Input Assign10 digit dot matrixDisplay10 digit dot matrixPower200WPower0.3WPower120V 60HzSleep TimerYes (up to 2 hours)Video FeaturesA/V SYNCA/V Sync FeaturesA/V Sync Sampling FrequencyA/V Sync Frequency48kHzA/V Sync Time (msec)60msecA/V Sync Channel49Audio Return ChannelYesAudio WidgetYesAudio SYNC™ Control,YesBRAVIA® SYNC™ Control,System Audio Control, System Power Of, Theater Mode(No	Other			
AssignYesAssign10 digit dot matrixDisplay10 digit dot matrixPower200WPower0.3WPower120V 60HzPower120V 60HzSleep TimerYes (up to 2 hours)Video Features4/V SYNCA/V SyncSampling FrequencyA/V Sync60msecA/V Sync60msecA/V Sync3D over HDMIAudio ReturnYesAudio WidgetYesAudio WidgetYesAudio WidgetYesHDMI™System Audio Control,FRAVIA® SYNC™ Control)System Audio Control,			Yes	
GeneralDisplaymatrixPower200WPower0.3WPower120V 60HzPower120V 60HzSleep TimerYes (up to 2 hours)Video FeaturesA/V SYNCA/V Sync FeaturesA/V Sync Sampling FrequencyA/V Sync Frequency48kHzA/V Sync Frequency60msecA/V Sync Frequency60msecA/V Sync Frequency49kA/V Sync Channel49kAudio Return ChannelYesAudio NetigetYesAudio NidgetYesHDMI™System Audio Control, SYNC™ Control)HDMI™BRAVIA® System Power Off, Theater Mode(No			Yes	
Power0.3WPower120V 60HzPower120V 60HzSleep TimerYes (up to 2 hours)Video FeaturesA/V SYNCA/V SYNCVes(Fixed)A/V Sync Sampling Frequency48kHzA/V Sync Frequency60msecA/V Sync Sampling (Time (msec))60msecA/V Sync PowerYesAudio Return ChannelYesAudio Return ChannelYesAudio Netarent ChannelYesBRAVIA® SYNC™ Control,System Audio Control, System Power Off, Theater Mode(No	General	Display	-	
Power120V 60HzPower120V 60HzSleep TimerYes (up to 2 hours)Video FeaturesA/V SYNCA/V Sync FeaturesA/V Sync Sampling FrequencyA/V Sync Sampling Frequency48kHzA/V Sync Sampling Frequency60msecA/V Sync Sampling Frequency48kHzA/V Sync Channel48kHzAudio Return ChannelYesAudio Return ChannelYesAudio Return ChannelYesAudio NidgetYesBRAVIA® SYNC™ Control,System Audio Control,HDMI™System Power Off, Theater Mode(No		Power	200W	
Iseep TimerYes (up to 2 hours)Video FeaturesA/V SYNCYes (Fixed)A/V SyncA/V SyncAkHzFeaturesA/V SyncAkHzA/V SyncAlve SyncAlve SyncA/V SyncBabAlve SyncA/V SyncAlve SyncAlve SyncAlve SyncAlve SyncAlve SyncAlve SyncAlve SyncAlve SyncAlve SyncYesAlve SyncAudioYesAlve SyncAudioYesAlve SyncAudioYesAlve SyncAlve SyncYesAlve SyncAlve SyncSystem AudioSystem AudioSync TMSystem PowerSystem PowerHDMI™Alve Sync System PowerSystem PowerHDMI™Alve System PowerSystem PowerHDMI™Alve System PowerSystem PowerAlve System PowerSystem PowerSystem PowerAlve Syste		Power	0.3W	
Video FeaturesA/V SYNCYes(Fixed)A/V SyncSampling48kHzA/V SyncSampling48kHzFeaturesA/V Sync60msecA/V SyncSampling48kHzA/V Sync60msec1000000000000000000000000000000000000		Power	120V 60Hz	
A/V SYNCYes(Fixed)A/V SyncA/V SyncSampling48kHzFrequency60msecA/V Sync60msecA/V Sync1000000000000000000000000000000000000		Sleep Timer		
A/V Sync Sampling 48kHz Features Frequency A/V Sync 60msec Time (msec) 48kHz A/V Sync 60msec SD over Yes Audio Yes Audio Yes Audio Yes Audio Yes BRAVIA® System Audio SYNC™ Control, CEC System Power Off, Theater Mode(No	Video Features			
A/V Sync Sampling 48kHz Features Frequency 60msec A/V Sync 60msec Time (msec) 84kHz A/V Sync 60msec JD Over Yes HDMI Yes Audio Yes Return Yes Channel Yes Audio Yes Kidget Yes INDMI™ BRAVIA® SYNC™ Control, CEC System Power Off, Theater Mode(No)		A/V SYNC	Yes(Fixed)	
Time (msec)60msec3D over HDMI3D over HDMIYesAudio ReturnYesAudio ChannelYesAudio WidgetYesAudio WidgetYesVes (One-Touch Play,BRAVIA® SYNC™System Audio Control,System Power Off, Theater Mode(No		Sampling	48kHz	
HDMI Yes Audio Return Return Yes Channel Yes Audio Yes Midget Yes Vidget Yes RRAVIA® System Audio SYNC™ Control, CCC System Power Control Off, Theater Mode(No Mode(No		,	60msec	
Return Channel Yes Audio Widget Yes Audio Widget Yes BRAVIA® SYNC™ System Audio Control, BRAVIA® COntrol, System Power Off, Theater Mode(No			Yes	
Widget Yes Yes (One-Touch Play, BRAVIA® System Audio SYNC™ Control, (CEC System Power Control) Off, Theater Mode(No		Return	Yes	
HDMI™ (One-Touch Play, BRAVIA® System Audio SYNC™ Control, (CEC System Power Control) Off, Theater Mode(No			Yes	
HDMI™ SYNC™ Control, (CEC System Power Control) Off, Theater Mode(No			(One-Touch Play,	
RM))	HDMI™	SYNC™ (CEC	Control, System Power Off, Theater Mode(No button on	
4K, 1080p, HDMI(tm) 1080/24p video Deep Color output (up to 36 bit) capability x.v.Color (xvYCC)		video output	1080/24p Deep Color (up to 36 bit) x.v.Color	
Power Off Pass Yes Through		Off Pass	Yes	
Weight and Measurements				

Weight and Measurements	Receiver Dimension (WxHxD inches)	17 x 6-1/4 x 13 (430 x 156 x 329.4 mm)
Medsulements	Receiver Weight (pound)	16 lb 61oz (7.7 kg)

