


STANDARD TOLERANCES	
DECIMALS:	
1 PLACE=	+/- .060
2 PLACE=	+/- .010
3 PLACE=	+/- .005
FRACTIONS:	+/- 1/16
ANGLES:	+/- 1°

NO.	DATE	DESCRIPTION OF CHANGE	BY
F			
E			
D			
C			
B			
A			




TITLE	NEWMAR DUTCH STAR 37FT OFF DOOR SIDE, ELECT. OPTION		
CUSTOMER	NEWMAR		
FINISH	#8 POLISHED		
DRAWN BY	DDS	JOB NO.	
CHK'D BY		CUST. P.N.	131704/131706
SCALE		MAT'L	304 SST
DATE	6-2-15	DWG. NO.	2001915



STANDARD TOLERANCES				F				
DECIMALS:				E				
1 PLACE= +/- .060				D				
2 PLACE= +/- .010				C		ADD PANEL D-0	DDS	
3 PLACE= +/- .005				B	7-23-15	CHANGE DESCRIPTION AND CUSTOMER P/N	DDS	
FRACTIONS: +/- 1/16				A	-	RELEASE TO PRODUCTION	DDS	
ANGLES: +/- 1°				NO.	DATE	DESCRIPTION OF CHANGE	BY	


TITLE	NEWMAR DUTCH STAR 43FT OFF DOOR SIDE STANDARD		
CUSTOMER	NEWMAR		
FINISH	#8 POLISHED		
DRAWN BY	DDS	JOB NO.	
CHK'D BY		CUST. P.N.	131684/131686
SCALE		MAT'L	304 SST
DATE	6-2-15	DWG. NO.	2001906


4311



STANDARD TOLERANCES				F							TITLE				NEWMAR DUTCH STAR 4311 OFF DOOR SIDE ELECTRIC OPTION			
DECIMALS:				E							CUSTOMER				NEWMAR			
1 PLACE= +/- .060				D							FINISH				#8 POLISHED			
2 PLACE= +/- .010				C							DRAWN BY		DDS	JOB NO.				
3 PLACE= +/- .005				B							CHK'D BY			CUST. P.N.		131708/131710		
FRACTIONS: +/- 1/16				A	-						SCALE			MAT'L		304 SST		
ANGLES: +/- 1°				NO.	DATE	DESCRIPTION OF CHANGE					DATE	6-2-15	DWG. NO.		2001909			

40'



STANDARD TOLERANCES		F					TITLE		NEWMAR DUTCH STAR 40FT OFF DOOR SIDE, STANDARD		
DECIMALS:		E					CUSTOMER	NEWMAR			
1 PLACE= +/- .060		D					FINISH	#8 POLISHED			
2 PLACE= +/- .010		C					DRAWN BY	DDS	JOB NO.		
3 PLACE= +/- .005		B					CHK'D BY		CUST. P.N.	131702	
FRACTIONS: +/- 1/16		A					SCALE		MAT'L	304 SST	
ANGLES: +/- 1°		NO.	DATE	DESCRIPTION OF CHANGE	BY		DATE	6-2-15	DWG. NO.	2001912	