
# A WORLD AHEAD



IN TIME AND DESIGN




### NEWMAR QUALITY IS YOUR REASON TO BUY... HERE ARE TWENTY REASONS WHY YOU WILL VALUE YOUR DECISION.


- 1. Rugged tubular steel frame with cross members and outriggers.
- 2. All four wheels equipped with 10" electric brake axles and shocks.
- 3. Rust-resistant, insulated, galvanized wheel wells.
- 4. Double ½" plywood floor. (1" of solid wood floor)
- 5. Aluminum underbelly.
- 6. Large dual holding tanks.
- 7. Large fresh water tank with demand water system and standard city water hook up.
- 8. A.B.S. drain, waste, and vent lines for leakproof joints.
- 9. All copper "code" approval electrical wiring.
- 10. Aluminum super structure (1½" × 1½" Aluminum C Channel studs 16" Centers) (3½" Aluminum truss style rafters, 16" Centers)

- 11. Fiberglass insulation with insulated vapor foam board in ceiling and floors.
- 12. Smooth Aerodynamically designed radius exterior corners.
- 13. Single seam aluminum roof.
- 14. .024 White aluminum exterior metal with color keyed accent stripping.
- 15. Fully opening jalousie style windows.
- 16. High quality interior plywoods with vinyl covering.
- 17. Cabinets and drawers are glued and screwed for strength.
- 18. High quality linoleum, and carpets are standard.
- 19. Quality name brand fixtures and appliances used throughout.
- 20. Built to RVIA approved standards and codes for your complete satisfaction and comfort.

### A TRADITION OF QUALITY CRAFTSMANSHIP...



#### **BEAUTIFULLY ENGINEERED...**



DINETTE WITH BACK BAR. Plenty of room for your table settings with additional room behind for serving dishes. Another nice idea from Kountry Lite.

ROOM FOR LIVING. Graciously entertain guests, relax, or stretch out and snooze. This beautiful room setting invites all of that and more. Various color combinations and decors available, your choice.



S = Std A = Available	,	/_ /	/ = /	/_ /	1	10	/_	/_	/_ /	/_ /
NA = Not Available	\\ \stransfer \\	6/	80	ø /	8	7.888.T.	8	oj/	<i>ģ</i>	17.8% P.
	1 2	1 2	1 5	/ 5	1 5	/ 4	/ &	ે / જ	0	2
Appliances	/ ·V	/ .v	/ ·v	/ ·V	/ · v	v	/ 'V	/ '*	_ ·V	
4 Burner Range w/oven	S	S	S	S	S	S	S	S	S	S
Single door refrigerator	S	S	S	S	S	S	S	S	S	S
Double door refrigerator	Α	A	A	A	A	A	Α	A	Α	Α
Gas Water Heater (gal)	6	6	6	- 6	6	6	6	6	6	6
Gas/Elec Water Heater 6 gal	Α	Α	A	Α	A	Α	А	A	A	Α
8 gal. Gas Water Heater	A	A	Α	Α	A	A	A	A	A	A
Electronic Ignit Furnace	S	S	S	S	S	S	S	´ S	S	S
Larger Furnace	A	A	Α	A	. A	A	A	A	A	A
Wired for Air Conditioner	S	S	S	S	S	S	S	S	S	S
Air Conditioner	Α	A	A	A	A	A	A	A	A	A
Wired for Stereo	S	S	S	S	S	S	S	S	S	S
Stereo w/cassette	A	A	A	A	A	A	A	A	A	A
Wired for T V Antenna	A	A	A	A	A	A	A	A	A	A
Rotating T.V. Antenna	A	A	A	A	A	_ A	A	A	A	A
Range Hood w/light & fan	S	S	S	S	S	S	S	S	S	S
Power Roof Vent	A	A	A	A	A	A	A	A	A	A
Double Gas Bottles #20	S	S	S	S	S	S	S	S	S	S
Larger Gas Bottles #30	Α	A	Α	A	A	A	Α	A	A	.A
Plumbing Features		-		- 0	-		_	_	_	
Demand Water System	S	S	S	S	S	S	S	S	S	S
City Water Hookup	S	S	S	S	S	S	S	S	S	S
Double Stainless Steel Sink Large Lavatory Sink	S	8	S	S	5	S	S	S	8	S
Fresh Water Holding Tank	30 gal	30 gal	30 gal	30 gat	30 gal	30 gal	30 gal	30 gal	30 gal	30 gal
Grey Waste Holding Tank	25 gal	25 gal	25 gal	25 gal	25 gal	35 gal	35 gal	35 gal	35 gal	35 gall
Sewage Waste Holding Tank	25 gal	25 gal	25 gal	25 gal	25 gal	35 gal	35 gal	35 gal	35 gal	35 gall
Tub/Shower Combination	41"	41"	41"	38"	41"	41"	41"	41"	41"	38"
Monitor Panel	A	A	A	A	A	A	A	A	A	A
Interior Extra Comfort	_ ^				- /					
Vinyl Floor Covering	S	S	S	S	S	S	S	S	S	S
Carpeted Bedroom Area	NA	NA	S	S	NA	S	S	S	S	S
Carpeted per requested area	A	A	A	A	A	A	A	A	A	A
Carpet Padding	A	А	А	А	Α	Α	A	Α	A	A
Sofa	NA	NA	NA	NA	NA .	NA	NA	NA.	NA	NA
Sofa Bed	S	S	S	NA	S	S	S	S	S	S
Twin Bed	NA	NA	S	NA	NA	S	S	S	S	S
Double Bed	NA	NA	Α	S	NA	Α	NA	Α	A	A
Bunk—Cabinet	Α	А	Α	Α	Α	Α	Α	Α	А	Α
Bunk-Stationary	NA	NA	А	Α	S	А	Α	A	А	А
Bed Spreads	A	А	Α	Α	Α	Α	Α	А	А	Α
Sink Covers	A	А	А	А	Α	А	Α	А	А	А
Luxury Exterior Features										
Frame size	5"	5"	5"	5"	5"	5"	5"	5"	5"	5"
10" Electric Brake axles	S	S	S	S	S	S	S	S	S	S
Shock absorbers	S	S	S	S	S	S	S	S	S	S
14" Road Style Wheels	S	S	S	S	S	S	S	S	S	S
F78 x 14 Load Range C Tires	S	S	S	S	S	S	S	S	S	S
Exterior Recept	S	S	S	S	S	S	S	S	S	S
Dead Bolt Lock	A	A	A	A	A	A	A	A	A	A
Porch Light	S	S	S	S	S	S	S	S	S	S
Grab Handle	S	S	S	S	S	S	S	S	S	S
Bumper Cover	A	A	A	A	A	A	A	A	A	A
Power Jack	A	A	A	A	A	A	A	A	A	A
Stabalizer Jacks	A	A	A	A S	A S	A S	A S	A S	A S	A
Front Window w/Travel Awning	S	S NA	S	A	I NA	A	NA NA	A	NA NA	S
Rear Travel Awning Spare Tire & Wheel	A	A	A	A	I A	A	A	A	A	A
Spare Tire & Writer	A	A	A	A	A	A	A	A	A	A
Back & Ladder	A	A	A	A	A	A	A	A	Α	Δ

#### TRAVEL TRAILERS



22' Center Bath Travel Trailer
Dry Weight - 3600 lbs. Hitch Weight - 400
lbs. Overall Length - 21' 11"



25' Rear Bath Bunks Travel Trailer Dry Weight - 4000 lbs. Hitch Weight - 450 lbs. Overall Length - 24'11"



25' Center Bath Dinette Travel Trailer Dry Weight - 4000 lbs. Hitch Weight - 450 lbs. Overall Length - 24' 11"



27' Rear Bath Travel Trailer Dry Weight - 4400 lbs. Hitch Weight - 500 lbs. Overall Length - 26' 11"



29' Center Bath Travel Trailer Dry Weight - 4800 lbs. Hitch Weight - 500 lbs. Overall Length - 28' 11"



31' Center Bath Dinette Travel Trailer Dry Weight - 5200 lbs. Hitch Weight - 500 lbs. Overall Length - 30' 11"



22' Rear Bath Dinette Travel Trailer Dry Weight - 3600 lbs. Hitch Weight - 400 lbs. Overall Length - 21' 11"

Roll-out Awning
Bay (Picture) Window

Foam Care Insulation Sidewalls




25' Center Bath Travel Trailer Dry Weight - 4000 lbs. Hitch Weight - 450 lbs. Overall Length - 24' 11"



27' Center Bath Travel Trailer Dry Weight - 4400 lbs. Hitch Weight - 500 lbs. Overall Length - 26' 11"



29' Center Bath Dinette Travel Trailer Dry Weight - 4800 lbs. Hitch Weight - 500 lbs. Overall Length - 28



29' Rear Bath Travel Trailer Dry Weight - 4800 lbs. Hitch Weight - 500 lbs. Overall Length - 28' 11"




31' Rear Bath Dinette Travel Trailer Dry Weight - 5200 lbs. Hitch Weight - 500 lbs. Overall Length - 30' 11"

All weights shown are approximal Kountry Lite features and option has a complete list.

Each Kountry Lite meets all rectional Vehicle Industry Association Standard Institute; and state and Some features shown in the plant and specifications are subject to

### TAILORED TO PLEASE.



SLEEP TIGHT. And you will in this large, stretch-out, carpeted bedroom. Windows all around add to the spaciousness and open effect. (Note: Front window optional).

BATHROOM WITH ROOM! Plenty of room to avoid bumping your head, stubbing your toe, and banging your elbow in this spacious, extra-size bathroom. Well lighted, and you'll love the linen closet.

KITCHEN DELUXE. Notice the four-burner range with oven and vented range hood with light.



#### nate. ons are not included. Your dealer uirements of the RVIA. Recrea-

change without prior notice.

30 gal

30 gal

41

NA

NA

30 gal

NA

NA

NA

30 gal

NA

NA

NA

NA

30 gal

30 gal

30 gal

35 gal

NA

NA

NA

30 gal

35 gal

41"

NA

NA

30 gal

NA

NA

30 gal

30 gal

35 gal

35 gal

NA

NA

30 gal

35 gal

35 gal 46"

NA

30 gal

A NA

NA

n; the ANSI, American National federal codes. otographs are optional. Features

8

### FIFTH WHEEL TRAILERS



23' Rear Bath Fifth Wheel Dry Weight - 4000 lbs. Hitch Weight - 950 lbs. Overall Length - 23' 3"



23' Front Bath Fifth Wheel Dry Weight - 4000 lbs. Hitch Weight - 950 lbs. Overall Length - 23' 3"



26' Rear Bath Fifth Wheel Dry Weight - 4500 lbs. Hitch Weight - 950 lbs. Overall Length - 26' 3"



26' Front Bath Fifth Wheel Dry Weight - 4500 lbs. Hitch Weight - 950 lbs. Overall Length - 26' 3"



28' Rear Bath Fifth Wheel Dry Weight - 4900 lbs. Hitch Weight - 950 lbs. Overall Length - 28' 8"



28' Walk through Bath Dinette Fifth Wheel Dry Weight - 4900 lbs. Hitch Weight - 950 lbs. Overall Length - 28' 8"



 $30^{\prime}$  Front Bath Door Side Kitchen Fifth Wheel Dry Weight - 5300 lbs. Hitch Weight - 950 lbs. Overall Length -  $30^{\prime}$  4''



30' Walk through Bath Dinette Fifth Wheel Dry Weight 5300 lbs. Hitch Weight - 950 lbs. Overall Length - 30'4"



32' Walk Thru 2 Door Fifth Wheel Dry Weight - 5700 lbs. Hitch Weight - 1100 lbs. Overall Length - 32' 4"



32' Rear Bath Fifth Wheel Dry Weight - 5700 lbs. Hitch Weight - 1100 lbs. Overall Length - 32' 4"



35' Walk Thru 2 Door Fifth Wheel Dry Weight - 6200 lbs. Hitch Weight - 1200 lbs.

Overall Length - 35' 6"



 $35^\prime$  Rear Bath Fifth Wheel Dry Weight - 6200 lbs. Hitch Weight - 1200 lbs. Overall Length -  $35^\prime$   $6^{\prime\prime}$ 



## NEWMAR QUALITY IS YOUR REASON TO BUY... HERE ARE TWENTY REASONS WHY YOU WILL VALUE YOUR DECISION.

- 1. Rugged tubular steel frame with cross members and outriggers.
- 2. All four wheels equipped with 10" electric brake axles and shocks.
- 3. Rust-resistant, insulated, galvanized wheel wells.
- 4. Double ½" plywood floor. (1" of solid wood floor)
- 5. Aluminum underbelly.
- 6. Large dual holding tanks.
- 7. Large fresh water tank with demand water system and standard city water hook up.
- 8. A.B.S. drain, waste, and vent lines for leakproof joints.
- 9. All copper "code" approval electrical wiring.
- 10. Aluminum super structure (1½" × 1½" Aluminum C Channel studs 16" Centers) (3½" Aluminum truss style rafters, 16" Centers)

- 11. Fiberglass insulation with insulated vapor foam board in ceiling and floors.
- 12. Smooth Aerodynamically designed radius exterior corners.
- 13. Single seam aluminum roof.
- 14. .024 White aluminum exterior metal with color keyed accent stripping.
- 15. Fully opening jalousie style windows.
- 16. High quality interior plywoods with vinyl covering.
- 17. Cabinets and drawers are glued and screwed for strength.
- 18. High quality linoleum, and carpets are standard.
- 19. Quality name brand fixtures and appliances used throughout.
- Built to RVIA approved standards and codes for your complete satisfaction and comfort.