




Overall length: 32'-5"
 Overall width: 95"
 Interior width: 91 3/4"
 Square footage: 291 sq. ft.
 Awning size: 16 ft.


Ⓐ Denotes the zero point of the frame.

NOTE
 ALL WALLS, PARTITIONS, & CEILING HAVE
 CLASS "C" (200) FLAME SPREAD RATING
 ALL INTERIOR PASSAGE DOORS ARE NON-LOCKING

SYMBOLS



- ↑ - SEWAGE DRAIN
- ⊙ - SMOKE DETECTOR
- ⊕ - FIRE EXTINGUISHER (5 BC MIN)
- ◆ - INSIGNIAS (STATE & RVIA)
- ⊙ - C.O. DETECTOR
- * - MIRROR WARDROBE
- ⊕ - THERMOSTAT
- ⊗ - CONVERTER
- ⊞ - WARM AIR REGISTER
- ⊞ - ELECTRICAL PANEL
- ⊞ - WATER INLET
- ⊞ - GAS INLET
- ⊞ - ELECTRICAL INLET
- ⊞ - EGRESS
- ⊞ - CITY WATER

NEWMAR CORP P.O. Box 30, Naperville, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 32' RKSA-FW	1 of 6	Mike Walter	<i>AM</i>	Removed a floor register from the kitchen. (PCR 97-873)	Mike
	Title:	I.D. #	Date:	Date:	Relocated the breaker box. (PCR 97-553)	Date: 9/25
	Floor plan	p/7f32rksa	4/24/96	9-25		By: Mike Date: 8/7





NOTES:
 ALL STRINGERS TO BE SPRUCE-PINE-FIR (SPF)
 STRINGERS: 2 X 3'S
 3 1/8" BUILD-UP FLOOR ONLY UP TO MAIN FLOOR LENGTH
 SUPER STORAGE FLOORS ARE 1" THICK
 ALL DIMENSIONS ARE FROM POINT A

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46560 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 32' RKSA-FW	5 of 6	Mike Walter	[Signature]	Changed the step supports from 23 1/2" apart to 25" apart.	Mike
	Title:	I.D. #	Date:	Date:	Revision:	Date:
	Stringer layout detail	p/7f32rksa	4/24/96	6-21		



NEWMAR CORP P.O. Box 30, Napppanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Revised the dimensioning format. (PCR 97-690)	By: Mike
	American Star 32' RKSA-FW	1 of 3	Mike Walter	<i>B</i>		Date: 8/27
	Title:	I.D. #	Date:	Date:	Revision: Made the grey tank a center drain. (PCR 97-492)	By: Mike
	Tank drawings	h/7f32rksa	6/10/96	8-28		Date: 7/19




USED ON:
(AS) 32' RKSA-FW

NOTE:

ALL MEASUREMENTS ARE FROM POINT Z UNLESS OTHERWISE SPECIFIED
 FRAME: 12 I-BEAM/ 10.8#/FT
 ANGLE IRONS: 2X2/ 11 GA
 TUBES: 2X6/2X3/1X1/ 11 GA
 WING GUSSETS: 12 GA

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See Used on list	1 of 2	Mike Walter			Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Cabover frame detail	ft/c/71290a	6/17/96			Date:

Slideout has a travel of 45 3/4".



NOTE:

ALL MEASUREMENTS ARE FROM POINT A UNLESS OTHERWISE SPECIFIED
 FRAME: 12" I-BEAM (11GA)
 CROSSMEMBERS: 1 1/2X12X63 5/8 "C" CHANNEL
 OUTRIGGERS: 1 1/2X12X15 TAPERED ANGLE
 SEE ACCOMPANYING PRINT FOR UPPER DECK ASSEMBLY
 RB=RADIUS BLOCKS ARE ALL 1 1/2 WIDTH

NEWMAR CORP
 P.O. Box 30,
 Neppanee, IN. 46660

Title block--375TB

'97 Model:
 American Star 32' RKSA-FW

Title:
 Frame detail

Sheet
 1 of 2

I.D. #
 R/ash12/7/32rksa

Drawn by:
 Mike Walter

Date:
 6/10/96


Checked by:
 WJW

Date:
 9-18

Revision: Moved the ODS outrigger from 20 to 21. (PCR 97-832)


Revision: Moved outrigger on the off door side from 94 to 92 1/2.

By: Mike
 Date: 9/17
 By: Mike
 Date: 6/20




RB=RADIUS BLOCKS ARE ALL $1 \frac{1}{2}$ WIDTH

NEWMAR CORP P.O. Box 30, Napppanee, IN. 46550 Title block--375TB	'97 Model: American Star 32' RKSA-FW	Sheet 2 of 4	Drawn by: Mike Walter	Checked by: B	Revision: Moved the sewage rinse forward 26". (PCR 97-542)	By: Mike
	Title: Frame storage detail	I.D. # R/ashw12/7132rksa	Date: 6/10/96	Date: 7-29	Revision: Revised the skirt per (PCR 97-521).	Date: 7/29
						By: Mike
						Date: 7/24




Front super storage riser


5/8" structurewood with metal on the front




RISER 1



RISER 2



RISER 3



Rear super storage risers

2 x 2 studs with 3/16" panel on the back.

NEWMAR CORP
P.O. Box 30,
Napannoe, IN. 46550

'97 Model:
American Star 32' RKSA-FW

Sheet
1 of 2

Drawn by:
Mike Walter

Checked by:
B

Revision:

By:

Title:
Riser detail

I.D. #
ft/b/7ssflr11

Date:
6/11/96

Date:
6-14


Revision:

Date:

By:

Date:

Title block--1TB





REAR OF
UNIT

SIDE X-SECTION OF
SUPER STORAGE BATHROOM

FRONT OF
UNIT


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1-STB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	AS/KS 32' RKSA-FW	1 of 1	Mike Walter	<i>B</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Super storage X-section	ft/b/7ssflr12	6/11/96	6-14		Date:



Use 2 x 2 construction unless otherwise noted.

Wall thickness 1 5/8"



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 32' RKSA-FW	1 of 2	Mike Walter	<i>[Signature]</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Cabover end wall	s/t/cab/7f32rksc	6/11/96	6.14		Date:



Use 2 x 2 construction
unless otherwise noted.

Use on all American Stars


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Revised the door opening again. (PCR 97-1114)	By: Mike
	American Star typical	1 of 6	Mike Walter	WFM		Date: 11/11
	Title: Goose neck wall	I.D. # s/i/goosneck/typical	Date: 8/12/96	Date: 11-11	Revision: Made a typical goose neck door print to be used on all American Stars.	By: Mike Date: 8/12



Use 2 x 2 construction unless otherwise noted.


Wall thickness 1 5/8"

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block—1TB	'97 Model: American Star 32' RKSA-FW	Sheet 1 of 3	Drawn by: Mike Walter	Checked by: B	Revision: 	By:
	Title: Rear end wall	I.D. # s/r/7f32rksa	Date: 2/23/96	Date: 6-14	Revision: 	By:



NEWMAR CORP P.O. Box 30, Naperville, IL 60560 Title block--375TB	'97 Model: American Star 32' RKSA-FW	Sheet 1 of 2	Drawn by: Mike Walter	Checked by: <i>R</i>	Revision: Moved rafters #2-#22 back 1" and added cap dims. (PCR 97-589)	By: Mike
	Title: Roof layout	I.D. # r/7f32rksa	Date: 6/11/96	Date: 8-2	Revision: Moved the Opt. kit. vent to the center of the unit. (PCR 97-515)	Date: 8/2
						By: Mike

Date: 7/23




SLOPE RATE: .0747 X 1
 NOTES:
 SIDEWALL DRAWN AS IN JIC POSITION
 STUDS SPACED 16" ON CENTER

AWNING SIZE: 16'
 Sidewall thickness is 1 5/8"

⊖(A) Denotes the zero point of the frame.

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--3125TB	'97 Model: American Star 32' RKSA-FW	Sheet 1 of 2	Drawn by: Mike Walter	Checked by: 	Revision: Revised the door height. (PCR 97-965)	By: Mike
	Title: Door side sidewall detail	I.D. # s/d/7f32rkas	Date: 6/11/96	Date: 10-0	Revision: Lowered the through floor storage compartment by 3/4". (PCR 97-521)	By: Mike Date: 7/24




SLOPE RATE: .0747 X 1

NOTES:
SIDEWALL DRAWN AS IN JIC POSITION
STUDS SPACED 16" ON CENTER

Sidewall thickness is 1 5/8"


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block---3125TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 32' RKSA-FW	1 of 2	Mike Walter	<i>B</i>	Added optional exterior shower.	Mike
	Title:	I.D. #	Date:	Date:	Revision:	Date:
	Offdoor side sidewall detail	s/o/7f32rksa	6/11/96	8-8	Lowered the through floor storage compartment by 3/4". (PCR 97-521)	7/24




(6) 48 X 51 3/4
 (2) 4 7/8 X 51 3/4
 (4) 3 1/2 X 3 3/4

----- TOP LAYER SEAM
 _____ BOTTOM LAYER SEAM


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--5TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	AS-KS 32' RKSA-FW	1 of 2	Mike Walter	<i>[Signature]</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Slideout floor detail	o/f/7f32rksa	6/12/96	6-14		Date:



REAR SIDEWALL




MAIN SLIDE-OUT SIDEWALL



FRONT SIDEWALL

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 32' RKSA-FW	1 of 2	Mike Walter	<i>[Signature]</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Slideout sidewalls	o/s/7f32rksa	6/12/96	6-14		Date:






OPEN SIDE
VIEW FROM INSIDE LOOKING UP

○ DENOTES 110
△ DENOTES 12V

ROOF IS MADE W/
1 1/2 C-CHANNEL

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block—5TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	AS-KS 32' RKSA-FW	1 of 1	Mike Walter	<i>[Signature]</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Slide out roof detail	o/r/7132rksa	6/12/96	6-14		Date:



(2) 24 1/2 X 10 1/2 DOORS.

USED ON THE FOLLOWING UNITS:

AS 32' RKSA-FW
AS 32' RKWB-FW
AS 33' WRKD-FW

NEWMAR CORP
P.O. Box 30,
Napponee, IN. 46560

Title block--1TB

'97 Model:

See the used on list

Title:

Front overbed storage

Sheet

1 of 3

I.D. #

cabfw/b/71

Drawn by:

Mike Walter

Date:

2/20/96

Checked by:

B

Date:

6/4

Revision:


Revision:

By:



Date:

By:

Date:



NEWMAR CORP P.O. Box 30, Naphtanee, IN. 46560 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	1 of 5	Mike Walter	WJW		Date:
Title block--1TB	Title:	I.D. #	Date:	Date:	Revision:	By:
	Bed base detail	cabfw/b/723	11/14/96	11-20		Date:



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
See the used on list

Title:
Top detail

Sheet
2 of 5

I.D. #
cabfw/b/723

Drawn by:
Mike Walter

Date:
11/14/96

Checked by:
WJW

Date:
11-20

Revision:

Revision:


By:

Date:

By:

Date:

Title block--1TB




1/2" plywood covered
with cargo liner.

Used on:

AS 30' RKCL-FW
AS 31' RKWB-FW
AS 32' RKSA-FW
AS 32' RKWB-FW
AS 33' DBLS-FW
AS 33' WRKD-FW
AS 36' DBLS-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 48550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	3 of 5	Mike Walter	WCM		Date:
Title:	I.D. #	Date:	Date:	Revision:	By:	Date:
American Star top detail	cabfw/b/723	11/14/96	11-20			



Used on:

KS 30' RKCL-FW	KS-KA 36' RKWB-FW
KS 32' RKSA-FW	MA-KA 36' RLDS-FW
KS 32' RKWB-FW	KS-KA 36' RLKA-FW
	MA-KA 36' SADS-FW
KS-KA 33' WRKD-FW	MA-KA 36' SKDS-FW
KS-KA 34' RKSA-FW	MA-KA 39' RKLC-FW
KS-KA 34' RLDK-FW	MA-KA 39' RKWB-FW
KS-KA 34' RLWB-FW	MA-KA 39' RLDK-FW
KS 34' SKDS-FW	MA-KA 39' RLSE-FW
	MA-KA 40' CKDA-FW
KS 36' LSDB-FW	MA-KA 40' CKDB-FW
MA-KA 36' RKSA-FW	MA-KA 40' LSDK-FW
	MA-KA 40' RLFA-FW

NEWMAR CORP
P.O. Box 30,
Napponee, IN. 48550

'97 Model:
See the used on list

Sheet
4 of 5

Drawn by:
Mike Walter

Checked by:
WJM

Revision:

By:

Title:
Completed bed base

I.D. #
cabfw/b/723

Date:
11/14/96


Date:
11-20

Revision:

By:

Title block---1TB


Date:







Used on:

AS 30' RKCL-FW
 AS 31' RKWB-FW
 AS 32' RKSA-FW
 AS 32' RKWB-FW
 AS 33' DBLS-FW
 AS 33' WRKD-FW
 AS 36' DBLS-FW

NEWMAR CORP P.O. Box 30, Napanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	5 of 5	Mike Walter	WJW		Date:
Title:	I.D. #	Date:	Date:	Revision:	By:	Date:
American Star finished bed	cabfw/b/723	11/14/96	11-20			





DOOR LIST:

- (2) 9 1/2 x 50 1/2
- (1) 9 1/2 x 44 1/2 MIRROR
- (2) 16 1/2 x 44 1/2 MIRROR
- (4) 16 1/2 x 5 3/4 FRONTS

NEWMAR CORP
P.O. Box 30,
Napanea, IN. 46550

Title block--75TB

'97 Model:
AS/KS 32' RKSA-FW

Title:
Bedroom/bathroom wardrobe

Sheet
1 of 1

I.D. #
cabfw/b/715

Drawn by:
Mike Walter

Date:
6/12/96

Checked by:
B

Date:
8-9

Revision: **Removed the electrical panel. (PCR 97-553)**



Revision:

By: **Mike**

Date: **8/7**

By:

Date:



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46560

Title block--75TB

'97 Model:
AS/KS 32' RKSA-FW

Title:
Bath wall detail

Sheet
2 of 4

I.D. #
cabfw/a/727

Drawn by:
Mike Walter

Date:
6/12/96

Checked by:
WJW

Date:
12-6

Revision: Revised to remove the backers.



Revision:

By: Mike

Date: 12/2

By:

Date:



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 48550

Title block--75TB

'97 Model:
AS/KS 32' RKSA-FW

Title:
Bath wall detail

Sheet
3 of 4

I.D. #
cabfw/a/727

Drawn by:
Mike Walter

Date:
6/12/96

Checked by:
WGM

Date:
12-6

Revision: Revised to remove the backers.



Revision:

By: Mike

Date: 12/2

By:

Date:



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--75TB

'97 Model:
AS/KS 32' RKSA-FW

Title:
Bath wall detail

Sheet
4 of 4

I.D. #
cabfw/a/727

Drawn by:
Mike Walter

Date:
6/12/96

Checked by:
[Signature]

Date:
12/26

Revision: Revised the drawing to remove the backers.

Revision:


By: Mike

Date: 12/2

By:


Date:

DOOR LIST:
(2) 9 1/2x17 1/2



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1-5TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Mike
	AS/KS 32' RKSA-FW	1 of 1	Mike Walter	B	Put the electrical panel in this cabinet. (PCR 97-553)	Date: 8/7
Title: Over john cabinet	I.D. #	Date:	Date:	Revision:	By: Mike	Date: 6/17
	cabfw/a/726	6/12/96	8-9	Changed the doors from mirror doors to panel doors.		

DOOR LIST:
(1) 25 1/2 x 22 1/2 MIRROR



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
American Star 32' RKSA-FW

Title:
Medicine cabinet

Sheet
1 of 1

I.D. #
cabfw/a/728

Drawn by:
Mike Walter

Date:
6/13/96

Checked by:
R3

Date:
6-14

Revision:

Revision:


By:

Date:

By:

Date:

Title block--1-STB




USED ON:

(AS/KS) 32' RKSA-FW

NEWMAR CORP P.O. Box 30, Napponee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	1 of 2	Mike Walter	<i>B</i>		Date:
Title block--1TB	Title:	I.D. #	Date:	Date:	Revision:	By:
	Lav. top	cabfw/a/729	6/13/96	6-14		Date:

DOOR LIST:




- (3) 9 1/2 x 5 3/4 FRONTS
- (1) 9 1/2 x 7 3/4 FRONT
- (1) 16 1/2 x 20 1/2



USED ON:

(AS/KS) 32' RKSA-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	2 of 2	Mike Walter	<i>[Signature]</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Lav. base	cabfw/a/729	6/13/96	6-14		Date:




Top view

Used on:
AS 32' RKSA-FW


(4) 16 x 24 1/2 Dec. glass

NEWMAR CORP P.O. Box 30, Nappono, IN. 46560 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Changed the height back to 84" as it should be. (PCR 97-1174)	By: Mike
	American Star ent. center	1 of 6	Mike Walter	WJW		Date: 11/18
	Title:	I.D. #	Date:	Date:	Revision: Revised the desk construction and o.a. height. (PCR 97-918)	By: Mike
	Entertainment ctr.	cfw/1/710	3/6/96	11/20		Date: 10/23


Used on:
AS 32' RKSA-FW



NEWMAR CORP P.O. Box 30, Nappanee, IN. 48560 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	AS Finished view	5 of 6	Mike Walter	<i>B</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Finished view	cfw/l/710	3/6/96	6-14		Date:



(AS) Refrigerator #RM2652
(KS) Refrigerator #RM3662



Used On:
AS/KS 32' RKSA-FW

- (1) 24 1/2 x 9 3/4
- (1) 24 1/2 x 7 3/4

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
SEE USED ON LIST

Title:
Refrigerator cabinet

Sheet
1 of 2

I.D. #
cabfw/w/724

Drawn by:
Mike Walter

Date:
6/13/96

Checked by:
[Signature]

Date:
6-14

Revision:

Revision:


By:

Date:


By:

Date:

Title block--75TB




(AS/KS Optional refrigerator)
Refrigerator #RM3862/RM2852




Used On:
AS/KS 32' RKSA-FW

(1) 24 1/2 x 9 3/4


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model: SEE USED ON LIST	Sheet 2 of 2	Drawn by: Mike Walter	Checked by: RS	Revision:	By:
	Title: Refrigerator cabinet	I.D. # cabfw/w/724	Date: 6/13/96	Date: 6-14		Date:
					Revision:	By:
						Date:




By: Mike
Date: 4/26
By:
Date:



- Drawers:
- (3) 9 1/2 x 5 3/4
 - (1) 9 1/2 x 7 3/4
 - (1) 20 1/2 x 7 3/4



- Drawers:
- (1) 19 x 5 3/4 (Tip-out)
- Door:
- (2) 9 1/2 x 20 1/2



- Drawers:
- (3) 12 1/2 x 5 3/4
 - (1) 12 1/2 x 7 3/4
- Door:
- (2) 9 1/2 x 27 1/2



USED ON THE FOLLOWING UNITS

AS 28' WRKD-FW
 AS 31' RKWB-FW
 AS/KS 32' RKSA-FW
 AS/KS 32' RKWB-FW
 AS/KS 33' WRKD-FW
 KS 34' RKSA-FW
 KS 36' RKWB-FW

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

Title block--5TB

'97 Model:
 See the used on list

Title:
 Kitchen base cabinets

Sheet
 5 of 7

I.D. #
 cfw/c/71

Drawn by:
 Mike Walter

Date:
 2/21/96

Checked by:

Date:
 2-3

Revision: Revised the grill opening size. (PCR 97-740)


Revision: Revised to have a grill under the range per Maureen.

By: Mike

Date: 9/3

By: Mike


Date: 4/9



DOORS:
 (2) 10 1/2 x 17 1/2 (WITHOUT MICROWAVE)
 (1) 16 1/2 x 17 1/2

Used On:
 American Star 32' RKSA-FW


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	SEE USED ON LIST	2 of 3	Mike Walter	<i>B</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	American Star microwave cabinet	cabfw/c/716	6/13/96	6-14		Date:




DOORS:
 (1) 24 1/2x6 1/2
 (1) 12 1/2x17 1/2

Used On:
 AS/KS 32' RKSA-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	SEE USED ON LIST	1 of 3	Mike Walter	B		Date:
Title: Star spacemaker cabinet	I.D. #	Date:	Date:	Revision:	By:	Date:
	cabfw/c/716	6/13/96	6-14			




Used on:
AS/KS 32' RKSA-FW




NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550	'97 Model: SEE USED ON LIST	Sheet 1 of 2	Drawn by: Mike Walter	Checked by: B	Revision:	By:
	Title: Rear overhead cabinets	I.D. # cfw/c/717	Date: 2/22/96	Date: 6-14	Revision:	Date:
Title block---1TB						

CUT TO MATCH
TEMPLATE



Used On:
AS 32' RKSA-FW
AS 32' RKWB-FW
AS 33' WRKD-FW



SANDWICH
SHELF



4x SCALE

AMERICAN STAR

DOOR LIST:
(1) $9 \frac{1}{2} \times 71 \frac{1}{2}$

NEWMAR CORP
P.O. Box 30,
Napponee, IN. 46550

Title block—75TB

'97 Model:
SEE USED ON LIST

Title:
Pantry cabinet

Sheet
1 of 3

I.D. #
cfw/w/73

Drawn by:
Mike Walter

Date:
2/22/96

Checked by:
[Signature]

Date:
6-14

Revision:

Revision:


By:

Date:

By:

Date:

NOTE:
 ALL PIPE & FITTINGS ARE ABS CHED. #40
 DRAIN GRADE TO BE 1/8" PER FOOT
 SUPPORT PIPE EVERY 4 FT MAX
 ALL TRAP ARMS 54" MAX
 ALL FIXTURES HAVE 1 1/4" P-TRAPS MINIMUM
 ALL TANK HOOK-UPS ARE A DOUBLE LTTY UNLESS SPECIFIED OTHERWISE
 BELOW FLOOR PLUMBING
 SEE TYPICAL FOR WASHER INSTALLATION
 BATH FLOOR LOCATION-----



KEY	DESCRIPTION
2	CLOSET FLANGE-4"X3"
3A	45° EL-1 1/2"
3C	45° EL-3"
6A	90° EL-1 1/2"
6B	90° EL-2"
8A	90° LG SWP EL-1 1/2"
8B	90° LG SWP EL-2"
8C	90° LG SWP EL-3"
11A	SAN TEE-1 1/2"
11D	1 1/2" CLEAN OUT
11E	1 1/2" CHECK VENT
13A	LG SWP TY-1 1/2"
13B	LG SWP TY-3 X2 X3"
13C	LG SWP 1-2 X2 X1 1/2"
13D	LG SWP TY-2 X1 1/2 X2"
13E	LG SWP TY-3"
13F	DEL LG SWP TY-3"
13G	TEE WYE-1 1/2"
13H	P-TRAP W/UNION JOINT

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

'97 Model:
32' RKSA-FW

Sheet
 1 of 3

Drawn by:
 Mike Walter

Checked by:

Revision:

By:

Title:
 Drain plumbing

I.D. #
 co/c/7f32rksc

Date:

Date:

Revision:

By:


Date:

Title block---375TB


NOTE:

SHUT-OFF VALVES ARE WITHIN 5' OF APPLIANCES ON PARK TRAILERS
 MAXIMUM DEVELOPED LENGTH - 23 FT.
 1/2" BLACK MALL PIPE _____
 3/8" O.D. COPPER TYPE "L" _____
 MAX. LENGTH OF COPPER TYPE TO APPLIANCE PER TEST
 ALL BRASS FITT. BELOW FLOOR TO BE FORGED-NOT MILLED

	BTU's
	35000
	29800
	1500
	12000
Total BTU	78300



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46560 Title block---375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Added the total btu for arizona.	By: Mike
	32' RKSA-FW	3 of 3	Mike Walter			Date: 7/17
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Gas lines	co/c/7f32rksa				Date:



ELECTRICAL SYMBOLS

	TUBE LITE		COMPLEXION LITE
	12V LIGHT		110V JUNCTION BOX
	12V SWITCH		DOUBLE FLORESCENT LITE
	12V RECEPT		30 AMP BREAKER BOX 50 AMP OPTION
	WATER PUMP		CONVERTER
	WATER HEATER		12V DISTRIBUTION PANEL
	12V RANGE HOOD		12V STORAGE BATTERY
	FURNACE		POWER CORD
	12V FAN VENT		

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:

40 A. CONVERTOR/40 A. BREAKER
50 A. CONVERTOR/2-30 A. BREAKERS
75 A. CONVERTOR/2-40 A. BREAKERS

#8 STRND. FROM BAT. TO DIST. PNL.
40A. BREAKER
W/16" OF BATTERY

A	# 12 STRANDED	12	20 AMP	TV-STEREO
B	# 12 STRANDED	12	20 AMP	BEDROOMS
C	# 12 STRANDED	12	20 AMP	BATHROOM
D	# 12 STRANDED	12	20 AMP	KITCHEN
E	# 12 STRANDED	12	20 AMP	LIVINGROOM
F	# 12 STRANDED	12	20 AMP	FURNACES
G	# 12 STRANDED	12	20 AMP	SLIDE OUT LIGHTS
H	# 12 STRANDED	12	20 AMP	SLIDE OUT MOTOR
I	# 12 STRANDED	12	7.5 AMP	FANTASTIC VENT
J	# 12 STRANDED	12	20 AMP	SEC. LIGHTS-WATER HTR.

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
32' RKSA-FW
Title:
12 Volt wiring specifications

Sheet
1 of 4
I.D. #
co/e/7f32rkso

Drawn by:
Mike Walter
Date:
6/13/96

Checked by:
Date:

Revision: Relocated the breaker box. (PCR 97-553)

Revision:


By: Mike

Date: 8/7

By:

Date:

Title block--ELECTE



ELECTRICAL SYMBOLS

WH	WATER HEATER	BB	30 AMP BREAKER BOX 50 AMP OPTION
CF	110V CEILING FAN	CONV	CONVERTER
AC	AIR CONDITIONER	P	12V DISTRIBUTION PANEL
PC	POWER CORD	BAT	12V STORAGE BATTERY
S	110 V SWITCH	R	110V RECEPT
L	110V LIGHT	CB	COMP. GFI BREAKER & RECEPT
		J	110V JUNCTION BOX

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

P - #8 STRND. FROM BAT.
 TO DIST. PNL
 40A. BREAKER
 W/15" OF BATTERY

50 AMP
 OPTION

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	GENERAL
7	14/2 W/GR	110/120	15 AMP HACR	GENERAL
8	12/2 W/GR	110/120	20 AMP HACR	DRYER
9	14/2 W/GR	110/120	15 AMP HACR	WASHER

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 48550

Title block--ELECTB

'97 Model:

32' RKSA-FW

Title:

110 Volt wiring specifications

Sheet

2 of 4

I.D. #

co/e/7132rksc

Drawn by:

Mike Walter

Date:

6/13/96

Checked by:

Mike Walter

Date:

6-20

Revision:

Added a recept behind the refrigerator.

Revision:




Relocated the breaker box. (PCR 97-553)

By: Mike

Date: 9/27

By: Mike

Date: 8/7



ELECTRICAL SYMBOLS

WH	WATER HEATER	BB	30 AMP BREAKER BOX 50 AMP OPTION
CF	110V CEILING FAN		CONVERTER
AC	AIR CONDITIONER	P	12V DISTRIBUTION PANEL
PC	POWER CORD		12V STORAGE BATTERY
	110 V SWITCH		110V RECEPT
	110V LIGHT		COMP. GFI BREAKER & RECEPT
			110V JUNCTION BOX

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24W X 22D MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

P - #8 STRND. FROM BAT. TO DIST. PNL. 40A. BREAKER W/15" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

'97 Model:
32' RKSA-FW

Sheet
3 of 4

Drawn by:
Mike Walter

Checked by:

Revision: Added a recept behind the refrigerator.

By: Mike

Date: 9/27

Title:
CSA 30 Amp wiring specifications

I.D. #
co/e/7f32rksa

Date:
6/13/96


Date:

Revision: Relocated the breaker box. (PCR 97-553)

By: Mike

Date: 8/7

Title block--ELECTB



ELECTRICAL SYMBOLS

W _H	WATER HEATER	BB	30 AMP BREAKER BOX 50 AMP OPTION
C _F	110V CEILING FAN		CONVERTER
AC	AIR CONDITIONER	P	12V DISTRIBUTION PANEL
PC	POWER CORD		12V STORAGE BATTERY
S	110 V SWITCH		110V RECEPT
	110V LIGHT		COMP. GFI BREAKER & RECEPT
		J	110V JUNCTION BOX

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL.
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 220 MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

#8 STRND. FROM BAT. TO DIST. PNL. 40A. BREAKER W/18" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT
7	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT
8	14/2 W/GR	110/120	15 AMP HACR	GENERAL
9	14/2 W/GR	110/120	15 AMP HACR	GENERAL
10	14/2 W/GR	110/120	15 AMP HACR	GENERAL

NEWMAR CORP
 P.O. Box 30,
 Napanee, IN. 46550

'97 Model:
32' RKSA-FW

Sheet
 4 of 4

Drawn by:
 Mike Walter

Checked by:

Revision: Added a recept behind the refrigerator.

By: Mike

Date: 9/27

Title:
 CSA 50 Amp wiring specifications

I.D. #
 co/e/7f32rksa

Date:
 6/13/96

Date:

Revision: Relocated the breaker box. (PCR 97-553)

By: Mike

Date: 8/7

Title block---ELECTB