




length: 32' 10"
width: 95"
width: 91 3/4"
footage: 311 sq. ft.
size: 16 ft.

(A) = Frame "O" point

NOTE
ALL WALLS, PARTITIONS, & CEILING HAVE
CLASS "C" (200) FLAME SPREAD RATING



ALL INTERIOR PASSAGE DOORS ARE NON-LOCKING

SYMBOLS

- - WARM AIR REGISTER
- ⚡ - ELECTRICAL PANEL
- TW - WATER INLET
- TG - GAS INLET
- TE - ELECTRICAL INLET
- E - EGRESS
- ☒ - CONVERTER

- ⬆ - THERMOSTAT
- CJW - CITY WATER
- ↑ - SEWAGE DRAIN
- ⊙ - SMOKE DETECTOR
- ⊕ - FIRE EXTINGUISHER (5 BC MIN)
- ◆ - INSIGNIAS (STATE & RVIA)
- ⊙ - C.O. DETECTOR
- * - MIRRORED WARDROBE


MAR CORP O. Box 30, nee, IN. 46550 block--375TB	'97 Model: American Star 32' RKWB-FW Title: Floor Plan	Sheet 1 of 6 I.D. # p/7f32rkwb	Drawn by: Todd Stahly Date: 4/18/96	Checked by: <i>WJN</i> Date: 2-18	Revision: Removed heat register in cabover on ODS 9971442) Revision: Moved the breaker box (97553)	By: Todd Date: 2/18/97 By: Todd Date: 8/1/96
--	---	---	--	--	---	---




FLOOR CUTOUT SYMBOLS

	10"x10" FIBERGLASS TUB		2 1/2" HEAT DUCT HOLE		2" VENT HOLE
	5" ABS TUB HOLE		2 1/2"x10" HEAT REGISTER		1/4" ELECTRICAL HOLE
	5" HEAT DUCT HOLE		4 1/2"x14 1/2" FURNACE		3" WATER FILL HOLE
	4 1/2" HEAT DUCT HOLE		5" SEWAGE DRAIN HOLE		3/4" WATER LINE HOLE
	4" HEAT DUCT HOLE		3" DRAIN HOLE		3/4" GAS LINE HOLE

FEWMAR CORP P.O. Box 30, Appanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Removed heat register in cabover on the ODS (971442)	By: Todd
	American Star: 32' RKWB-FW	3 of 6	Todd Stahly			Date: 2/18/97
	Title:	I.D. #	Date:	Date:	Revision: Changed the width of the tab on the bath Floor (971006)	By: Todd
	Floor cutout drawing	p/7f32rkwb	5/13/96	2-18		Date: 10/20/96



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Todd
	American Star: 32' RKWB-FW	5 of 6	Todd Stahly	<i>RS</i>	Made several Revisions see PCR# 97281	Date: 6/4/96
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Stringer layout	p/7f32rkwb	5/13/96	6-4		Date:



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
American Star 32' RKWB-FW
Title:
Holding tank drawings

Sheet
1 of 2
I.D. #
h/7f32rkwb

Drawn by:
Todd Stahly
Date:
5/20/96

Checked by:
[Signature]
Date:
8/28

Revision: Made all dimensions come from lower left corner (97690)

Revision: Moved drain to the other side


By: Todd

Date: 8/26/96

By: Todd

Date: 6/4/96

Title block--75TB



SIDE X-SECTION OF
SUPER STORAGE BATHROOM FLOOR

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46560

'97 Model:

AS/KS: 32' RKWB-FW

Title:

Bath floor X-section

Sheet

1 of 5

I.D. #

F/B/7F32RKWB

Drawn by:

Todd Stahly

Date:

5/20/96

Checked by:

[Signature]

Date:

5/11

Revision: Extended bath floor 2" (97359)

Revision: Changed to 3/16 plng on the rear of the risers (97270)

By: Todd

Date: 6/24/96




By: Todd

Date: 5/31/96

Title block--1TB

SEE JOIST LAY-OUT FOR RISER LOCATIONS

REAR SUPER STORAGE RISERS
2X2 MATERIAL W-3/16 PNLG ON BACKSIDE
AND 3/16 PANEL ON FRONTSIDE



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
American Star: 32' RKWB-FW
Title:

Sheet
3 of 3
I.D. #

Drawn by:
Todd Stahly
Date:

Checked by:
RS
Date:

Revision: Changed to 3/16 pnlg on the rear of the risers (97270)
Revision:

By: Todd
Date: 5/31/96
By:
Date:


Title block--1TB

Bath floor riser detail

F/B/7F32RKWB

5/20/96

6-4



NEWMAR CORP
P.O. Box 30,
Napanee, IN. 46550

'97 Model:

American Star: 32' RKWB-FW

Title:

Bath Floor detail

Sheet

2 of 3

I.D. #

F/B/7F32RKWB

Drawn by:

Todd Stahly

Date:

5/20/96

Checked by:

F3

Date:

6-4

Revision: Added stringer in heat duct to eliminate hump in floor (97283)


Revision:

By: Todd


Date: 6/4/96


By:

Date:



NEWMAR CORP P.O. Box 30, Nappones, IN. 46550 Title block--5TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 12' frame 1 1/4" cabovers	1 of 2	Todd Stahly	<i>TS</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Decking and riser locations	ft/c/7f12111c	5/22/96	530		Date:





RB=Radius blocks are all 1 1/2 width

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
American Star 32' RKWB-FW

Sheet
2 of 4

Drawn by:
Todd Stahly

Checked by:
[Signature]

Revision: Changed the front DS storage width (97970)

By: Todd

Date: 10/14/96

Title:
Frame storage detail

I.D. #
R/cshw12/7/32/kmb

Date:
5/17/96



Date:
10/16

Revision: Moved storage door down (97521)






By: Todd

Date: 7/29/96

Title block--375TB



NEWMAR CORP P.O. Box 30, Napanee, IN. 46550 Title block--1TB	'97 Model: Fresh water tank cradle for all 12" I-beam FW's KS-KA	Sheet 1 of 2	Drawn by: Mike Walter	Checked by: WJM	Revision: Revised the location of the angle brackets 'D'.	By: Mike
	Title: For 55 x 55 tanks	I.D. # ft/parts/5555crdl	Date: 3/18/96	Date: 9/6		Date: 4/24
					Revision:	By:
						Date:



All material 1/4" thick

Letter	Qty	Description
A	4	2" x 2" x 60" Angle iron with (2) 9/16" diameter holes.
B	2	3" x 2" x 68 1/8" L-bracket.
C	4	1/4" x 3" x 4" plate with (2) 9/16" diameter holes.
D	2	2" x 2" x 2" Angle iron
E	8	2" x 2" x 2" Angle iron with (2) 9/16" diameter holes.

Assemble using 1/2 x 1 1/2 grade 5 bolts with locknuts.

NEWMAR CORP
P.O. Box 30,
Neppanee, IN. 46550

Title block--1TB

'97 Model:
Fresh water tank cradle for all
12" I-beam FW's KS-KA

Title:
For 55 x 55 tanks

Sheet
2 of 2
I.D. #
ft/parts/5555crdl

Drawn by:
Mike Walter
Date:
3/18/96

Checked by:
WJM
Date:
9/6

Revision: Revised the drilled holes to have a diameter of 9/16".


By: Mike

Date: 4/24

Revision:


By:

Date:



NOTES:
 SIDEWALL DRAWN AS IN JIG POSITION
 STUDS SPACED 16" ON CENTER
 DASHED LINES DENOTE WAIRSCOATING BACKER
 DIMENSIONS ARE OVERALL
 WALL THICKNESS: 1 5/8"
 Awning 16 ft.
 Slope rate: .0779x1

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block—3125TB	'97 Model: American Star 32' RKWB-FW	Sheet 1 of 2	Drawn by: Todd Stahly	Checked by: WFM	Revision: Changed the entrance door opening ECO93 (97966)	By: Todd
	Title: Door side sidewall detail	I.D. # s/d/7f32rkwb	Date: 5/21/96	Date: 10-17	Revision: Moved storage down (97521)	Date: 10/14/96 By: Todd Date: 7/29/96



SLOPE RATE: .0779 X 1

NOTES:
SIDEWALL DRAWN AS IN JIG POSITION
STUDS SPACED 16" ON CENTER
WALL THICKNESS: 1 5/8" w/wood (2 1/4" w/alum)
DIMENSIONS ARE OVERALL

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--3125TB

'97 Model:
American Star 32' RKWB-FW

Title:
Offdoor side sidewall detail

Sheet
2 of 2

I.D. #
s/o/7f32rkwb

Drawn by:
Todd Stahly

Date:
5/21/96

Checked by:
[Signature]

Date:
[Signature]

Revision:



Revision:

By:

Date:

By:


Date:



Use 2 x 2 construction
unless otherwise noted.

Wall thickness 1 5/8"

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 32' RKWB-FW	1 of 3	Todd Stahly	<i>RS</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Rear end wall	s/rear/7f32rkwb	5/21/96	5-30		Date:



Use 2 x 2 construction
unless otherwise noted.



Use on all American Stars

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model: American Star typical	Sheet 1 of 6	Drawn by: Mike Walter	Checked by: WFM	Revision: Revised the door opening again. (PCR 97-1114)	By: Mike
	Title: Goose neck wall	I.D. # s/t/goosneck/typical	Date: 8/12/96	Date: 11-11	Revision: Made a typical goose neck door print to be used on all American Stars.	Date: 11/11
						By: Mike
						Date: 8/12

1 x 2 Top rail

1 x 2 side rail

1 x 2 side rail



Use 2 x 2 construction unless otherwise noted.

Wall thickness 1 5/8"

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
American Star 32' RKWB-FW

Sheet
1 of 2

Drawn by:
Todd Stahly

Checked by:
RS

Revision:

By:

Title:
Cabover end wall

I.D. #
s/t/cab/7132rkwb

Date:
5/21/96


Date:
5-30

Revision:


By:

Title block--1TB

Date:



NEWMAR CORP P.O. Box 30, Napppanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Moved the kitchen vent to the center of the roof (97515)	By: Todd
	American Star 32' RKWB-FW	1 of 2	Todd Stahly	<i>TS</i>		Date: 7/23/96
	Title:	I.D. #	Date:	Date:	Revision: Changed the size of the skylight (97279)	By: Todd
	Roof detail	r/7f32rkwb	5/21/96	7-23		Date: 6/4/96



FLOOR IS MADE OF DOUBLE 1/2 PLYWOOD

- (6) 48 X 51 3/4
- (2) 4 7/8 X 51 3/4
- (4) 3 1/2 X 3 3/4

----- TOP LAYER SEAM
 ----- BOTTOM LAYER SEAM

NEWMAR CORP
 P.O. Box 30,
 Napanee, IN. 46560

'97 Model:
 AS-KS 32' RKWB-FW

Sheet
 1 of 1

Drawn by:
 Todd Stahly

Checked by:
 B

Revision:

By:

Title:
 Non-flat floor slideout floor detail

I.D. #
 o/f/7f32rkwb


Date:
 5/21/96

Date:
 5/30


Revision:

By:


Title block--5TB



REAR SIDEWALL



MAIN SLIDE-OUT SIDEWALL



FRONT SIDEWALL

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--375TB

'97 Model:
American Star 32' RKWB-FW

Title:
Slideout sidewalls

Sheet
1 of 4

I.D. #
o/s/7f32rkwb

Drawn by:
Todd Stahly

Date:
5/21/96

Checked by:
F3

Date:
5-30

Revision:

Revision:

By:


Date:

By:

Date:

SLOPE RATE .0779 X 1

SCALE: APPROX. 75% FULL




FRONT FASCIA BOARD DETAIL

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 32' RKWB-FW	3 of 4	Todd Stahly	<i>RS</i>		Date:
Title		I.D. #	Date:	Date:	Revision:	By:
	Slideout sidewalls	o/s/7f32rkwb	5/21/96	5-30		Date:

SLOPE RATE .0779 X 1

SCALE: APPROX. 75% FULL



REAR FASCIA BOARD DETAIL

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
American Star 32' RKWB-FW

Sheet
4 of 4

Drawn by:
Todd Stahly

Checked by:
RS

Revision:

By:

Date:

Title:

I.D. #

Date:

Date:

Revision:

By:

Date:


Title block--375TB

Slideout sidewalls


o/s/7f32rkwb

5/21/96

530






OPEN SIDE
VIEW FROM INSIDE LOOKING UP



ROOF IS MADE W/
1 1/2 C-CHANNEL

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--STB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	AS-KS 32' RKWB-FW	1 of 1	Todd Stahly	<i>FS</i>		Date:
Slide out roof detail	Title:	I.D. #	Date:	Date:	Revision:	By:
		o/r/7f33rkwb	5/21/96	5-30		Date:





Used on:

AS-KS 30' RKCL-FW	KS-KA 36' RKWB-FW
AS 31' RKWB-FW	MA-KA 36' RLDS-FW
AS-KS 32' RKSA-FW	KS-KA 36' RLKA-FW
AS-KS 32' RKWB-FW	MA-KA 36' SADS-FW
AS 33' DBLS-FW	MA-KA 36' SKDS-FW
AS-KA 33' WRKD-FW	MA-KA 39' RKLC-FW
KS-KA 34' RKSA-FW	MA-KA 39' RKWB-FW
KS-KA 34' RLDK-FW	MA-KA 39' RLSE-FW
KS-KA 34' RLWB-FW	MA-KA 39' RLSE-FW
KS 34' SKDS-FW	MA-KA 40' CKDA-FW
AS 36' DBLS-FW	MA-KA 40' CKDB-FW
KS 36' LSDB-FW	MA-KA 40' LSDK-FW
MA-KA 36' RKSA-FW	MA-KA 40' RLFK-FW

Note:
The finished sides of the frames and rails face in to create a finished interior.

Outside corner trim

NEWMAR CORP
P.O. Box 30,
Naperville, IN. 46550

'97 Model:
See the used on list
Title: Bed base detail

Sheet
1 of 5
I.D. #
cabfw/b/723



Drawn by:
Mike Walter
Date:
11/14/96

Checked by:
Date:
11-20

Revision:

By:
Date:
By:
Date:

Title block--1TB



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
See the used on list

Sheet
2 of 5

Drawn by:
Mike Walter

Checked by:
WJW

Revision:

By:

Title:

Top detail

I.D. #

cabfw/b/723

Date:

11/14/96

Date:

11-20


Revision:

Date:

By:

Date:

Title block--1TB




1/2" plywood covered
with cargo liner.

Used on:

AS 30' RKCL-FW
AS 31' RKWB-FW
AS 32' RKSA-FW
AS 32' RKWB-FW
AS 33' DBLS-FW
AS 33' WRKD-FW
AS 36' DBLS-FW

NEWMAR CORP P.O. Box 30, Neppanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	3 of 5	Mike Walter	WOM		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	American Star top detail	cabfw/b/723	11/14/96	11-20		Date:



Used on:

KS 30' RKCL-FW	KS-KA 36' RKWB-FW
KS 32' RKSA-FW	MA-KA 36' RLDS-FW
KS 32' RKWB-FW	KS-KA 36' RLSA-FW
	MA-KA 36' SADS-FW
	MA-KA 36' SKDS-FW
KS-KA 33' WRKD-FW	MA-KA 39' RKLC-FW
KS-KA 34' RKSA-FW	MA-KA 39' RKWB-FW
KS-KA 34' RLDK-FW	MA-KA 39' RLDK-FW
KS-KA 34' RLWB-FW	MA-KA 39' RLSE-FW
KS 34' SKDS-FW	MA-KA 40' CKDA-FW
	MA-KA 40' CKDB-FW
KS 36' LSDB-FW	MA-KA 40' LSDK-FW
MA-KA 36' RKSA-FW	MA-KA 40' RLFK-FW

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
See the used on list

Sheet
4 of 5

Drawn by:
Mike Walter

Checked by:
W-M

Revision:

By:

Title:

Completed bed base

I.D. #

cabfw/b/723

Date:

11/14/96

Date:

11-20


Revision:

Date:

By:

Date:


Title block--1TB



Used on:

AS 30' RKCL-FW
 AS 31' RKWB-FW
 AS 32' RKSA-FW
 AS 32' RKWB-FW
 AS 33' DBLS-FW
 AS 33' WRKD-FW
 AS 36' DBLS-FW

NEWMAR CORP P.O. Box 30, Napanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	5 of 5	Mike Walter	W-M		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	American Star finished bed	cabfw/b/723	11/14/96	11-20		Date:





(2) 24 1/2 X 10 1/2 DOORS.

USED ON THE FOLLOWING UNITS:

AS 32' RKWB-FW
AS 33' WRKD-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	1 of 3	Mike Walter	R3		Date:
Title:	I.D. #	Date:	Date:	Revision:	By:	Date:
Front overbed storage	cabfw/b/71	2/20/96	5-30			





(1) 16 1/2 X 71 1/2 MIRROR DOOR

USED ON LIST:



AS-KS 32' RKWB-FW
 AS-KA 33' WRKD-FW
 KS-KA 34' RLDK-FW
 KS-KA 34' RLWB-FW

Off door side wardrobe


Door side wardrobe



(1) 16 1/2 X 44 1/2 DOOR
 (1) 16 1/2 X 7 3/4 DOOR



(1) 16 1/2 X 44 1/2 DOOR



TV TOP HAS A GALLERY RAIL

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

'97 Model:
 SEE USED ON LIST

Title:
 cabover wardrobes

Sheet
 1 of 1
 I.D. #
 cabfw/b/73


Drawn by:
 Mike Walter
 Date:
 2/21/96

Checked by:
 R
 Date:
 3-9

Revision: Removed the electrical panel from the off door side wardrobe.
 (PCR 97-553)
 Revision: Removed the note for 14" I-beam on door side wardrobe.

By: Mike
 Date: 7/31
 By: Mike
 Date: 6/24

Title block--STB



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
American Star 32' RKWB-FW

Sheet
1 of 8

Drawn by:
Todd Stahly

Checked by:
B

Revision: Moved ceiling break line found mistake on another PCR

By: Todd

Date: 8/1/96

Title:
Bath walls

I.D. #
cabfw/a/763

Date:
5/22/96


Date:
8-9

Revision:

By:

Date:

Title block---75TB



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
American Star 32' RKWB-FW

Sheet
2 of 5

Drawn by:
Todd Stahly

Checked by:
(Signature)

Revision: Revised wall backers

By: Todd

Title:
Wall detail

I.D. #
cabfw/a/763

Date:
5/22/96

Date:
12-1/96
5/22/96



Revision:

Date: 12/10/96



By:

Date:

Title block--75TB




NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 32' RKWB-FW	4 of 8	Todd Stahly	<i>T</i>	Added dim for O.J. cabinet and updated print (97553)	Todd
	Title:	I.D. #	Date:	Date:	Revision:	Date:
	Wall detail	cabfw/a/763	5/22/96	89		



NEWMAR CORP P.O. Box 30, Napponee, IN. 48550 Title block--75TB	'97 Model: American Star 32' RKWB-FW	Sheet 4 of 8	Drawn by: Todd Stahly	Checked by: <i>K</i>	Revision: Added dim for O.J. cabinet and updated print (97553)	By: Todd
	Title: Wall detail	I.D. # cabfw/a/763	Date: 5/22/96	Date: 89	Revision:	Date: 8/1/96
						By:
						Date:

Hold the shelf back
5" and mount the
light on the ceiling.



DOORS:

WARDROBE: (1) 12 1/2 X 71 1/2 MIRROR DOORS

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--75TB

'97 Model:
AS/KS: 32' RKWB-FW

Title:
Bathroom Wardrobe

Sheet
1 of 1
I.D. #
cfw/w/761

Drawn by:
Todd Stahly
Date:
5/23/96

Checked by:
RS
Date:
5-30

Revision:



Revision:

By:



Date:

By:

Date:




NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 32' RKWB-FW	1 of 1	Todd Stahly	<i>PS</i>	Moved ceiling slope	Todd
Title block--1TB	Title:	I.D. #	Date:	Date:	Revision:	By:
	Medicine cabinet	cfw/a/764	5/23/96	<i>8-9</i>		Date:



Used on:
 AS/KS 32' RKWB-FW
 AS/KS 33' WRKD-FW
 KS 34' RLDK-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	1 of 5	Mike Walter	<i>RS</i>		Date:
Title block--1TB	Title:	I.D. #	Date:	Date:	Revision:	By:
	Star lav. top detail	cfw/a/72	2/21/96	5-30		Date:




DOOR LIST:

- (1) 16 1/2 X 20 1/2 DOOR
- (1) 27 1/2 X 5 3/4 TIP-OUT FRONT
- (2) 9 1/2 X 5 3/4 DRAWER FRONTS
- (1) 9 1/2 X 7 3/4 DRAWER FRONT


Used on:
 AS/KS 32' RKWB-FW
 AS/KS 33' WRKD-FW
 KS 34' RLDK-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model: See the used on list	Sheet 4 of 5	Drawn by: Mike Walter	Checked by: P3	Revision:	By:
	Title: Lavatory base	I.D. # cfw/a/72	Date: 2/21/96	Date: 5-30	Revision:	Date:




(2) $9 \frac{1}{2} \times 18 \frac{1}{2}$


NEWMAR CORP P.O. Box 30, Napppanee, IN. 46550 Title block--1-5TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Shortened overall width $1 \frac{1}{2}$ " (97739)	By: Todd
	American Star: 32' RKWB-FW	1 of 1	Todd Stahly	W9M		Date: 8/2/96
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Over john cabinet	cabfw/a/782	8/1/96	4-3		Date:



TOP VIEW



SECTION A-A
RECESSED RADIO



FRONT VIEW

DOOR LIST

UPPER STORAGE & STEREO SECTION
(4) 16"x24 1/2" DEC. GLASS DOORS

NOTE:
USE 3/16" PANELED SHELING,
CLEATED.

RADIO OPENING
9 1/4 x 6 1/4

Used On:
American Star 32' RKWB-FW
American Star 33' WRKD-FW

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--75TB

'97 Model:
SEE USED ON LIST

Title:
Entertainment center

Sheet
1 of 2

I.D. #
cabfw/1/71

Drawn by:
Mike Walter

Date:
2/21/96

Checked by:
PS

Date:
5/30

Revision: Revised the radio area.



Revision: Revised the shelf above the TV area to be a sandwich
shelf per PCR#97-97.

By: Mike

Date: 4/15


By: Mike

Date: 4/9




Used On:
 American Star 32' RKWB-FW
 American Star 33' WRKD-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Mike
	SEE USED ON LIST	2 of 2	Mike Walter	<i>[Signature]</i>	Revised per PCR#97-6 - Removed notes not pertaining to American Star and removed inside panel end.	Date: 3/20
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Entertainment center	cabfw/1/71	2/21/96	5-30		Date:




(AS) Refrigerator #RM2652
(KS) Refrigerator #RM3662




Used On:
AS/KS 32' RKWB-FW
AS/KS 33' WRKD-FW

(1) 24 1/2 x 9 3/4
(1) 24 1/2 x 7 3/4

NEWMAR CORP P.O. Box 30, Napppano, IN. 48550 Title block--75TB	'97 Model: SEE USED ON LIST	Sheet 1 of 2	Drawn by: Mike Walter	Checked by: B3	Revision:	By:
	Title: Refrigerator cabinet	I.D. # cfw/w/74	Date: 2/22/96	Date: 5-30	Revision:	By:




(AS/KS Optional refrigerator)
Refrigerator #RM3862/RM2852



Used On:
AS/KS 32' RKWB-FW
AS/KS 33' WRKD-FW

(1) 24 1/2 x 9 3/4


NEWMAR COPP P.O. Box 30, Nappanee, IN. 46560 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	SEE USED ON LIST	2 of 2	Mike Walter	<i>PS</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Refrigerator cabinet	cabfw/w/74	2/22/96	5-30		Date:




USED ON THE FOLLOWING UNITS:

AS/KS 32' RKWB-FW
AS/KS 33' WRKD-FW


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block—5TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	1 of 7	Mike Walter	<i>R</i>	Added 1/4" to the depth of the top to make 24" deep.	Mike
	Title:	I.D. #	Date:	Date:	Revision:	Date:
	Star top	cfw/c/71	2/21/96	5-30		



- Drawers:
 (3) 9 1/2 x 5 3/4
 (1) 9 1/2 x 7 3/4
 (1) 20 1/2 x 7 3/4



- Drawers:
 (1) 19 x 5 3/4 (Tip-out)
 Door:
 (2) 9 1/2 x 20 1/2




- Drawers:
 (3) 12 1/2 x 5 3/4
 (1) 12 1/2 x 7 3/4
 Door:
 (2) 9 1/2 x 27 1/2



USED ON THE FOLLOWING UNITS


AS 28' WRKD-FW
 AS 31' RKWB-FW
 AS/KS 32' RKSA-FW
 AS/KS 32' RKWB-FW
 AS/KS 33' WRKD-FW
 KS 34' RKSA-FW
 KS 36' RKWB-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--5TB	'97 Model: See the used on list	Sheet 5 of 7	Drawn by: Mike Walter	Checked by: <i>[Signature]</i>	Revision: Revised the grill opening size. (PCR 97-740)	By: Mike
	Title: Kitchen base cabinets	I.D. # cfw/c/71	Date: 2/21/96	Date: <i>[Signature]</i>	Revision: Revised to have a grill under the range per Maureen.	Date: 9/3
						By: Mike Date: 4/9



Used On:
American Star 32' RKWB-FW
American Star 33' WRKD-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block---1TB	'97 Model: SEE USED ON LIST	Sheet 1 of 5	Drawn by: Mike Walter	Checked by: <i>P3</i>	Revision: Revised the microwave cabinet depth to 16 3/4 from 20 per PCR# 97-9	By: Mike Date: 3/20
	Title: American Star microwave cabinet	I.D. # cabfw/c/73	Date: 2/22/96	Date: 5-30	Revision:	By: Date:




DOORS:
 (1) 24 1/2x6 1/2
 (1) 12 1/2x17 1/2


Used On:

AS/KS 32' RKWB-FW
 AS/KS 33' WRKD-FW

NEWMAR CORP P.O. Box 30, Neppanee, IN. 46550 Title block--1TB	'97 Model: SEE USED ON LIST	Sheet 3 of 5	Drawn by: Mike Walter	Checked by: B	Revision:	By:
	Title: Star spacemaker cabinet	I.D. # cabfw/c/73	Date: 2/22/96	Date: 5-30	Revision:	Date:




CORNER OVERHEAD
(1) 9 1/2 X 17 1/2



SECTION A-A



TOP VIEW





REAR OVERHEAD FRONT VIEW
(3) 16 1/2 X 17 1/2 DOORS


Used on:
AS/KS 32' RKWB-FW
AS/KS 33' WRKD-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	SEE USED ON LIST	1 of 2	Mike Walter	R3		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Rear overhead cabinets	cfw/c/74	2/22/96	5-30		Date:

CUT TO MATCH
TEMPLATE



SANDWICH
SHELF




4x SCALE

AMERICAN STAR

DOOR LIST:
(1) 9 1/2 X 71 1/2

Used On:
American Star 32' RKWB-FW
American Star 33' WRKD-FW


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46560 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	SEE USED ON LIST	1 of 3	Mike Walter	<i>FW</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Pantry cabinet	cfw/w/73	2/22/96	5-30		Date:



NOTE:
 1/2" (ID) POLYBUTYLENE TUBING
 DRAINS INSTALLED AT LOW POINTS
 SAFETY VALVE INSTALLED ON WATER HEATER

NEWMAR CORP P.O. Box 30, Napanee, IN. 46560 Title block--3125TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	AS/KS: 32' RKWB-FW	3 of 3	Todd Stahly			Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Pressure plumbing	cc/c/7f32rkwb	5/23/96			Date:

NOTE:
 ALL PIPE & FITTINGS ARE ABS CHED. #40
 DRAIN GRADE TO BE 1/8" PER FOOT
 SUPPORT PIPE EVERY 4 FT MAX
 ALL TRAP ARMS 54" MAX
 ALL FIXTURES HAVE 1 1/4" P-TRAPS MINIMUM
 ALL TANK HOOK-UPS ARE A DOUBLE LTTY UNLESS SPECIFIED OTHERWISE
 BELOW FLOOR PLUMBING
 SEE TYPICAL FOR WASHER INSTALLATION
 BATH FLOOR LOCATION-----



KEY	DESCRIPTION
2	CLOSET FLANGE-4"x3"
3A	3" EL-1 1/2"
3C	3" EL-3"
6A	6" EL-1 1/2"
6B	6" EL-2"
8A	8" LG SMP EL-1 1/2"
8B	8" LG SMP EL-2"
8C	8" LG SMP EL-3"
11A	SAN TP-1 1/2"
11D	1 1/2" CLEAN OUT
11E	1 1/2" CHECK VALVE
13A	1/2" LG SMP IV-1 1/2"
13B	1/2" LG SMP IV-2 1/2"
13C	1/2" LG SMP IV-3 1/2"
13D	1/2" LG SMP IV-4"
14	DEL LG SMP IV-3"
15A	1/2" WYE-1 1/2"
16	P-TRAP W/UNION JOINT

NEWMAR CORP
 P.O. Box 30,
 Napanee, IN. 46560

'97 Model:
 AS/KS: 32' RKWB-FW
 Title:
 Drain plumbing

Sheet
 1 of 3
 I.D. #
 co/c/7f32rkwb

Drawn by:
 Todd Stahly
 Date:
 5/23/96

Checked by:
 Date:

Revision:
 Revision:

By:
 Date:
 By:
 Date:

Title block--3125TB

NOTE:

SHUT-OFF VALVES ARE WITHIN 5' OF APPLIANCES ON PARK TRAILERS

MAXIMUM DEVELOPED LENGTH - 23 FT.


1/2" BLACK MALL PIPE

3/8" O.D. COPPER TYPE "L"

MAX. LENGTH OF COPPER TYPE TO APPLIANCE PER TEST

ALL BRASS FITT. BELOW FLOOR TO BE FORGED-NOT MILLED

TOTAL BTU 63,520



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
AS/KS: 32' RKWB-FW

Title:
Gas line drawing

Sheet
2 of 3

I.D. #
co/c/7f32rkwb

Drawn by:
Todd Stahly

Date:
5/23/96

Checked by:

Date:

Revision: Added note for total BTU

Revision:




By: Todd

Date: 7/17/96

By:

Date:

Title block---3125TB



ELECTRICAL SYMBOLS

- W_H WATER HEATER
- C_F 110V CEILING FAN
- AC AIR CONDITIONER
- PC POWER CORD
- S 110 V SWITCH
- 110V LIGHT
- BB 30 AMP BREAKER BOX 50 AMP OPTION
- CONVERTER
- P 12V DISTRIBUTION PANEL
- 12V STORAGE BATTERY
- 110V RECEPT
- COMP. GFI BREAKER & RECEPT
- 110V JUNCTION BOX

NOTES:

- SOME ITEMS SHOWN MAY BE OPTIONAL.
- CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- ALL BREAKERS SHALL BE HACR TYPE
- ALL A/C SHALL ACCEPT HACR BREAKERS
- DIST. PANEL WORKING CLEARANCE 24W X 22D MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

P 1/8 STRND. FROM BAT. TO DIST. PNL. 40A. BREAKER W/18" OF BATTERY

50 AMP OPTION

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	GENERAL
7	14/2 W/GR	110/120	15 AMP HACR	GENERAL
8	12/2 W/GR	110/120	20 AMP HACR	DRYER
9	14/2 W/GR	110/120	15 AMP HACR	WASHER

NEWMAR CORP
 P.O. Box 30,
 Napanee, IN. 46560

'97 Model:
AS/KS: 32' RKWB-FW
 Title:
110 Volt wiring specifications

Sheet
2 of 4
 I.D. #
co/e/7f32rkwb


Drawn by:
Todd Stahly
 Date:
5/23/96


Checked by:
 Date:

Revision:
 Revision:

By:
 Date:
 By:
 Date:

Title block--ELECTB





ELECTRICAL SYMBOLS

WH	WATER HEATER	BB	30 AMP BREAKER BOX 50 AMP OPTION
CF	110V CEILING FAN	⊠	CONVERTER
AC	AIR CONDITIONER	P	12V DISTRIBUTION PANEL
PC	POWER CORD	PB	12V STORAGE BATTERY
S	110 V SWITCH	⊕	110V RECEPT
⊕	110V LIGHT	⊕	COMP. GFI BREAKER & RECEPT
		⊕	110V JUNCTION BOX

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A SERVICE, INSTALL 20A BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24W X 22D MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

P - #8 STRND. FROM BAT. TO DIST. PNL.
 40A. BREAKER W/18" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

TRU block--ELECTB


'97 Model:
 AS/KS: 32' RKWB-FW
 Title:
 CSA 30 Amp wiring specifications

Sheet
 3 of 4
 I.D. #
 co/e/7f32rkwb

Drawn by:
 Todd Stahly
 Date:
 5/23/96

Checked by:
 Date:

Revision:
 By:
 Date:
 Revision:
 By:
 Date:



ELECTRICAL SYMBOLS

W _H	WATER HEATER	BB	30 AMP BREAKER BOX 50 AMP OPTION
C _F	110V CEILING FAN		CONVERTER
AC	AIR CONDITIONER	P	12V DISTRIBUTION PANEL
PC	POWER CORD		12V STORAGE BATTERY
S	110 V SWITCH		110V RECEPT
	110V LIGHT		COMP. GFI BREAKER & RECEPT
			110V JUNCTION BOX

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

P - #8 STRND. FROM BAT. TO DIST. PNL.
 40A. BREAKER W/18" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT
7	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT
8	14/2 W/GR	110/120	15 AMP HACR	GENERAL
9	14/2 W/GR	110/120	15 AMP HACR	GENERAL
10	14/2 W/GR	110/120	15 AMP HACR	GENERAL

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

Title block---ELECTB

'97 Model:

AS/KS: 32' RKWB-FW

Title:

CSA 50 Amp wiring specifications

Sheet

4 of 4

I.D. #

co/e/7f32rkwb

Drawn by:

Todd Stahly

Date:

5/23/96

Checked by:

Date:

Revision:


Revision:

By:

Date:

By:

Date:



ELECTRICAL SYMBOLS

	TUBE LITE		COMPLEXION LITE
	12V LIGHT		110V JUNCTION BOX
	12V SWITCH		DOUBLE FLORESCENT LITE
	12V RECEPT		30 AMP BREAKER BOX 50 AMP OPTION
	WATER PUMP		CONVERTER
	WATER HEATER		12V DISTRIBUTION PANEL
	12V RANGE HOOD		12V STORAGE BATTERY
	FURNACE		POWER CORD
	12V FAN VENT		

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24W X 22D MIN.

BREAKER SCHEDULE:

40 A. CONVERTOR/40 A. BREAKER
50 A. CONVERTOR/2-30 A. BREAKERS
75 A. CONVERTOR/2-40 A. BREAKERS

#8 STRND. FROM BAT. TO DIST. PNL.
40A. BREAKER
W/18" OF BATTERY

A	#	12 STRANDED	12	20 AMP	TV-STEREO
B	#	12 STRANDED	12	20 AMP	BEDROOMS
C	#	12 STRANDED	12	20 AMP	BATHROOM
D	#	12 STRANDED	12	20 AMP	KITCHEN
E	#	12 STRANDED	12	20 AMP	LIVINGROOM
F	#	12 STRANDED	12	20 AMP	FURNACES
G	#	12 STRANDED	12	20 AMP	SLIDE OUT LIGHTS
H	#	12 STRANDED	12	20 AMP	SLIDE OUT MOTOR
I	#	12 STRANDED	12	7.5 AMP	FANTASTIC VENT
J	#	12 STRANDED	12	20 AMP	SEC. LIGHTS-WATER HTL.

NEWMAR CORP
P.O. Box 30,
Napanea, IN. 46560

'97 Model:
Standard cabover slide-out typical
Title:
12 volt wiring specifications

Sheet
1 of 2
I.D. #
co/e/7cabvrso


Drawn by:
Todd Stahly
Date:
5/30/96

Checked by:
Date:

Revision:
Revision:

By:
Date:
By:
Date:

Title block--5TB



NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/CLOSED AIR OPTION ON 50A. SERVICE,
INSTALL 20A. BREAKER IN #3 POSITION
AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER
AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24W X 22D MIN.

BREAKER SCHEDULE:
40 A. CONVERTOR/40 A. BREAKER
50 A. CONVERTOR/2-30 A. BREAKERS
75 A. CONVERTOR/2-40 A. BREAKERS

[P] - #8 STRND. FROM BAT.
TO DIST. PNL.
40A. BREAKER
W/18" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE	BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP	HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP	HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP	HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP	HACR	UTES
5	14/2 W/GR	110/120	15 AMP	HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP	HACR	GENERAL
7	14/2 W/GR	110/120	15 AMP	HACR	GENERAL
8	12/2 W/GR	110/120	20 AMP	HACR	DRYER
9	14/2 W/GR	110/120	15 AMP	HACR	WASHER

50 AM
OPTION

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Standard cabover slide-out typical	2 of 2	Todd Stahly			Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	110 volt wiring specifications	co/e/7cabvrso	5/30/96			Date: