




Overall length: 27' 9"
 Overall width: 95"
 Interior width: 91 3/4"
 Square footage: 187 sq. ft.
 Awning length: 17 Ft.


⊙ = "0" Point of frame

NOTE
 ALL WALLS, PARTITIONS, & CEILING HAVE
 CLASS "C" (200) FLAME SPREAD RATING
 ALL INTERIOR PASSAGE DOORS ARE NON-LOCKING


SYMBOLS

- - WARM AIR REGISTER
- ⬅ - ELECTRICAL PANEL
- ⬆ - WATER INLET
- ⬆ - GAS INLET
- ⬆ - ELECTRICAL INLET
- E - EGRESS
- ⬆ - CONVERTER
- ⬆ - THERMOSTAT
- ⊙ - LP DETECTOR
- ⬆ - CITY WATER
- ⬆ - SEWAGE DRAIN
- ⊙ - SMOKE DETECTOR
- ⊙ - FIRE EXTINGUISHER (5 BC MIN)
- ⬆ - INSIGNIAS (STATE & RVIA)
- ⊙ - C.O. DETECTOR
- * - MIRRORED WARDROBE

NEWMAR CORP P.O. Box 30, Napanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	-Drawn by:	Checked by:	Revision: Changed the wall at the bedroom (971456)	By: Todd
	American Star 26' DB-TT	1 of 3	Todd Stahly	09/14		Date: 2/17/97
	Title:	I.D. #	Date:	Date:	Revision: Changed the wall behind dinette from 3/4 to 1 (971192)	By: Todd
	Floor Plan	P/7T26DB	4/19/96	2-20		Date: 11/26/96




NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Removed tube above axles and changed hanger distances (971074)	By: Todd
	American Star: 26' DB--TT	1 of 1	Todd Stahly	(Signature)		Date: 10/31/96
Title block--375TB	Title:	I.D. #	Date:	Date:	Revision:	By:
	Frame detail	ft/6/7t26db	10/16/96	10-1		Date:



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	All 6" frame travel trailers	1 of 1	Todd Stahly	WJM		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	"A" frame detail	ft/6/7aframe	6/19/96	9/4		Date:

12 GAUGE STEEL




6" FRAME

HOLES IN THE MIDDLE
ARE 1" IN DIAMETER

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	All 6" Travel Trailers	1 of 1	Todd Stahly	WJM		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Front crossmember	ft/6/71xmem	6/20/96	9/4		Date:

12 GAUGE STEEL



INSIDE DIMENSION

NEWMAR CORP
P.O. Box 30,
Napponee, IN. 46550

'97 Model:
All 6" Travel Trailers

Title:
Crossmember

Sheet
1 of 1
I.D. #
ft/6/72xmem

Drawn by:
Todd Stahly
Date:
6/20/96


Checked by:
WJM
Date:
9/4

Revision:
Revision:

By:
Date:
By:
Date:

Title block--1TB

PART # OR-5X14
VENDOR- SHARP STL



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
Used on all 6" Travel Trailers

Title:
6" frame Outrigger

Sheet
1 of 1
I.D. #
ft/6/7tor


Drawn by:
Todd Stahly
Date:
6/20/96

Checked by:
WJM
Date:
9/4

Revision:
Revision:

By:
Date:
By:
Date:

Title block--1-4ft/ITB



MAIN FLOOR
(5/8 PLYWOOD FLOOR)

⊙ = Frame "0" point

-10"x10" FIBERGLASS TUB
-5" ABS TUB HOLE
-5" HEAT DUCT HOLE
-4 1/2" HEAT DUCT HOLE
-4" HEAT DUCT HOLE

FLOOR CUTOUT SYMBOLS

-2 1/2" HEAT DUCT HOLE
-2 1/2"x10" HEAT REGISTER
-4 1/2"x14 1/2" FURNACE
-5" SEWAGE DRAIN HOLE
-3" DRAIN HOLE
-2" VENT HOLE
-1/4" ELECTRICAL HOLE
-3" WATER FILL HOLE
-3/4" WATER LINE HOLE
-3/4" GAS LINE HOLE

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 48550

'97 Model:
American Star 26' DB-TT
Title:

Floorlayout

Sheet
2 of 3
I.D. #
P/7T26DB


Drawn by:
Todd Stahly
Date:
4/19/96

Checked by:
WJH
Date:
2-20


Revision: Moved register in bedroom (971456)
Revision: Moved water fill (971194)

By: Todd
Date: 2/17/97
By: Todd
Date: 11/28/96


Title block--375TB



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Made heat run longer (971456)	By: Todd
	American Star 26' DB-TT	3 of 3	Todd Stahly	WJM		Date: 2/17/97
Title block--375TB	Title:	I.D. #	Date:	Date:	Revision: Changed the heat duct and tub location (971100)	By: Todd
	Stringer layout	P/7T26DB	4/19/96	2-20		Date: 11/8/96




NEWMAR CORP P.O. Box 30, Nappanee, IN. 46560 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Changed the location of sewage vent because of heat duct (971100)	By: Todd
	American Star 26' DB-TT	1 of 1	Todd Stahly	<i>WJ M</i>		Date: 11/8/96
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Tank detail	h/7t26db	10/16/96	11-8		Date:




NOTE:
 SIDEWALL LAYOUT DRAWN AS IN JIG.
 ALL STUDS SPACED 16" ON CENTER UNLESS OTHERWISE SPECIFIED.
 SIDEWALL THICKNESS 1 5/8"
 17 FOOT AWNING

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star: 26' DB-TT	1 of 1	Todd Stahly	W. J. M.		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Doorside sidewall detail	s/d/7t26db	10/16/96	10-22		Date:



NOTE:
SIDEWALL LAYOUT DRAWN AS IN JIG.
ALL STUDS SPACED 16" ON CENTER UNLESS OTHERWISE SPECIFIED.
SIDEWALL THICKNESS 1 5/8"

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star: 26' DB-TT	1 of 1	Todd Stahly	WJN		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Offdoorside sidewall detail	s/o/7t26db	10/16/96	10-22		Date:




Sidewall thickness 1 5/8"

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Made rail under window 2x3 (971443)	By: Todd
	American Star: 26' DB-TT	1 of 1	Todd Stahly	<i>[Signature]</i>		Date: 2/17/97
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Front sidewall detail	s/f/7t26db	10/16/96	2-26		Date:


1 X 2 USED ON
BOTH SIDES

1 X 2

USE 2 X 2 ON
FIBERGLASS UNITS




OMIT 2 X 2 AT 4" UP
WITH FIBERGLASS UNITS




Sidewall thickness 1 5/8" 20 6 1/2

NEWMAR CORP P.O. Box 30, Napppano, IN. 48550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star: 26' DB-TT	1 of 1	Todd Stahly	WJN		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Rear sidewall detail	s/r/7t26db	10/16/96	10-21		Date:




STANDARD ROOF LAYOUT




WITH OPTIONAL SKYLIGHT

NEWMAR CORP P.O. Box 30, Napppanee, IN. 46560 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Todd
	American Star: 26' DB-TT	1 of 1	Todd Stahly	WJM	Moved bath vent on the optional skylight print (971125)	Date: 11/11/98
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Roof layout	r/7t26db	10/16/98	11-11		Date:




Door list
(1) 9 1/2x71 1/2 Mirror

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star: 26" DB-TT	1 of 1	Todd Stahly	WJM		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Bedroom wardrobe	cabtt/w/719	10/16/96	10-21		Date:



Front bedroom overhead



Doors:
(3) 24 1/2 x 10 1/2



Offdoor side bedroom overhead

Doors:
(2) 24 1/2 x 10 1/2

NEWMAR CORP P.O. Box 30, Napponee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star: 25' RB-TT	1 of 1	Todd Stahly	WGM		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Bed overhead cabinets	cabtt/b/713	10/17/96	10-21		Date:




Door List
(1) $9 \frac{1}{2} \times 22 \frac{1}{2}$ door


NEWMAR CORP P.O. Box 30, Nappanee, IN. 49550 Title block—1-5TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star: 25' RB-TT	1 of 1	Todd Stahly	<i>TGS</i>		Date:
Bedroom chest	Title:	I.D. #	Date:	Date:	Revision:	By:
		cabtt/b/714	10/17/96	10-21		Date:

DOOR LIST:

(2) 12 1/2x14 1/2 DEC. GLASS



SIDE VIEW



LIVINGROOM OVERHEAD
FRONT VIEW


Used on:

AS 25' RB-TT

AS 26' DB-TT

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Changed width 2" shorter (971456)	By: Todd
	See used on list	1 of 1	Todd Stahly	<i>TS</i>		Date: 2/17/97
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Sofa overhead	cabtt/1/77	10/15/96	2-20		Date:

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See Used On List	2 of 2	Todd Stahly	WJM		Date:
Title block---1TB	Title:	I.D. #	Date:	Date:	Revision:	By:
	Kitchen base	cabtt/c/715	10/16/96	10/17		Date:








Used On:
 AS 25' RB-TT
 AS 26' DB-TT

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model: See Used On List	Sheet 1 of 2	Drawn by: Todd Stahly	Checked by: <i>[Signature]</i>	Revision:	By:
	Title: Kitchen counter	I.D. # cabtt/c/715	Date: 10/16/96	Date: 10/21	Revision:	By:


DOOR LIST:

(1) 24 1/2x10 1/2 Door



Used On
AS 25' RB-TT
AS 26' DB-TT
AS 28' WCB-TT

NEWMAR CORP P.O. Box 30, Naperville, IN. 48550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Changed label in title block (971142)	By: Todd
	See Used On List	1 of 1	Todd Stahly	Todd Stahly		Date: 11/11/96
Title block---1TB	Title:	I.D. #	Date:	Date:	Revision: Changed the door size and removed fabric notes (971085)	By: Todd
	Dinette overhead	cabtt/1/78	10/15/96	11-12		Date: 10/24/96



FRONT VIEW

- 24 1/2 DEPTH
- (1) 12 1/2x71 1/2 MIRROR DOOR
- (1) 24 1/2x7 3/4 FRONT



NEWMAR CORP P.O. Box 30, Napponee, IN. 46550 Title block---1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Chagned door to mirror door (971081)	By: Todd
	American Star: 26' DB-TT	1 of 2	Todd Stahly	<i>[Signature]</i>		Date: 10/31/96
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Refrigerator Cabinet	cabtt/w/720	10/17/96	10-1		Date:



24 1/2 DEPTH
(1) 12 1/2x71 1/2 MIRROR DOOR




NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Chagned door to mirror door (971081)	By: Todd
	American Star: 26' DB-TT	2 of 2	Todd Stahly	WJ		Date: 10/31/96
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Refrigerator Cabinet	cabtt/w/720	10/17/96	11-1		Date:

Used On:
 AS 25' RB-TT
 AS 26' DB-TT




NEWMAR CORP P.O. Box 30, Nappanee, IN. 46560 Title block--1TB	'97 Model: See Used On List	Sheet 1 of 3	Drawn by: Todd Stahly	Checked by: JSM	Revision:	By:
	Title: Built-in-Dinette Top	I.D. # cabtt/c/713	Date: 10/16/96	Date: 10-21	Revision:	Date:

Used On:
AS 25' RB-TT
AS 26' DB-TT



(1) 18x12 FRONT



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46560

'97 Model:
See Used On List

Title:
Built-in-Dinette Fronts

Sheet
2 of 3

I.D. #
cabtt/c/713

Drawn by:
Todd Stahly

Date:
10/16/96

Checked by:
WJ M

Date:
10/16/96

Revision:

Revision:

By:


Date:

By:

Date:

Title block--1TB

Used On:
 AS 25' RB-TT
 AS 26' DB-TT



NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

'97 Model:
 See Used On List

Sheet
 3 of 3

Drawn by:
 Todd Stahly

Checked by:
 WSM

Revision:

By:

Title:
 Isometric view Built-in-Dinette

I.D. #
 cabtt/c/713





Date:
 10/16/96

Date:
 10-21

Revision:



By:

Title block--1TB






(2) 19x5 3/4 DRAWER FRONTS

NEWMAR CORP P.O. Box 30, Napponee, IN. 46560 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star: 26' DB-TT	1 of 1	Todd Stahly	<i>[Signature]</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Bunk beds	cabtt/b/715	10/17/96	10-22		Date:



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Todd
	American Star 26' DB-TT	1 of 4	Todd Stahly	<i>TJ</i>	Changed bedroom wall width (971456)	Date: 2/17/97
	Title:	I.D. #	Date:	Date:	Added wall H to the drawing (971192)	By: Todd
	Bath walls	cabtt/a/722	10/17/96	2-20		Date: 11/26/96



NEWMAR CORP
P.O. Box 30,
Napppanee, IN. 46550

Title block---75TB

'97 Model:
American Star 26' DB-TT
Title:
Bath walls

Sheet
4 of 4
I.D. #
cabtt/a/722

Drawn by:
Todd Stahly
Date:
10/17/96

Checked by:
WG/M
Date:
2-20

Revision: Changed width of wall in the bedroom (971456)



Revision: Added view "H" (971192)

By: Todd




Date: 2/17/97

By: Todd

Date: 11/26/96



NEWMAR CORP P.O. Box 30, Napanea, HI. 48550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star 26' DB-TT	2 of 4	Todd Stahly	(Signature)		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Bath walls	cabtt/a/722	10/17/96	10-22		Date:



NEWMAR CORP
P.O. Box 30,
Napponee, IN. 46560

Title block--75TB

'97 Model:
American Star 26' DB-TT

Title:
Bath walls

Sheet
3 of 4

I.D. #
cabtt/a/722

Drawn by:
Todd Stahly

Date:
10/17/96

Checked by:
WJM

Date:
10-22

Revision:


Revision:

By:


Date:

By:


Date:




Lav top



A





B



C

Door List: (2) 9 1/2x27 1/2 doors

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star: 26' DB-TT	1 of 1	Todd Stahly	<i>WJm</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Lav base & top	cabtt/a/721	10/17/96	10-22		Date:



(2) 16 1/2x18 1/2 Mirror Doors

NEWMAR CORP P.O. Box 30, Napponee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star: 26' DB-TT	1 of 1	Todd Stahly	<i>[Signature]</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Medicine Cabinet	cabtt/a/720	10/17/96	10/22/96		Date:

ELECTRICAL SYMBOLS

	WATER HEATER		30 AMP BREAKER BOX 50 AMP OPTION
	110V CEILING FAN		CONVERTER
	AIR CONDITIONER		12V DISTRIBUTION PANEL
	POWER CORD		12V STORAGE BATTERY
	110 V SWITCH		110V RECEPT
	110V LIGHT		COMP. GFI BREAKER & RECEPT
			110V JUNCTION BOX

NOTES:


- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A. SERVICE
INSTALL 20A. BREAKER IN #3 POSITION
AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER
AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

#6 STRND. FROM BAT.
TO DIST. PNL.
40A. BREAKER
W/18" OF BATTERY

50 AMP
OPTION

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	GENERAL
7	14/2 W/GR	110/120	15 AMP HACR	GENERAL
8	12/2 W/GR	110/120	20 AMP HACR	DRYER
9	14/2 W/GR	110/120	15 AMP HACR	WASHER



NEWMAR CORP
 P.O. Box 30,
 Napanee, IN. 48560

Title block--ELECTB

'97 Model:
 American Star: 26' DB-TT
 Title:
 110 Volt wiring specifications

Sheet
 2 of 4
 I.D. #
 co/e/7t26db

Drawn by:
 Todd Stahly
 Date:
 10/17/96

Checked by:
 Date:

Revision:

Revision:

By:

Date:

By:

Date:

NOTE:

DRAIN GRADE TO BE 1/8" PER FOOT

SUPPORT PIPE EVERY 4 FT MAX

ALL TRAP ARMS 54" MAX

ALL FIXTURES HAVE 1 1/4" P-TRAPS MINIMUM


ALL TANK HOOK-UPS ARE A DOUBLE LTTY UNLESS SPECIFIED OTHERWISE

BELOW FLOOR PLUMBING

SEE TYPICAL FOR WASHER INSTALLATION

BATH FLOOR LOCATION:

P-TRAPS SERVE AS CLEANOUTS



**P.O. Box 30,
Nappanee, IN. 46550**

American Star: 26' DB-TT

Drain plumbing

1 of 3

co/c/7t26db

Todd Stahly

10/17/96

W4 M

1


Revision:

By:

Date:

By

Debit:



NOTE:
1/2" (ID) POLYBUTYLENE TUBING
DRAINS INSTALLED AT LOW POINTS

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	American Star: 26' DB-TT	2 of 3	Todd Stahly	WJm		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	water lines	co/c/7t26db	10/17/96	10-21		Date:

NOTE:

SHUT-OFF VALVES ARE WITHIN 5' OF APPLIANCES ON PARK TRAILERS
MAXIMUM DEVELOPED LENGTH - 29 FT.


1/2" BLACK MALL PIPE

3/8" O.D. COPPER TYPE "L"

MAX. LENGTH OF COPPER TYPE TO APPLIANCE PER TEST

ALL BRASS FITT. BELOW FLOOR TO BE FORGED-NOT MILLED

TOTAL BTU = 74,300



NEWMAR CORP
P.O. Box 30,
Napanea, IN. 46560

Title block--375TB

'97 Model:

American Star: 26' DB-TT

Title:

Gas line detail

Sheet

3 of 3

I.D. #

co/c/7t26db

Drawn by:

Todd Stahly

Date:

10/17/96

Checked by:

WJM

Date:

10-21

Revision:

Revision:

By:

Date:

By:

Date:

ELECTRICAL SYMBOLS

	TUBE LITE		COMPLEXION LITE
	12V LIGHT		110V JUNCTION BOX
	12V SWITCH		DOUBLE FLORESCENT LITE
	12V RECEPT		30 AMP BREAKER BOX 50 AMP OPTION
	WATER PUMP		CONVERTER
	WATER HEATER		12V DISTRIBUTION PANEL
	12V RANGE HOOD		12V STORAGE BATTERY
	FURNACE		POWER CORD
	12V FAN VENT		

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

#8 STRND. FROM BAT. TO DIST. PNL. 40A. BREAKER W/18" OF BATTERY

A	# 12 STRANDED	12	20 AMP	TV-STEREO
B	# 12 STRANDED	12	20 AMP	BEDROOMS
C	# 12 STRANDED	12	20 AMP	BATHROOM
D	# 12 STRANDED	12	20 AMP	KITCHEN
E	# 12 STRANDED	12	20 AMP	LIVINGROOM
F	# 12 STRANDED	12	20 AMP	FURNACES
G	# 12 STRANDED	12	20 AMP	SLIDE OUT LIGHTS
H	# 12 STRANDED	12	20 AMP	SLIDE OUT MOTOR
I	# 12 STRANDED	12	7.5 AMP	FANTASTIC VENT
J	# 12 STRANDED	12	20 AMP	SEC. LIGHTS-WATER HTR.

NEWMAR CORP
 P.O. Box 30,
 Nappeanee, IN. 46550

'97 Model:
 American Star: 26' DB-TT
 Title:
 12 Volt wiring specifications

Sheet
 1 of 4
 I.D. #
 co/e/7t26db

Drawn by:
 Todd Stahly
 Date:
 10/17/96

Checked by:
 W. J. M.
 Date:
 10-21

Revision:
 Revision:

By:
 Date:
 By:
 Date:

Title block--ELECTB

ELECTRICAL SYMBOLS

	WATER HEATER		30 AMP BREAKER BOX 50 AMP OPTION
	110V CEILING FAN		CONVERTER
	AIR CONDITIONER		12V DISTRIBUTION PANEL
	POWER CORD		12V STORAGE BATTERY
	110 V SWITCH		110V RECEPT
	110V LIGHT		COMP. GFI BREAKER & RECEPT
			110V JUNCTION BOX


NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. P/NEL WORKING CLEARANCE 24" X 220 MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

#8 STRND. FROM BAT. TO DIST. PNL.
 40A. BREAKER W/18" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT
7	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT
8	14/2 W/GR	110/120	15 AMP HACR	GENERAL
9	14/2 W/GR	110/120	15 AMP HACR	GENERAL
10	14/2 W/GR	110/120	15 AMP HACR	GENERAL



NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

Title block--ELECTB

'97 Model:
 American Star: 26' DB-TT
 Title:
 CSA 50 Amp wiring specifications

Sheet
 4 of 4
 I.D. #
 co/e/7t26db

Drawn by:
 Todd Stahly
 Date:
 10/17/96

Checked by:
 Date:

Revision:
 By:
 Date:
 Revision:
 By:
 Date:

ELECTRICAL SYMBOLS

	WATER HEATER		30 AMP BREAKER BOX 50 AMP OPTION
	110V CEILING FAN		CONVERTER
	AIR CONDITIONER		12V DISTRIBUTION PANEL
	POWER CORD		12V STORAGE BATTERY
	110 V SWITCH		110V RECEPT
	110V LIGHT		COMP. GFI BREAKER & RECEPT
			110V JUNCTION BOX


NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

#8 STRND. FROM BAT. TO DIST. PNL.
 40A. BREAKER
 W/18" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT



NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

Title block--ELECTB

'97 Model:
 American Star: 26' DB-TT
 Title:
 CSA 30 Amp wiring specifications

Sheet
 3 of 4
 I.D. #
 co/e/7t26db

Drawn by:
 Todd Stahly
 Date:
 10/17/96

Checked by:
 Date:

Revision:

Revision:

By:
 Date:
 By:
 Date: