





Overall length: 36'-10"
 Overall width: 100"
 Interior width: 96 3/4" (95 1/2" with aluminum sidewalls)
 Square footage: 354 sq. ft.
 Awning size: 18 ft.

NOTE
 ALL WALLS, PARTITIONS, & CEILING HAVE
 CLASS "C" (200) FLAME SPREAD RATING
 ALL INTERIOR PASSAGE DOORS ARE NON-LOCKING

- SYMBOLS
- (LP) - LP DETECTOR
 - ↑ - SEWAGE DRAIN
 - (S) - SMOKE DETECTOR
 - (F) - FIRE EXTINGUISHER (5 BC MIN)
 - (I) - INSIGNIAS (STATE & RVIA)
 - (C) - C.O. DETECTOR
 - * - MIRRORED WARDROBE
 - (T) - THERMOSTAT
 - (X) - CONVERTER
 - (R) - WARM AIR REGISTER
 - (TW) - WATER INLET
 - (TG) - GAS INLET
 - (TE) - ELECTRICAL INLET
 - (E) - EGRESS
 - (CW) - CITY WATER

NEWMAR CORP P.O. Box 30, Neppanee, IN. 46560 Title block--375TB	'97 Model: Kountry Star 36' LSDB-FW	Sheet 1 of 3	Drawn by: Mike Walter	Checked by: <i>WSM</i>	Revision: Revised the awning from 21' to 18'. (ECO 402).	By: Mike
	Title: Floor Plan	I.D. # P/7F36LSDB	Date: 5/3/96	Date: 2-26	Revision: Added a register under the bath step. (PCR 97-1449)	Date: 2/24
						By: Mike
						Date: 2/7



FLOOR CUTOUT SYMBOLS

-10"x10" FIBERGLASS TUB
-5" ABS TUB HOLE
-5" HEAT DUCT HOLE
-4 1/2" HEAT DUCT HOLE
-4" HEAT DUCT HOLE

-2 1/2" HEAT DUCT HOLE
-2 1/2"x10" HEAT REGISTER
-4 1/2"x14 1/2" FURNACE
-5" SEWAGE DRAIN HOLE
-3" DRAIN HOLE
-2" VENT HOLE

-4x18 RETURN AIR HOLE
-3x24 RETURN AIR HOLE
-1/4" ELECTRICAL HOLE
-3" WATER FILL HOLE
-3/4" WATER LINE HOLE
-3/4" GAS LINE HOLE

Denotes the zero point of the frame.

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--375TB

'97 Model:
Kountry Star 36' LSDB-FW

Title:
Floor cutout detail

Sheet
2 of 3

I.D. #
P/7F36LSDB

Drawn by:
Mike Walter

Date:
5/3/96

Checked by:

Date:
2/26

Revision: Revised the location of the rear register. (PCR 97-1477)


Revision: Added 4" heat duct hole under the bath step. (PCR 97-1449)

By: Mike

Date: 2/24

By: Mike

Date: 2/7



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
Kountry Star 36' LSDB-FW

Sheet
1 of 1

Drawn by:
Mike Walter

Checked by:
Walter

Revision: Moved the 3" hole in the sewage tank down 3 1/2".

By: Mike

(PCR 97-1470)

Date: 2/24

Title: Tank details

I.D. #
h/7f36lsdb

Date:
10/17/96


Date:
7/26

Revision:

By:

Date:

Title block--1TB



NEWMAR CORP
P.O. Box 30,
Naperville, IN. 46550

'97 Model:
Kountry Star 36' LSDB-FW

Title:
Stringer layout

Sheet
3 of 3

I.D. #
P/7F36LSDB

Drawn by:
Mike Walter

Date:
5/3/96

Checked by:
WAM

Date:
10-29

Revision:


Revision:

By:

Date:

By:

Date:



Notes:

All measurements are from point A unless otherwise specified.
 Crossmembers: 1 1/2 x 12 x 66 3/4" channel.
 Outriggers: 1 1/2 x 12 x 15 tapered angle.
 See additional print for the upper deck assembly.

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

Title block--3125TB

'97 Model:
 Kountry Star 36' LSDB-FW

Title:
 Frame detail

Sheet
 1 of 2

I.D. #
 ft/ksfw12/7f36lsdb

Drawn by:
 Mike Walter

Date:
 10/17/96

Checked by:
 [Signature]

Date:
 2-26

Revision: Moved the front slideout tube from 95" to 97", and moved the city water forward. (PCR 97-1470)


Revision: Revised axle centerline to be 165 1/2 and moved the ODS outrigger from 70 to 79. (PCR 97-1145)

By: Mike

Date: 2/26

By: Mike

Date: 11/11



-Denotes on 1 1/2" radius block

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
Kountry Star 36' LSDB-FW

Title:
Frame storage detail

Sheet
2 of 2
I.D. #
ft/ksfw12/7f36lsdb




Drawn by:
Mike Walter
Date:
10/17/96

Checked by:
W9M
Date:
10/27

Revision:
Revision:

By:
Date:
By:
Date:

Title block--3125TB



NOTE:

ALL MEASUREMENTS ARE FROM POINT A UNLESS OTHERWISE SPECIFIED
 FRAME: 12 I-BEAM/ 10.8# / FT
 ANGLE IRONS: 2X2/ 11 GA
 TUBES: 2X6/2X3/1X1/ 11 GA
 WING GUSSETS: 12 GA

USED ON:

Kountry Star 36' LSDB-FW

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

'97 Model:
 See Used on list

Title:
 Cabover frame detail

Sheet
 2 of 2
 I.D. #
 ft/c/71290b



Drawn by:
 Todd Stahly
 Date:
 6/13/96

Checked by:
 WJ
 Date:
 10-29



Revision:
 Revision:

By:
 Date:
 By:
 Date:



KS 12" I-beam



Aire 12" I-beam



16" I-beam



NEWMAR CORP
P.O. Box 30,
Napppanee, IN. 48560

'97 Model:
KS-LA 5th wheel frames

Sheet
1 of 1

Drawn by:
Mike Walter

Checked by:
WJW

Revision: Revised to match the way that production is currently doing this.
(PCR 97-1180)

By: Mike
Date: 11/19

Title:
Rear angle location

I.D. #
ft/parts/ecol25



Date:
11/11/96

Date:
11-20

Revision:
Date:

By:
Date:

Title block--5TB



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46560

'97 Model:
Fresh water tank cradle for all
12" I-beam FW's KS-KA

Sheet
1 of 2

Drawn by:
Mike Walter

Checked by:
WJM

Revision: Revised the location of the angle brackets 'D'.

By: Mike

Date: 4/24

Title:

For 55 x 55 tanks

I.D. #

ft/parts/5555crdl

Date:

3/18/96

Date:






9/6

Revision:

By:

Date:

Title block--1TB



All material 1/4" thick

Letter	Qty	Description
A	4	2" x 2" x 60" Angle iron with (2) 9/16" diameter holes.
B	2	3" x 2" x 68 1/8" L-bracket.
C	4	1/4" x 3" x 4" plate with (2) 9/16" diameter holes.
D	2	2" x 2" x 2" Angle iron
E	8	2" x 2" x 2" Angle iron with (2) 9/16" diameter holes.

Assemble using 1/2 x 1 1/2 grade 5 bolts with locknuts.

NEWMAR CORP
P.O. Box 30,
Napponee, IN. 46550

'97 Model:
Fresh water tank cradle for all
12" I-beam FW's KS-KA

Title:
For 55 x 55 tanks

Sheet
2 of 2

I.D. #
ft/parts/5555crdl

Drawn by:
Mike Walter

Date:
3/18/96

Checked by:
WJM

Date:
9/6

Revision: Revised the drilled holes to have a diameter of 9/16".


By: Mike

Date: 4/24

Revision:


By:

Date:




Dimensions in (brackets) are for aluminum sidewalls.

NEWMAR CORP P.O. Box 30, Napponee, IN. 46560 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	2 of 2	Mike Walter	WJW	Added missing dimension for heat duct. (PCR 97-1455)	Mike
	Title:	I.D. #	Date:	Date:	Revision:	Date:
	Bath floor stringers	ft/b/7ssflr20	8/16/96	2-14		




FRONT SUPER STORAGE RISER
RISER MADE UP WITH 5/8" PLYWOOD
AND METAL ON THE FRONT SIDE




REAR SUPER STORAGE RISER
RISER MADE UP w/2x2 STUDS.
RISER SHOULD HAVE 3/16 PNLG ON
BOTH SIDES


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	2 of 2	Mike Walter	W9M		Date:
Title block--1TB	Title:	I.D. #	Date:	Date:	Revision:	By:
	Bath floor risers	ft/b/7ssflr21	8/16/96	10-29		Date:



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model: Kountry Star 36' LSDB-FW	Sheet 1 of 1	Drawn by: Mike Walter	Checked by: WJm	Revision:	By:
	Title: Cabover end wall	I.D. # s/t/cab/7136lsdb	Date: 10/23/96	Date: 10-29	Revision:	Date:



OFFDOOR SIDE



DOOR SIDE


Wall thickness: Wood 1 5/8"
Alum. 2 1/4"

ALL CUTS @ ENDS ARE 45°

For wood end wall use 2 x 2's in place of "C" channel.

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	1 of 1	Mike Walter	WJ		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Rear end wall	s/rear/7f36lsdb	10/23/96	10-29		Date:

Start the ceiling
material at rafter 3.



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
Kountry Star 36' LSDB-FW

Title:
Roof detail

Sheet
1 of 1

I.D. #
r/7f36lsdb

Drawn by:
Mike Walter

Date:
10/23/96

Checked by:
WJW

Date:
10-29

Revision:

Revision:


By:

Date:

By:

Date:

Title block--375TB



NOTES:
SIDEWALL DRAWN AS IN JIG POSITION
STUDS SPACED 16" ON CENTER
DASHED LINES DENOTE AIRE BELT RAIL
STAR DIMENSIONS ARE OVERALL
AIRE DIMENSIONS DO NOT INCLUDE 3/8 PLYW'D
18 FT AWNING SIZE

SLOPE RATE: .0613 X 1

(A) Denotes the zero point of the frame.

Sidewall thickness is 1 5/8"
(2 1/4" for aluminum)

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46560

'97 Model:
Kountry Star 36' LSDB-FW

Sheet
1 of 1

Drawn by:
Mike Walter

Checked by:
WJW

Revision: Revised the awning size and awning arm locations. (ECO-922)

By: Mike

Date: 2/24

Title:
Door side sidewall

I.D. #
s/d/7f36lsdb

Date:
10/24/96


Date:
2-24

Revision: Lowered the bottom bunk window from 29" to 24". (PCR 97-1164)

By: Mike

Date: 11/18

Title block--3125TB



SLOPE RATE: .0613 X 1

NOTES:
SIDEWALL DRAWN AS IN JIG POSITION
STUDS SPACED 16" ON CENTER
DASHED LINES DENOTE AIRE BELT RAIL
STAR DIMENSIONS ARE OVERALL
AIRE DIMENSIONS DO NOT INCLUDE 3/8 PLYW'D

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
Kountry Star 36' LSDB-FW

Sheet
1 of 2

Drawn by:
Mike Walter

Checked by:
WJM

Revision: Lowered the bottom bunk window from 29" to 24" (PCR 97-1164)

By: Mike

Date: 11/18

Title:

I.D. #

Date:

Date:

Revision:

By:

Date:

Title block--3125TB


Off door side sidewall

s/o/7f36lsdb


10/24/96

11/21


Wood header detail



Aluminum header detail



Cut the notch with the plasma cutter in the frame shop.



NEWMAR CORP
P.O. Box 30,
Napannoe, IN. 46550

'97 Model:
Kountry Star 36' LSDB-FW

Sheet
2 of 2

Drawn by:
Mike Walter

Checked by:
W9N

Revision:

By:

Title:
Header notch details

I.D. #
s/o/7f36lsdb

Date:
10/24/96

Date:
10-29


Revision:

Date:

By:

Date:

Title block--3125TB



(6) 48 X 51 3/4
 (2) 4 7/8 X 51 3/4
 (4) 3 1/2 X 3 3/4

----- TOP LAYER SEAM
 _____ BOTTOM LAYER SEAM

NEWMAR CORP
 P.O. Box 30,
 Napanee, IN. 46550

'97 Model:
 Kountry Star 36' LSDB-FW

Sheet
 1 of 1

Drawn by:
 Mike Walter

Checked by:
 W9M

Revision:

By:

Title:

I.D. #

Date:

Date:

Revision:

Date:

By:

Date:


Title block--5TB

Slideout floor detail

o/f/7f36lsdb

10/24/96

10-29



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--375TB

'97 Model:
Kountry Star 36' LSDB-FW

Title:
Slideout sidewalls

Sheet
1 of 3

I.D. #
o/s/7f36lsdb

Drawn by:
Mike Walter

Date:
10/24/96

Checked by:
Mike Walter

Date:
2/24/97


Revision: Revised the window in the front sidewall from 29H to 36H.
(PCR 97-1471)

Revision:

By: Mike
Date: 2/24

By:
Date:


Slope rate: .0613 x 1



Front fascia trim


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	2 of 3	Mike Walter	WGM		Date:
Title:	Slideout sidewalls	I.D. #	Date:	Date:	Revision:	By:
		o/s/7f36lsdb	10/24/96	10/29		Date:

Slope rate: .0613 x 1



Rear fascia trim

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	3 of 3	Mike Walter	WCM		Date:
Slideout sidewalls	Title:	I.D. #	Date:	Date:	Revision:	By:
		o/s/7f36lsdb	10/24/96	10-29		Date:





OPEN SIDE
VIEW FROM INSIDE LOOKING UP

○ DENOTES 110
△ DENOTES 12V

ROOF IS MADE W/
1 1/2 C-CHANNEL

NEWMAR CORP P.O. Box 30, Napponee, IN. 46550 Title block--5TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	1 of 1	Mike Walter	WJM		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Slide out roof detail	o/r/7f36lsdb	10/24/96	10-29		Date:



Note:
The finished sides of the frames and rails face in to create a finished interior.

Used on:

AS-KS 30'	RKCL-FW	KS-KA 36'	RKWB-FW
AS 31'	RKWB-FW	MA-KA 36'	RLDS-FW
AS-KS 32'	RKSA-FW	KS-KA 36'	RLSA-FW
AS-KS 32'	RKWB-FW	MA-KA 36'	SADS-FW
AS 33'	DBLS-FW	MA-KA 36'	SKDS-FW
AS-KA 33'	WRKD-FW	MA-KA 39'	RKLC-FW
KS-KA 34'	RKSA-FW	MA-KA 39'	RKWB-FW
KS-KA 34'	RLDK-FW	MA-KA 39'	RLDK-FW
KS-KA 34'	RLWB-FW	MA-KA 39'	RLSE-FW
KS 34'	SKDS-FW	MA-KA 40'	CKDA-FW
AS 36'	DBLS-FW	MA-KA 40'	CKDB-FW
KS 36'	LSDB-FW	MA-KA 40'	LSDK-FW
MA-KA 36'	RKSA-FW	MA-KA 40'	RLFK-FW

Outside corner trim

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
See the used on list

Title:
Bed base detail

Sheet
1 of 5

I.D. #
cabfw/b/723

Drawn by:
Mike Walter

Date:
11/14/96

Checked by:
WAM

Date:
11-20

Revision:

Revision:


By:

Date:

By:

Date:

Title block--1TB



1/2" plywood covered
with cargo liner.

Used on:

AS 30' RKCL-FW
AS 31' RKWB-FW
AS 32' RKSA-FW
AS 32' RKWB-FW
AS 33' DBLS-FW
AS 33' WRKD-FW
AS 36' DBLS-FW

NEWMAR CORP
P.O. Box 30,
Neppanee, IN. 46550

'97 Model:
See the used on list

Sheet
3 of 5

Drawn by:
Mike Walter

Checked by:
WOM

Revision:

By:

Title:
American Star top detail

I.D. #
cabfw/b/723

Date:
11/14/96

Date:
11-20


Revision:

Date:

By:

Date:

Title block--1TB




Used on:

KS 30' RKCL-FW	KS-KA 36' RKWB-FW
KS 32' RKSA-FW	MA-KA 36' RLDS-FW
KS 32' RKWB-FW	KS-KA 36' RLSA-FW
	MA-KA 36' SADS-FW
KS-KA 33' WRKD-FW	MA-KA 36' SKDS-FW
KS-KA 34' RKSA-FW	MA-KA 39' RKLC-FW
KS-KA 34' RLDK-FW	MA-KA 39' RKWB-FW
KS-KA 34' RLWB-FW	MA-KA 39' RLDK-FW
KS 34' SKDS-FW	MA-KA 39' RLSE-FW
	MA-KA 40' CKDA-FW
KS 36' LSDB-FW	MA-KA 40' CKDB-FW
MA-KA 36' RKSA-FW	MA-KA 40' LSDK-FW
	MA-KA 40' RLFK-FW

NEWMAR CORP
P.O. Box 30,
Napponee, IN. 46550

'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
See the used on list	4 of 5	Mike Walter	W/M		Date:
Title:	I.D. #	Date:	Date:	Revision:	By:
Completed bed base	cabfw/b/723	11/14/96	11-20		Date:

Title block--1TB






Used on:

AS 30' RKCL-FW
 AS 31' RKWB-FW
 AS 32' RKSA-FW
 AS 32' RKWB-FW
 AS 33' DBLS-FW
 AS 33' WRKD-FW
 AS 36' DBLS-FW

NEWMAR CORP P.O. Box 30, Napanee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	5 of 5	Mike Walter	WJM		Date:
Title block--1TB	Title:	I.D. #	Date:	Date:	Revision:	By:
	American Star finished bed	cabfw/b/723	11/14/96	11-20		Date:

AS 28' RBWS-FW	KS/MA/KA 34' RKSA-FW	MA/KA 36' SADS-FW
AS 28' WRKD-FW	KS/MA/KA 34' RLDK-FW	MA/KA 36' SKDS-FW
AS/KS 29' WRKD-FW	KS/MA/KA 34' RLWB-FW	MA/KA 39' RKCL-FW
AS/KS 30' RKCL-FW	KS/MA/KA 34' RLSA-FW	MA/KA 39' RKWB-FW
AS 30' RLWB-FW	KS 34' SKDS-FW	KS/MA/KA 39' RLDK-FW
AS 31' RKWB-FW	AS 36' DBLS-FW	KS/MA/KA 39' RLSE-FW
AS/KS 32' RKSA-FW	KS 36' LSDB-FW	MA/KA 40' CKDA-FW
AS/KS 32' RKWB-FW	MA/KA 36' RKSA-FW	MA/KA 40' CKDB-FW
AS 33' DBLS-FW	KS/MA/KA 36' RKWB-FW	MA/KA 40' LSDK-FW
AS/KS/MA/KA 33' WRKD-FW	MA/KA 36' RLDS-FW	MA/KA 40' RLFK-FW
	MA/KA 36' RLSA-FW	




- (1) 9 1/2 X 44 1/2 MIRROR DOOR
(2) 9 1/2 X 7 3/4 DRAWER FRONTS

- (1) 9 1/2 X 44 1/2 MIRROR DOOR
(2) 9 1/2 X 7 3/4 DRAWER FRONTS

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Mike
	See the used on list	1 of 1	Mike Walter	WJM	Revised the cabinet height.	Date: 6/14
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Cabover bedside wardrobe	cabfw/b/72	2/20/96	9/6		Date:

FRONT

RIGHT SIDE



(2) 24 1/2 X 10 1/2 DOORS.

KS 29' WRKD-FW
 KS 30' RKCL-FW
 KS 32' RKSA-FW
 KS 32' RKWB-FW
 KS 33' WRKD-FW
 KS 34' RKSA-FW
 KS 34' RLDK-FW
 KS 34' RLWB-FW
 KS 34' SKDS-FW
 KS 36' LSDB-FW
 KS 36' RLSA-FW
 KS 36' RKWB-FW

USED ON THE FOLLOWING UNITS:

Dimensions inside brackets denote Kountry
 Star with wood sidewalls.

NEWMAR CORP
 P.O. Box 30,
 Napanee, IN. 46560

'97 Model:
 See the used on list

Sheet
 2 of 3

Drawn by:
 Mike Walter

Checked by:
 WJM

Revision:

By:

Title:
 Front overbed storage

I.D. #
 cabfw/b/71

Date:
 2/20/96

Date:
 9/6



Revision:

Date:


By:

Date:


Title block--1TB




SIDE VIEW



FRONT VIEW



FRONT VIEW



SIDE VIEW

OFFDOOR SIDE WARDROBE

DOOR LIST: DOOR SIDE WARDROBE


- (2) 9 1/2x44 1/2 MIRROR
- (1) 16 1/2x18 1/2 (CATCHES ONLY)
- (1) 9 1/2x7 3/4

USED ON:

- AS 33' DBLS-FW
- AS 36' DBLS-FW
- KS 36' LSDB-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Todd
	See used on list	1 of 1	Todd Stahly	WJM	Changed the depth of the notch (971016)	Date: 10/22/96
	Title:	I.D. #	Date:	Date:	Revision:	By: Todd
	Bedroom wardrobes	cabfw/w/777	6/16/96	10/22	Moved b-box into wardrobe same as 96 model	Date: 8/16/96

Dimensions in (brackets) are
for aluminum sidewalls.



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46560

Title block--75TB

'97 Model:
Kountry Star 36' LSDB-FW

Title:
Bath walls

Sheet
4 of 6

I.D. #
cabfw/a/741

Drawn by:
Mike Walter

Date:
8/16/96

Checked by:
WGM

Date:
10-29

Revision:


Revision:

By:


Date:

By:

Date:







NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	5 of 6	Mike Walter	WJW		Date:
Bath walls	Title:	I.D. #	Date:	Date:	Revision:	By:
		cabfw/a/741	8/16/96	10-29		Date:



NEWMAR CORP P.O. Box 30, Napanea, HI. 46560	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	6 of 6	Mike Walter	WJW		Date:
Title block--75TB	Title:	I.D. #	Date:	Date:	Revision:	By:
	Bath walls	cabfw/a/741	8/16/96	10-29		Date:

DOOR LIST:

- (1) 16 1/2 X 20 1/2 DOOR
- (1) 27 1/2 X 5 3/4 TIP-OUT FRONT
- (2) 9 1/2 X 5 3/4 DRAWER FRONTS




Used on:
AS 33' DBLS-FW
AS 36' DBLS-FW
KS 36' LSDB-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	1 of 1	Todd Stahly	W 9 W	Moved drawers to the other side to match floorplan and added	Todd
	Title:	I.D. #	Date:	Date:	heat register in bottom drawer opening (97645)	Date: 8/19/96
	Lavatory base & top	cabfw/a/787	8/19/96	12-29	Revision:	By:
						Date:

DOORS:








- (1) 12 1/2x44 1/2 Door
- (3) 12 1/2x5 3/4 fronts



Used On

AS 33' DBLS-FW
AS 36' DBLS-FW
KS 36' LSDB-FW

NEWMAR CORP P.O. Box 30, Napppano, IN. 48550 Title block--75TB	'97 Model: See used on list	Sheet 1 of 1	Drawn by: Todd Stahly	Checked by: WJN	Revision: Added drawers to the cabinet (97643)	By: Todd
	Title: Bathroom Wardrobe	I.D. # cab/w/w/769	Date: 7/24/96	Date: 10-29	Revision:	Date: 8/19/96 By: Date:



NEWMAR CORP
P.O. Box 30,
Napppanee, IN. 46550

Title block---1TB

'97 Model:
Kountry Star 36' LSDB-FW

Title:
31" Medicine Cabinet

Sheet

1 of 1

I.D. #

CABFW/A/7106

Drawn by:
Mike Walter

Date:
10/24/96

Checked by:

Date:
10-29

Revision:


Revision:

By:





Date:

By:

Date:




Used on:
KS 33' WRKD-FW
KS 34' RLWB-FW
KS 36' LSDB-FW



NOTE:
INSIDE OF CABINET TO BE FINISHED
OFF WITH NO CLEATS SHOWING.
USE MIRRORS OR LEXAN WHERE NOTED.



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block---75TB	'97 Model: Kountry Star ent. center units	Sheet 1 of 4	Drawn by: Mike Walter	Checked by: WJM	Revision: Added valance and valance note. (PCR 97-978)	By: Mike
	Title: Entertainment ctr.	I.D. # cfw/1/73	Date: 3/6/96	Date: 10/16	Revision: Revised the radio area.	By: Mike Date: 4/15



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Entertainment center	4 of 4	Mike Walter	WJM		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Finished view	cfw/1/73	3/6/96	10/16		Date:

DOOR LIST:

- (1) 16 1/2x9 1/2
- (1) 16 1/2x71 1/2



Used on:
AS 36' DBLS-FW
KS 36' LSDB-FW

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
See the used on list

Title:
Wardrobe cabinet


Sheet
1 of 1
I.D. #
cabfw/w/735

Drawn by:
Mike Walter
Date:
8/19/96

Checked by:
WJN
Date:
10-29

Revision:

By:
Date:
By:
Date:



Sheet
1 of 3

Checked by: 

25

I.D. #
cabfw/c/730


Date: 10.29

 R_{ν}

Date:

DOOR LIST:

- (1) 25x5 3/4 FRONT
- (2) 12 1/2x20 1/2
- (3) 16 1/2x5 3/4 FRONTS
- (1) 16 1/2x7 3/4 FRONT
- (2) 12 1/2x27 1/2



23" DEPTH

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46560

'97 Model:
Kountry Star 36' LSDB-FW

Sheet
2 of 3

Drawn by:
Mike Walter

Checked by:
[Signature]

Revision:

By:

Title:
Kitchen base cabinets

I.D. #
cabfw/c/730

Date:
10/24/96


Date:
10-29

Revision:

By:

Date:

Title block---1TB



DOOR LIST:

- (4) 12 1/2x23 1/2
- (1) 12 1/2x23 1/2
- (1) 23 1/8x6 1/2 w/micro
- (2) 11 1/2x23 1/2 w/o microwave

SANDWICH SHELVES



4x SCALE

NEWMAR CORP
P.O. Box 30,
Napppanee, IN. 46560

'97 Model:
Kountry Star 36' LSDB-FW

Sheet
3 of 3

Drawn by:
Mike Walter

Checked by:
MM

Revision:

By:

Title:
Kitchen overhead cabinets

I.D. #
cabfw/c/730

Date:
10/24/96

Date:
10-22


Revision:

Date:

By:


Date:

Title block--1TB





DOOR LIST:
(1) 33 1/2x9 1/2 FRONT

24 1/2" DEPTH



DOOR LIST:
(1) 24 1/2x9 1/2 FRONT
(1) 9 1/2x5 3/4
(1) 9 1/2x7 1/2
(1) 24 1/2x10 1/2

NEWMAR CORP P.O. Box 30, Naperville, IL 60560 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	1 of 1	Mike Walter	Walter	Changed the opening above the standard refrigerator. (PCR 97-1123)	Mike
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Refrigerator/pantry	cabfw/w/740	10/25/96	11/11		Date:



Dimensions in (brackets) are
for aluminum sidewalls.



NEWMAR CORP
P.O. Box 30,
Napponee, IN. 46560

'97 Model:
Kountry Star 36' LSDB-FW

Title:
Bedroom walls

Sheet
1 of 2
I.D. #
cabfw/b/721

Drawn by:
Mike Walter
Date:
10/25/96

Checked by:
WG
Date:
10-29

Revision:


Revision:

By:

Date:

By:

Date:




Dimensions in (brackets) are
for aluminum sidewalls.



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	2 of 2	Mike Walter	<i>WJW</i>		Date:
Bedroom walls	Title:	I.D. #	Date:	Date:	Revision:	By:
		cabfw/b/721	10/25/96	10-29		Date:

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block---75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	1 of 2	Todd Stahly	WgM		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Door side bunk beds	cabfw/b/766	7/25/96	10-29		Date:





(4) 12 1/2x5 3/4 DRAWER FRONTS
(2) 16 1/2x5 3/4 DRAWER FRONTS

Used on:
KS 36' LSDB-FW


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	2 of 2	Todd Stahly	W9914		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Off door side bunk beds	cabfw/b/766	7/25/96	10-29		Date:

DOOR LIST:
(2) 12 1/2x71 1/2 MIRROR

Dimensions in (brackets) are
for aluminum sidewalls




NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star 36' LSDB-FW	1 of 1	Mike Walter	WG/M		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Rear wall wardrobe	cabfw/w/741	10/25/96	10-29		Date:



NOTE:
1/2" (ID) POLYBUTYLENE TUBING
DRAINS INSTALLED AT LOW POINTS

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46560 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	Kountry Star: 36' LSDB-FW	3 of 3	Mike Walter	<i>[Signature]</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Pressure plumbing	co/c/7f36lsdb	10/25/96	11-17		Date:

NOTE:
 ALL PIPE & FITTINGS ARE ABS CHED. #40
 DRAIN GRADE TO BE 1/8" PER FOOT
 SUPPORT PIPE EVERY 4 FT MAX
 ALL TRAP ARMS 54" MAX
 ALL FIXTURES HAVE 1 1/4" P-TRAPS MINIMUM
 ALL TANK HOOK-UPS ASE A DOUBLE LTTY UNLESS SPECIFIED OTHERWISE
 BELOW FLOOR PLUMBING
 SEE TYPICAL FOR WASHER INSTALLATION
 BATH FLOOR LOCATION-----
 P-traps function as cleanouts.



KEY	DESCRIPTION
2	CLOSET FLANGE-4 X3"
3A	45° ELL-1 1/2"
3C	45° ELL-3"
6A	90° ELL-1 1/2"
6B	90° ELL-2"
8A	90° LG SWP ELL-1 1/2"
8B	90° LG SWP ELL-2"
8C	90° LG SWP ELL-3"
11A	SAN TEE-1 1/2"
11D	1 1/2" CLEAN OUT
11E	1 1/2" CHECK VENT
13A	LG SWP TY-1 1/2"
13D	LG SWP TY-3 X2 X3"
13E	LG SWP T-2 X2 X1 1/2"
13F	LG SWP TY-2 X1 1/2 X2"
13H	LG SWP TY-3"
14	DBL LG SWP TY-3"
15A	TEE WYE-1 1/2"
16	P-TRAP W/UNION JOINT

NEWMAR CORP
 P.O. Box 30,
 Napanee, IN. 46550

'97 Model:
 Kountry Star: 36' LSDB-FW

Sheet
 1 of 3
 I.D. #
 co/c/7f36lsdb

Drawn by:
 Mike Walter
 Date:
 10/25/96

Checked by:
 W9M
 Date:
 11-7

Revision:
 Revision:

By:
 Date:
 By:
 Date:

Title block--375TB

Drain plumbing

NOTE:

SHUT-OFF VALVES ARE WITHIN 5' OF APPLIANCES ON PARK TRAILERS

MAXIMUM DEVELOPED LENGTH - 32 FT.


1/2" BLACK MALL PIPE

3/8" O.D. COPPER TYPE "L"

MAX. LENGTH OF COPPER TYPE TO APPLIANCE PER TEST

ALL BRASS FITT. BELOW FLOOR TO BE FORGED-NOT MILLED

TOTAL BTU -78,300



NEWMAR CORP
P.O. Box 30,
Napponee, IN. 46560

Title block--375TB

'97 Model:

Kountry Star: 36' LSDB-FW

Title:

Gas lines

Sheet

2 of 3

I.D. #

co/c/7f36lsdb

Drawn by:

Mike Walter

Date:

10/25/96

Checked by:

WJ/M

Date:

11-7

Revision:




Revision:

By:

Date:

By:

Date:



ELECTRICAL SYMBOLS

	TUBE LITE		COMPLEXION LITE
	12V LIGHT		110V JUNCTION BOX
	12V SWITCH		DOUBLE FLORESCENT LITE
	12V RECEPT		30 AMP BREAKER BOX 50 AMP OPTION
	WATER PUMP		CONVERTER
	WATER HEATER		12V DISTRIBUTION PANEL
	12V RANGE HOOD		12V STORAGE BATTERY
	FURNACE		POWER CORD
	12V FAN VENT		

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A SERVICE, INSTALL 20A BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

#8 STRND. FROM BAT.
 TO DIST. PNL
 40A. BREAKER
 W/18" OF BATTERY

A	# 12 STRANDED	12	20 AMP	TV-STEREO
B	# 12 STRANDED	12	20 AMP	BEDROOMS
C	# 12 STRANDED	12	20 AMP	BATHROOM
D	# 12 STRANDED	12	20 AMP	KITCHEN
E	# 12 STRANDED	12	20 AMP	LIVINGROOM
F	# 12 STRANDED	12	20 AMP	FURNACES
G	# 12 STRANDED	12	20 AMP	SLIDE OUT LIGHTS
H	# 12 STRANDED	12	20 AMP	SLIDE OUT MOTOR
I	# 12 STRANDED	12	7.5 AMP	FANTASTIC VENT
J	# 12 STRANDED	12	20 AMP	SEC-LIGHTS-WATER HTR.

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

'97 Model:
 Kountry Star 36' LSDB-FW

Sheet
 1 of 4

Drawn by:
 Mike Walter

Checked by:
 WJ M

Revision:

Title:
 12 Volt wiring specifications

I.D. #
 co/e/7f36lsdb

Date:
 10/25/96

Date:
 10-29

Revision:


By:

Date:

By:

Date:

Title block--ELECTB



ELECTRICAL SYMBOLS

WH	WATER HEATER	BB	30 AMP BREAKER BOX 50 AMP OPTION
CF	110V CEILING FAN	CON	CONVERTER
AC	AIR CONDITIONER	P	12V DISTRIBUTION PANEL
PC	POWER CORD	PB	12V STORAGE BATTERY
S	110 V SWITCH	R	110V RECEPT
L	110V LIGHT	CBR	COMP. GFI BREAKER & RECEPT
		J	110V JUNCTION BOX

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A SERVICE, INSTALL 20A BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

P - #8 STRND. FROM BAT.
 TO DIST. PNL.
 40A. BREAKER
 W/15" OF BATTERY

50 AMP
OPTION

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	GENERAL
7	14/2 W/GR	110/120	15 AMP HACR	GENERAL
8	12/2 W/GR	110/120	20 AMP HACR	DRYER
9	14/2 W/GR	110/120	15 AMP HACR	WASHER

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

'97 Model:
 Kountry Star 36' LSDB-FW

Title:
 110 Volt wiring specifications

Sheet
 2 of 4

I.D. #
 co/e/7f36lsdb

Drawn by:
 Mike Walter

Date:
 10/25/96

Checked by:
 WJG

Date:
 12-5

Revision: Added recepts to the rear bedroom.

Revision:




By: Mike

Date: 12/4

By:

Date:

Title block--ELECTB



ELECTRICAL SYMBOLS

W _H	WATER HEATER	BB	30 AMP BREAKER BOX 50 AMP OPTION
C _F	110V CEILING FAN		CONVERTER
AC	AIR CONDITIONER	P	12V DISTRIBUTION PANEL
PC	POWER CORD		12V STORAGE BATTERY
S	110 V SWITCH		110V RECEPT
	110V LIGHT		COMP. GFI BREAKER & RECEPT
		J	110V JUNCTION BOX

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A SERVICE, INSTALL 20A BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

P - #8 STRND. FROM BAT. TO DIST. PNL.
 40A. BREAKER
 W/18" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT

NEWMAR CORP
 P.O. Box 30,
 Napanee, IN. 48560

Title block--ELECTB

'97 Model:
Kountry Star 36' LSDB-FW
 Title:
CSA 30 Amp wiring specifications

Sheet
3 of 4
 I.D. #
co/e/7f36lsdb




Drawn by:
Mike Walter
 Date:
10/25/96

Checked by:
WJM
 Date:
10/27/96

Revision: Added recepts to the rear bedroom.

Revision:

By: Mike
 Date: 12/4
 By:
 Date:



ELECTRICAL SYMBOLS

	WATER HEATER		30 AMP BREAKER BOX 50 AMP OPTION
	110V CEILING FAN		CONVERTER
	AIR CONDITIONER		12V DISTRIBUTION PANEL
	POWER CORD		12V STORAGE BATTERY
	110 V SWITCH		110V RECEPT
	110V LIGHT		COMP. GFI BREAKER & RECEPT
			110V JUNCTION BOX

NOTES:

- SOME ITEMS SHOWN MAY BE OPTIONAL
- CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- ALL BREAKERS SHALL BE HACR TYPE
- ALL A/C SHALL ACCEPT HACR BREAKERS
- DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
 40 A. CONVERTOR/40 A. BREAKER
 50 A. CONVERTOR/2-30 A. BREAKERS
 75 A. CONVERTOR/2-40 A. BREAKERS

#8 STRND. FROM BAT. TO DIST. PNL.
 40A. BREAKER
 W/18" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT
7	14/2 W/GR	110/120	15 AMP HACR	KITCHEN RECEPT
8	14/2 W/GR	110/120	15 AMP HACR	GENERAL
9	14/2 W/GR	110/120	15 AMP HACR	GENERAL
10	14/2 W/GR	110/120	15 AMP HACR	GENERAL

NEWMAR CORP
 P.O. Box 30,
 Napanee, IN. 46560

'97 Model:
 Kountry Star 36' LSDB-FW

Sheet
 4 of 4

Drawn by:
 Mike Walter

Checked by:
 WJM

Revision: Added recepts to the rear bedroom.

By: Mike

Date: 12/4

Title:
 CSA 50 Amp wiring specifications

I.D. #
 co/e/7f36lsdb

Date:
 10/25/96

Date:
 12-5

Revision:

By:

Date:

Title block--ELECTB