





Overall length: 36' 10"
 Overall width: 100"
 Interior width: 96 3/4" (95 1/2" with aluminum sidewalls)
 Square footage: 359 sq. ft.
 Awning size: 17 Ft.

⊙ = Frame "0" point


NOTE
 ALL WALLS, PARTITIONS, & CEILING HAVE
 CLASS "C" (200) FLAME SPREAD RATING
 ALL INTERIOR PASSAGE DOORS ARE NON-LOCKING

- SYMBOLS**
- ⊙ - THERMOSTAT
 - ⬆ - CITY WATER
 - ⬆ - SEWAGE DRAIN
 - ⬆ - ELECTRICAL PANEL
 - ⬆ - WATER INLET
 - ⬆ - GAS INLET
 - ⬆ - ELECTRICAL INLET
 - ⬆ - EGRESS
 - ⬆ - CONVERTER
 - ⬆ - WARM AIR REGISTER
 - ⬆ - FIRE EXTINGUISHER (5 BC MIN)
 - ⬆ - SMOKE DETECTOR
 - ⬆ - INSIGNIAS (STATE & RVIA)
 - ⬆ - C.O. DETECTOR
 - ⬆ - MIRRORED WARDROBE


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Changed the location and type of register in bedroom (97664)	By: Todd
	Kountry Star: 36' RKWB-FW	1 of 8	Todd Stahly	13		Date: 8/27/96
	Title:	I.D. #	Date:	Date:	Revision: Changed the awning size from 21 to 17 (97657)	By: Todd
	Floor Plan	P/7F36RKWB	4/23/96	8-29		Date: 8/19/96



TOP VIEW



SIDE VIEW





NOTE:



ALL MEASUREMENTS ARE FROM POINT A UNLESS OTHERWISE SPECIFIED
 FRAME: 12 I-BEAM/ 10.8#/FT
 ANGLE IRONS: 2X2/ 11 GA
 TUBES: 2X6/1X1/ 11 GA - 2X3/ 8 GA
 WING GUSSETS: 12 GA

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Todd
	Kountry Star 12" I-Beam 5th-wheels	2 of 3	Todd Stahly	<i>[Signature]</i>	Moved angle for bath floor support (97359)	Date: 6/24/96
	Title:	I.D. #	Date:	Date:	Revision: Removed 1x1 tubes under cabover (9791)	By: Todd
	111 1/4" Cabover on 12" I-Beam	F/C/712111	3/5/96	7-9		Date: 5/1/96



KS 12" I-beam



Aire 12" I-beam



16" I-beam



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--5TB

'97 Model:
KS-LA 5th wheel frames.

Title:
Rear angle location

Sheet
1 of 1

I.D. #
ft/parts/eco125

Drawn by:
Mike Walter

Date:
11/11/96


Checked by:
WJW

Date:
11-20

Revision: Revised to match the way that production is currently doing this.
(PCR 97-1180)

Revision:

By: Mike
Date: 11/19
By:
Date:



NEWMAR CORP
P.O. Box 30,
Napanea, HI. 46550

'97 Model:
Standard 12' frame 111 1/4" cabovers
Title:

Sheet
1 of 2
I.D. #

Drawn by:
Todd Stahly
Date:

Checked by:
B
Date:

Revision:

By:
Date:

Title block---5TB

Decking and riser locations


ft/c/7112111b

4/1/96







7-9

Revision:

By:
Date:



use 2x2 riser
construction w/metal
on the front 1/2"
plywood on the rear



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 48550

Title block--5TB

'97 Model:
Standard 12' frame 111 1/4" cabovers
Title:
Decking and specifications






Sheet
2 of 2
I.D. #
ft/c/7f12111b

Drawn by:
Todd Stahly
Date:
4/1/96

Checked by:
B
Date:
79

Revision:

By:
Date:
By:
Date:



All material 1/4" thick

Letter	Qty	Description
A	4	2" x 2" x 60" Angle iron with (2) 9/16" diameter holes.
B	2	3" x 2" x 68 1/8" L-bracket.
C	4	1/4" x 3" x 4" plate with (2) 9/16" diameter holes.
D	2	2" x 2" x 2" Angle iron
E	8	2" x 2" x 2" Angle iron with (2) 9/16" diameter holes.

Assemble using 1/2 x 1 1/2 grade 5 bolts with locknuts.

NEWMAR CORP
P.O. Box 30,
Napppanee, IN. 46550

'97 Model:
Fresh water tank cradle for all
12" I-beam FW's KS-KA

Title:
For 55 x 55 tanks

Sheet
2 of 2
I.D. #
misc/5555crdl

Drawn by:
Mike Walter
Date:
3/18/96

Checked by:
B
Date:
7-9

Revision: Revised the drilled holes to have a diameter of 9/16".

By: Mike



Date: 4/24

Revision:

By:

Date:

Title block--1TB



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46650

'97 Model:
Fresh water tank cradle for all
12" I-beam FW's KS-KA

Title:
For 55 x 55 tanks

Sheet
1 of 2

I.D. #
misc/5555crdl

Drawn by:
Mike Walter

Date:
3/18/96

Checked by:

Date:
7-9

Revision: Revised the location of the angle brackets 'D'.


Revision:

By: Mike

Date: 4/24

By:

Date:



⊙ = Frame "0" point

-10"x10" FIBERGLASS TUB
-5" ABS TUB HOLE
- ⊗5" HEAT DUCT HOLE
- ⊗4 1/2" HEAT DUCT HOLE
- ⊗4" HEAT DUCT HOLE

FLOOR CUTOUT SYMBOLS

- ⊙2 1/2" HEAT DUCT HOLE
- ⊗2 1/2"x10" HEAT REGISTER
- ⊗4 1/2"x14 1/2" FURNACE
- ⊙5" SEWAGE DRAIN HOLE
- ⊕3" DRAIN HOLE
-2" VENT HOLE
- ◇1/4" ELECTRICAL HOLE
- ⊙3" WATER FILL HOLE
-3/4" WATER LINE HOLE
- △3/4" GAS LINE HOLE

All bath floor dimensions from point "B" install washer drain and vent in cold air return

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--375TB

'97 Model:
Kountry Star: 36' RKWB-FW

Title:
Floor cutout drawing

Sheet
4 of 8

I.D. #
P/7F36RKWB

Drawn by:
Todd Stahly

Date:
3/1/96

Checked by:
WJH

Date:
2/18


Revision: Changed the bath floor dimensions so numbers in brackets are smaller (971433) By: Todd

Revision: Removed heat duct hole on bath floor (97664)

Date: 2/17/97

By: Todd


Date: 8/29/96



⊙ A = Frame "O" point

NOTES:
ALL STRINGER TO BE SPRUCE-PINE-FIR (SPF)
STRINGERS: 2x3's
3 1/8 BUILD-UP MAIN FLOOR ONLY

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Moved step backers from 23 1/2 to 25 (97453)	By: Todd
	Kountry Star: 36' RKWB-FW	6 of 8	Todd Stahly	<i>BS</i>		Date: 7/17/96
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Stringer Layout	P/7F36RKWB	6/25/96	<i>7-18</i>		Date:



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
KS 36' RKWB-FW

Sheet
1 of 3

Drawn by:
Todd Stahly

Checked by:
TS

Revision: Made all dimensions come from lower left corner (97690)

By: Todd

Date: 8/26/96

Title:
Holding Tank drawings

I.D. #
H/7F36RKWB

Date:
3/4/96

Date:
2.78

Revision: Moved grey vent 4 1/4 up (97453)

By: Todd


Date: 7/17/96

Title block--1TB

REAR OF
UNIT

USE FLEXIBLE ROUND HEAT DUCT TO GET
HEAT INTO TOP FLOOR FROM 2nd FURNACE.

FRONT OF
UNIT




Used on:

KS/MA/KA 36' RKWB-FW
MA/KA 39' RKWB-FW
MA/KA 39' RLDK-FW
MA/KA 39' RLSE-FW
MA/KA 40' CKDA-FW
MA/KA 40' CKDB-FW
MA/KA 40' LSDK-FW

SIDE X-SECTION OF SUPER STORAGE BATHROOM FLOOR

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1-STB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Added riser #4 for bath floor support (971066)	By: Todd Stahly
	See the used on list	1 of 1	Mike Walter			Date: 10/30/96
	Title:	I.D. #	Date:	Date:	Revision: Changed the bath floor tab from 18" to 20".	By: Mike
	Bath floor X-section	ft/b/7ssflr10	6/3/96			Date: 6/24



Used On:


KS/MA/KA: 36' RKWB-FW
 MA/KA: 36' RLDS-FW
 MA/KA: 36' SKDS-FW
 MA/KA: 39' RKWB-FW
 MA/KA: 39' RLDK-FW
 MA/KA: 39' RLSE-FW
 MA/KA: 40' CKDA-FW
 MA/KA: 40' CKDB-FW
 MA/KA: 40' LSDK-FW

NEWMAR CORP P.O. Box 30, Napanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Added riser #4 to give floor better support (971066)	By: Todd
	See Used On List	1 of 1	Todd Stahly			Date: 10/30/96
	Title:	I.D. #	Date:	Date:	Revision: Made a drawing that will work for all models on the list (97760)	By: Todd
	bath floor detail	ft/b/7ssflr5	9/3/96			Date: 9/3/96

SEE JOIST LAY-OUT FOR RISER LOCATIONS


REAR SUPER STORAGE RISERS
2X2 MATERIAL W-3/16 PNLG ON BACKSIDE
AND 3/16 PANEL ON FRONTSIDE

Front super storage riser is 5/8 structruewood
with metal on the front side. Use full
width riser on KS and MA. On KA use
full width riser only with generator prep.



Use only on KA
with a 12" I-beam
frame without the
generator prep.

2 req'd. One one each
side of the pass through.




Use only on KA
with a 16" I-beam
frame without the
generator prep.

2 req'd. One one each
side of the pass through.


Used on:

MA/KA 36' RKWB-FW
MA/KA 36' RLDS-FW
MA/KA 36' SKDS-FW
MA/KA 39' RKWB-FW
MA/KA 39' RLDK-FW
MA/KA 39' RLSE-FW
MA/KA 40' CKDA-FW
MA/KA 40' CKDB-FW
MA/KA 40' LSDK-FW


RISER #4




RISER #3



RISER #2



RISER #1



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
See the used on list

Title:
Riser detail

Sheet
1 of 1
I.D. #
ft/b/7ssflr6


Drawn by:
Mike Walter
Date:
3/27/96

Checked by:
Date:

Revision: Added riser #4 for moore support (971066)

Revision: Revised the length of riser #3 from 29 1/4 to 27 1/4.

By: Todd
Date: 10/31/96
By: Mike
Date: 7/1



SLOPE RATE: .0665 X 1

Wood sidewall thickness: 1 5/8"

Aluminum sidewall thickness: 2 1/4"

NOTES:

SIDEWALL DRAWN AS IN JIG POSITION

STUDS SPACED 16" ON CENTER

DASHED LINES DENOTE AIRE BELT RAIL


STAR DIMENSIONS ARE OVERALL

AIRE DIMENSIONS DO NOT INCLUDE 3/8 PLYW'D

17 FT AWNING SIZE



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block---3125TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Added dim for optional refrigerator (97772)	By: Todd
	Kountry Star 36' RKWB-FW	1 of 2	Todd Stahly	<i>[Signature]</i>		Date: 9/6/96
	Title:	I.D. #	Date:	Date:	Revision: Changed awning from 21 to 17 (97657)	By: Todd
	Door side sidewall detail	S/D/7F36RKWB	3/4/96	<i>[Signature]</i>		Date: 8/19/96




SLOPE RATE: .0665 X 1

Wood sidewall thickness 1 5/8"
Aluminum sidewall thickness 2 1/4"

NOTES:
SIDEWALL DRAWN AS IN JIG POSITION
STUDS SPACED 16" ON CENTER
DASHED LINES DENOTE AIRE BELT RAIL
STAR DIMENSIONS ARE OVERALL
AIRE DIMENSIONS DO NOT INCLUDE 3/8 PLYW'D

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block---3125TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Todd
	Kountry Star 36' RKWB-FW	1 of 2	Todd Stahly	<i>fs</i>	Moved storage door down (97521)	Date: 7/29/96
	Title:	I.D. #	Date:	Date:	Revision:	By: Todd
	Offdoor side sidewall detail	s/o/7F36RKWB	3/4/96	7-29	Moved furnace down (97405)	Date: 7/12/96




Use 2 x 2 construction - wood
 Use 1 1/2 x 1 1/2 "C" channel - aluminum

Use on all Kountry Stars

NEWMAR CORP P.O. Box 30, Nappanee, IN. 48550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Revised the door opening height. (PCR 97-1239)	By: Mike
	Kountry Star typical	2 of 6	Mike Walter	WJW		Date: 12/3
	Title:	I.D. #	Date:	Date:	Revision: Changed from 3 doors to a single door per ECO 252	By: Mike
	Goose neck wall	s/l/goosneck/typical	8/12/96	12-3		Date: 10/31

Bevel the ends of "C" channel at 45°



Front wall thickness 1 5/8" wood
Front wall thickness 2 1/4" alum

For wood endwall use 2 x 2's in place of "C" channel.

NEWMAR CORP
P.O. Box 30,
Naperville, IN. 46550

'97 Model:
KS-KA 36' RKWB-FW

Sheet
2 of 2

Drawn by:
Todd Stahly

Checked by:
[Signature]

Revision: Noted wall thickness

By: Todd

Date: 5/20/96

Title:
Cabover end wall

I.D. #
s/front/cabover/71361cab

Date:
3/13/96


Date:
7-9

Revision:


By:

Date:

Title block--1TB



OFFDOOR SIDE



DOOR SIDE


Rear wall thickness 1 5/8" wood
Rear wall thickness 2 1/4" alum

ALL CUTS @ ENDS ARE 45°

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block---1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Todd
	KS/MA/KA 36' RKWB-FW	2 of 2	Todd Stahly	<i>TS</i>	Added wall thickness	Date: 5/20/96
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Rear wall detail	S/R/7F36RKWB	3/6/96	7-9		Date:

START CEILING
MATERIAL @ #3

DO NOT
SPUCE CEILING
MATERIAL @ #17 & #19



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
Kountry Star 36' RKWB-FW

Sheet
1 of 2

Drawn by:
Todd Stahly

Checked by:
TS

Revision:

By:

Date:

Title:
Roof detail

I.D. #
R/7F36RKWB

Date:
6/26/96


Date:
7-9

Revision:

By:

Date:

Title block---375TB



FLOOR IS MADE OF DOUBLE 1/2" MATERIAL

----- DENOTES BOTTOM LAYER SEAM
 ----- DENOTES TOP LAYER SEAM

(6) 48 X 51 3/4
 (2) 23 3/8 X 54 1/4
 (4) 3 1/2 X 3 3/4

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

Title block--75TB

'97 Model:
 Kountry Star 36' RKWB-FW
 Title:
 Slideout floor detail

Sheet
 1 of 2
 I.D. #
 0/F/7F36RKWB


Drawn by:
 Todd Stahly
 Date:
 3/5/96

Checked by:
 [Signature]
 Date:
 7-9


Revision:
 Revision:

By:
 Date:
 By:
 Date:


WINDOW
30Wx22H
W/BUILT-IN
DINETTE



WINDOW
48Wx29H
W/BUILT-IN
DINETTE



WINDOW
CABINET
WINDOW
STORAGE
STORAGE




WINDOW
48Wx29H-E

OPTIONAL
STORAGE
24Wx15H

OPTIONAL
STORAGE
24Wx15H

WINDOW
30Wx29H
WITH OPT.
SOFA STORAGE



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--375TB

'97 Model:
Kountry Star 36' RKWB-FW

Title:
Aire Slidout Sidewalls

Sheet
1 of 4

I.D. #
O/S/7F36RKWB

Drawn by:
Todd Stahly

Date:
3/5/96

Checked by:
[Signature]

Date:
11-8

Revision: Moved window and made it match MA/KA (971091)


Revision:

By: Todd

Date: 11/8/96

By:

Date:



OPEN SIDE
VIEW FROM INSIDE LOOKING UP



DENOTES 12V



DENOTES 110

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
Kountry Star 36' RKWB-FW

Sheet
1 of 2

Drawn by:
Todd Stahly

Checked by:
R

Revision:

By:

Title:

I.D. #

Date:

Date:

Revision:

By:

Title block--5TB


Slideout Roof detail

O/R/7F36RKWB


3/5/96

2-9

Date:



LEFT CABINET



AS/KS 29' WRKD-FW

AS 30' RLWB-FW

AS 31' RKWB-FW

AS/KS 32' RKSA-FW

AS/KS 32' RKWB-FW

AS/KS/MA/KA 33' WRKD-FW

KS/MA/KA 34' RKSA-FW

KS/MA/KA 34' RLDK-FW

KS/MA/KA 34' RLWB-FW

Used on:

KS/MA/KA 39' RLSE-FW

KS/MA/KA 36' RKWB-FW


MA/KA 36' RLDS-FW

MA/KA 36' SKDS-FW


MA/KA 40' LSDK-FW

MA/KA 40' RLFK-FW

Dimensions inside brackets
denote Kountry Star
with wood sidewalls



RIGHT CABINET



- (1) 9 1/2 X 44 1/2 MIRROR DOOR
(2) 9 1/2 X 7 3/4 DRAWER FRONTS

- (1) 9 1/2 X 44 1/2 MIRROR DOOR
(2) 9 1/2 X 7 3/4 DRAWER FRONTS

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--75TB

'97 Model:

See the used on list

Title:

Cabover bedside wardrobe

Sheet

1 of 1

I.D. #

cabfw/b/72

Drawn by:

Mike Walter

Date:

2/20/96

Checked by:

B

Date:

7-9

Revision: Revised the cabinet height.



Revision:

By: Mike

Date: 6/14

By:

Date:



Note:

The finished sides of the frames and rails face in to create a finished interior.

Used on:

AS-KS 30' RKCL-FW	KS-KA 36' RKWB-FW
AS 31' RKWB-FW	MA-KA 36' RLDS-FW
AS-KS 32' RKSA-FW	KS-KA 36' RLDA-FW
AS-KS 32' RKWB-FW	MA-KA 36' SADS-FW
AS 33' DBLS-FW	MA-KA 36' SKDS-FW
AS-KA 33' WRKD-FW	MA-KA 39' RKLC-FW
KS-KA 34' RKSA-FW	MA-KA 39' RKWB-FW
KS-KA 34' RLDK-FW	MA-KA 39' RLDA-FW
KS-KA 34' RLWB-FW	MA-KA 39' RLSE-FW
KS 34' SKDS-FW	MA-KA 40' CKDA-FW
AS 36' DBLS-FW	MA-KA 40' CKDB-FW
KS 36' LSDB-FW	MA-KA 40' LSDK-FW
MA-KA 36' RKSA-FW	MA-KA 40' RLFA-FW

NEWMAR CORP
P.O. Box 30,
Naphtanee, IN. 46550

'97 Model:
See the used on list

Title:
Bed base detail


Sheet
1 of 5
I.D. #
cabfw/b/723

Drawn by:
Mike Walter
Date:
11/14/96

Checked by:
[Signature]
Date:
11-20

Revision:
Revision:

By:
Date:
By:
Date:



1/2" plywood covered
with cargo liner.

Used on:

AS 30' RKCL-FW
AS 31' RKWB-FW
AS 32' RKSA-FW
AS 32' RKWB-FW
AS 33' DBLS-FW
AS 33' WRKD-FW
AS 38' DBLS-FW

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--1TB

'97 Model:
See the used on list

Title:
American Star top detail

Sheet
3 of 5

I.D. #
cabfw/b/723

Drawn by:
Mike Walter

Date:
11/14/96

Checked by:
WOW

Date:
11/20

Revision:


Revision:

By:

Date:

By:

Date:



Used on:

KS 30' RKCL-FW	KS-KA 36' RKWB-FW
KS 32' RKSA-FW	MA-KA 36' RLDS-FW
KS 32' RKWB-FW	KS-KA 36' RLDA-FW
	MA-KA 36' SADS-FW
	MA-KA 36' SKDS-FW
KS-KA 33' WRKD-FW	MA-KA 39' RKLC-FW
KS-KA 34' RKSA-FW	MA-KA 39' RKWB-FW
KS-KA 34' RLDK-FW	MA-KA 39' RLDK-FW
KS-KA 34' RLWB-FW	MA-KA 39' RLSE-FW
KS 34' SKDS-FW	MA-KA 40' CKDA-FW
	MA-KA 40' CKDB-FW
KS 36' LSDB-FW	MA-KA 40' LSDK-FW
MA-KA 36' RKSA-FW	MA-KA 40' RLFK-FW

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--1TB

'97 Model:
See the used on list

Title:
Completed bed base

Sheet
4 of 5

I.D. #
cabfw/b/723

Drawn by:
Mike Walter

Date:
11/14/96

Checked by:
WJW

Date:
11-20

Revision:


Revision:

By:

Date:

By:

Date:



Used on:

AS 30' RKCL-FW
 AS 31' RKWB-FW
 AS 32' RKSA-FW
 AS 32' RKWB-FW
 AS 33' DBLS-FW
 AS 33' WRKD-FW
 AS 36' DBLS-FW

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 48550

'97 Model:
 See the used on list

Sheet
 5 of 5

Drawn by:
 Mike Walter

Checked by:
 WJM

Revision:

By:

Title:

I.D. #

Date:

Date:

Revision:

By:

Title block--1TB


American Star finished bed

cabfw/b/723

11/14/96

11-20

Date:



(2) 24 1/2 X 10 1/2 DOORS.

Dimensions inside brackets denote Kountry
Star with wood sidewalls.

USED ON THE FOLLOWING UNITS:

KS 32' RKSA-FW
KS 33' WRKD-FW
KS 34' RKSA-FW
KS 34' RLDK-FW
KS 34' RLWB-FW
KS 36' RKWB-FW


NEWMAR CORP P.O. Box 30, Napanea, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See the used on list	2 of 3	Mike Walter	<i>B</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Front overbed storage	cabfw/b/71	2/20/96	7-9		Date:

Door list

- (3) 16 1/2x5 3/4 front
(2) 16 1/2x7 3/4 front

For use with 12" I-beam frame.
Dimensions in () are for wood sidewalls



Only the right end
panel gets notched.



Used on:
(KS/MA/KA) 34' RKSA-FW
(KS/MA/KA) 36' RKWB-FW
(MA/KA) 36' RKSA-FW
(KS/MA/KA) 36' RLSA-FW

(MA/KA) 39' RKLC-FW
(MA/KA) 39' RKWB-FW
(MA/KA) 39' RLDK-FW

(MA/KA) 40' CKDA-FW
(MA/KA) 40' CKDB-FW
(MA/KA) 40' RLFK-FW



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:

See used on list

Title:

TV Shelf with drawers

Sheet

1 of 2

I.D. #

CABFW/B/751

Drawn by:

Todd Stahly

Date:

3/8/96

Checked by:

WJM

Date:

7-18

Revision: Changed width of left stile from 1 1/2 to 2 (971460)

By: Todd

Date: 2/18/97


Revision: Changed notch dimensions

By: WJM



Date: 10/16

(3) 16 1/2x5 3/4 front
(2) 16 1/2x7 3/4 front


Only the right end
panel gets notched.



(KS/MA/KA) 34, RKSA-FW
(KS/MA/KA) 36, RKWB-FW
(MA/KA) 36, RKSA-FW
(MA/KA) 36, RLDS-FW
(MA/KA) 36, RLSE-FW
(MA/KA) 36, SADS-FW
(MA/KA) 36, SKDS-FW
(MA/KA) 39, RKLC-FW
(MA/KA) 39, RKWB-FW
(MA/KA) 39, RLDK-FW
(MA/KA) 39, RLSE-FW
(MA/KA) 40, CKDA-FW
(MA/KA) 40, CKDB-FW
(MA/KA) 40, RLFK-FW



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Changed width of left stile from 1 1/2 to 2 (971460)	By: Todd
	See used on list	2 of 2	Todd Stahly	WJN		Date: 2/18/97
Title block--1TB	Title:	I.D. #	Date:	Date:	Revision: Changed notch dimensions	By: WJM
	TV Shelf with drawers	CABFW/B/751	3/8/96	2-18		Date: 10/16



DOOR LIST:

- (1) 16 1/2 X 20 1/2 DOOR
- (1) 27 1/2 X 5 3/4 TIP-OUT FRONT
- (2) 9 1/2 X 5 3/4 DRAWER FRONTS
- (1) 9 1/2 X 7 3/4 DRAWER FRONT

USED ON LIST

KS/MA/KA 34'	RKSA-FW
MA/KA 36'	RKSA-FW
KS/MA/KA 36'	RKWB-FW
MA/KA 36'	RLDS-FW
MA/KA 36'	RLSA-FW
MA/KA 36'	SADS-FW
MA/KA 36'	SKDS-FW
MA/KA 39'	RKLC-FW
MA/KA 39'	RKWB-FW
MA/KA 39'	RLDK-FW
MA/KA 39'	RLSE-FW
MA/KA 40'	CKDA-FW
MA/KA 40'	CKDB-FW
MA/KA 40'	LSDK-FW
LA 40'	RKWB-FW
MA/KA 40'	RLFK-FW

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--1TB

'97 Model:
See the used on list

Title:
Aire lav. base cabinet

Sheet
1 of 5

I.D. #
cabfw/a/77

Drawn by:
Mike Walter

Date:
4/12/96

Checked by:
WJM

Date:
10/8

Revision: Added Kountry Stars to the used on list. (PCR 97-957)




Revision: Revised the lav depth.

By: Mike

Date: 10/8

By: Mike


Date: 5/29




USED ON:
 KS 34' RKSA-FW
 KS 36' RKWB-FW

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550


Title block---1TB	'97 Model: See the used on list	Sheet 3 of 5	Drawn by: Mike Walter	Checked by: <i>[Signature]</i>	Revision:	By:
	Title: Star lav. top	I.D. # cabfw/a/77	Date: 4/12/96	Date: 7-9	Revision:	By:




NOTE:
Install end panel
on the right side





MIRROR FRAME
SEE PROFILE A FOR MOLDING



STILE FRAMING
3/4" THICK PANEL




MIRROR SIZES



PROFILE A


- USED ON:
- (KS) 32' RKSA-FW
 - (KS-KA) 34' RKSA-FW
 - (MA-KA) 36' RKSA-FW
 - (KS-KA) 36' RKWB-FW
 - (MA-KA) 36' RLDS-FW
 - (KS-KA) 36' RLSE-FW
 - (MA-KA) 36' SADS-FW
 - (MA-KA) 36' SKDS-FW
 - (MA-KA) 39' RKLC-FW
 - (MA-KA) 39' RKWB-FW
 - (MA-KA) 39' RLDK-FW
 - (MA-KA) 39' RLSE-FW
 - (MA-KA) 40' CKDA-FW
 - (MA-KA) 40' CKDB-FW
 - (MA-KA) 40' LSDK-FW
 - (LA) 40' RKWB-FW
 - (MA/KA) 40' RLFK-FW



MIRROR HARDWARE HOLE POSITION

USE SAME APPLICATION TOP & BOTTOM STILES

NEWMAR CORP P.O. Box 30, Napanea, IN. 46560 Title block--1TB	'97 Model: See used on list	Sheet 1 of 1	Drawn by: Todd Stahly	Checked by: <i>[Signature]</i>	Revision: Changed height of mirror frame so mirrors fit better (971110)	By: Todd
	Title: 31" Medicine Cabinet	I.D. # CABFW/A/752	Date: 3/7/96	Date: 11-8	Revision: Added note for mitered corner (97613)	Date: 11/7/96
						By: Todd
						Date: 8/8/96





TOP VIEW

Hold the shelf back 5"
and mount the light
on the ceiling.

For used with
12" I-beam
frame only.

USED ON:

(KS/MA/KA) 36' RKWB-FW
(MA/KA) 39' RKWB-FW
(MA/KA) 39' RLDK-FW
(MA/KA) 40' LSDK-FW



(2) 9 1/2 x 71 1/2 Mirror doors
(2) 12 1/2 x 71 1/2 Mirror doors (Louvered with W/D)


dimensions in () are for wrapped stile

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block---75TB

'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Removed electric panel note	By: Todd
See used on list	1 of 2	Todd Stahly	<i>B</i>		Date: 8/2/96
Title:	I.D. #	Date:	Date:	Revision: Added a side view to show the end panel notch.	By: Mike
Washer/Dryer Ward.	CABFW/W/752	3/6/96	8-9		Date: 3/28

USED ON:
(KS) 36' RKWB-FW



All walls in front of the
ceiling slope line are 78°.

★ 10H X 12W COLD AIR
RETURN IN THE BOTTOM
OF THIS WALL.

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--75TB

'97 Model:
See used on list

Title:
Bath walls

Sheet
5 of 8

I.D. #
CABFW/A/753

Drawn by:
Todd Stahly

Date:
3/7/96

Checked by:
[Signature]

Date:
7-9

Revision:




Revision:

By:


Date:

By:




Date:



USED ON
(KS) 36' RKWB-FW




NEWMAR CORP P.O. Box 30, Napppanee, IN. 46550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Changed wall backer	By: Todd
	See used on list	6 of 8	Todd Stahly	<i>[Signature]</i>		Date: 12/10/96
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Bath walls	CABFW/A/753	3/7/96	12-11		Date:



USED ON
(KS) 36' RKWB-FW



NEWMAR CORP P.O. Box 30, Nappanee, IN. 48550 Title block--75TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Changed wall backer	By: Todd
	See used on list	7 of 8	Todd Stahly	<i>[Signature]</i>		Date: 12/10/96
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Bath walls	CABFW/A/753	3/7/96	12-11		Date:



USED ON
(KS) 36' RKWB-FW



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 48550

Title block--75TB

'97 Model:
See used on list

Title:
Bath walls

Sheet
8 of 8

I.D. #
CABFW/A/753

Drawn by:
Todd Stahly

Date:
3/7/96

Checked by:
[Signature]

Date:
12-11

Revision: Changed wall backer



Revision:

By: Todd

Date: 12/10/96

By:

Date:



(2) 9 1/2 x 18 1/2

Used on list:

(KS-KA) 36' RKWB-FW
 (MA-KA) 36' RLDS-FW
 (MA-KA) 36' SKDS-FW
 (MA-KA) 39' RKWB-FW
 (MA-KA) 39' RLDK-FW
 (MA-KA) 39' RLSE-FW
 (MA-KA) 40' LSDK-FW

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

'97 Model:
 See used on list

Title:
 Over john cabinet

Sheet
 1 of 1

I.D. #
 cabfw/a/780

Drawn by:
 Todd Stahly

Date:
 7/30/96

Checked by:
 [Signature]

Date:
 8-2

Revision: This print replaces cabfw/a/751 originally used above the
 stool. (PCR 97-553)

Revision:

By: Todd


Date: 7/31

By:


Date:

Title block--1-5TB


NOTE:
INSIDE OF CABINET TO BE FINISHED
OFF WITH NO CLEATS SHOWING.
USE MIRRORS OR LEXAN WHERE NOTED.




TOP VIEW



SECTION C-C
RECESSED RADIO




PROFILE A
CROWN MOLDING
(KS-LA)



PROFILE B
BASE MOLDING
(KS-LA)

DOOR LIST

UPPER STORAGE
(2) 16 15/16x18 1/2 DEC. GLASS DOORS
TELEVISION AREA
(2) 16 5/8x30 1/8
LOWER STORAGE
(2) 16 15/16x22 1/2 DEC. GLASS DOORS



FRONT VIEW

NOTE:
PLACE 33 9/16"x26"H MIRROR
IN UPPER STORAGE AREA TO
THE BACK OF THE CABINET.



SURROUND SOUND SPECS:
DELETE RADIO & OPEN STORAGE
w/ SURROUND SOUND OPTION. USE
ONLY ADJ. SHELF FOR OPTION.
INSTALL CENTER CHANNEL SPEAKER
ON THE TOP OF THE CABINET

USED ON:
(KS-KA) 36' RKWB-FW

NEWMAR CORP
P.O. Box 30,
Naperville, IN. 46550

Title block--75TB

'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By: Todd
See used on list	1 of 2	Todd Stahly	R	Removed LA 40 RKWB-FW from used on list (97317)	Date: 6/14/96
Title:	I.D. #	Date:	Date:	Revision:	By: Todd
Entertainment center	CFW/L/751	3/7/96	7-9	Changed notes for surround sound system	Date: 6/7/96



USED ON:
(KS-KA) 36' RKWB-FW

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--75TB

'97 Model:
See used on list
Title:
Entertainment center





Sheet
2 of 2
I.D. #
CFW/L/751

Drawn by:
Todd Stahly
Date:
3/7/96

Checked by:
[Signature]
Date:
7-1

Revision: Removed LA 40 RKWB-FW from used on list (97317)
Revision: Changed notes for surround sound system

By: Todd
Date: 6/14/96
By: Todd
Date: 6/7/96



Standard on:

KS 32' RKWB-FW
KS 33' WRKD-FW
KS 34' RLWB-FW
KS 36' LSDB-FW
KS 36' RKWB-FW

Optioned on:

MA-KA 33' WRKD-FW
MA-KA 34' RLWB-FW
MA-KA 36' RKWB-FW
MA-KA 39' RKWB-FW
MA-KA 40' CKDA-FW
MA-KA 40' CKDB-FW

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:
See the used on list

Title:
Valance and shelves

Sheet
3 of 4

I.D. #
cabfw/1/715

Drawn by:
Mike Walter

Date:
10/10/96

Checked by:
WAW

Date:
10/10

Revision:


Revision:

By:


Date:

By:

Date:



NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: Removed notes increased style (97561)	By: Todd
	See used on list	1 of 3	Todd Stahly	<i>[Signature]</i>		Date: 7/29/96
Title:	I.D. #	Date:	Date:	Revision:		By:
Slideout divider cabinet	cabfw/s/756	6/26/96	729			Date:




FRONT GLASS HINGED DOOR

13 1/2x42 GLASS DOOR FOR
FACE OF CABINET. (1) REQ'D
PER CABINET STD. EDGE

USED ON:

KS: 36' RKWB-FW

NEWMAR CORP P.O. Box 30, Nappanee, IN. 48550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision: removed side panel detail (97561)	By: Todd
	See used on list	2 of 3	Todd Stahly	<i>TS</i>		Date: 7/29/96
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Slideout divider cabinet	cabfw/s/756	6/26/96	7-29		Date:



NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:

See used on list

Title:

Slideout divider cab w/built-in-dinette

Sheet

3 of 3

I.D. #

cabfw/s/756

Drawn by:

Todd Stahly

Date:

6/26/96

Checked by:

B

Date:

7/29

Revision: Removed notes increased style (97561)


Revision:

By: Todd


Date: 7/29/96

By:

Date:



Hold the shelf back 5"
and mount the light
to the ceiling.
(This is the top shelf
in the lower opening.)



NOTE:
DELETE FILLER w/
OPTIONAL #RM3862

DOORS:



- (1) 24 1/2x5 3/4
- (1) 24 1/2x9 3/4 DRAWER FRONT
- (1) 16 1/2x5 3/4
- (1) 16 1/2x71 1/2

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Title block--75TB

'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
Kountry Star 36' RKWB-FW	1 of 3	Todd Stahly	<i>B</i>		Date:
Title:	I.D. #	Date:	Date:	Revision:	By:
Refrigerator cabinet	CFW/W/751	3/6/96	7-9		Date:

WOOD EDGE DETAIL




USED ON THE FOLLOWING UNITS:

AS 31' RKWB-FW
 AS/KS 32' RKSA-FW
 AS/KS 32' RKWB-FW
 AS/KS 33' WRKD-FW
 KS 34' RKSA-FW
 KS 36' RKWB-FW


NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

Title block--5TB


'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
See the used on list	1 of 7	Mike Walter	<i>B</i>	Added 1/4" to the depth of the top to make 24" deep.	Mike
Title:	I.D. #	Date:	Date:	Revision:	Date:
Star top	cfw/c/71	2/21/96	7-9		



- Drawers:
 (3) 9 1/2 x 5 3/4
 (1) 9 1/2 x 7 3/4
 (1) 20 1/2 x 7 3/4



- Drawers:
 (1) 19 x 5 3/4 (Tip-out)
 Door:
 (2) 9 1/2 x 20 1/2



- Drawers:
 (3) 12 1/2 x 5 3/4
 (1) 12 1/2 x 7 3/4
 Door:
 (2) 9 1/2 x 27 1/2



USED ON THE FOLLOWING UNITS

AS 28' WRKD-FW
 AS 31' RKWB-FW
 AS/KS 32' RKSA-FW
 AS/KS 32' RKWB-FW
 AS/KS 33' WRKD-FW
 KS 34' RKSA-FW
 KS 36' RKWB-FW

NEWMAR CORP
 P.O. Box 30,
 Nappanee, IN. 46550

Title block--STB

'97 Model:

See the used on list

Title:

Kitchen base cabinets

Sheet

5 of 7

I.D. #

cfw/c/71

Drawn by:

Mike Walter

Date:

2/21/96

Checked by:

[Signature]

Date:

[Signature]

Revision: Revised the grill opening size. (PCR 97-740)


Revision: Revised to have a grill under the range per Maureen.

By: Mike


Date: 9/3

By: Mike

Date: 4/9




SIDE OVERHEAD (FRONT VIEW)
12" DEPTH



SECTION A-A (SIDE VIEW)

SANDWICH
SHELVES




3x SCALE

DOOR LIST:


- (1) 12 1/2x17 1/2
- (1) 24 1/2x6 1/2

USED ON:
(KS) 36' RKWB-FW

NEWMAR CORP P.O. Box 30, Napppanee, IN. 48550 Title block--1TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See used on list	2 of 4	Todd Stahly	<i>[Signature]</i>		Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Spacemaker cabinet (KS)	CFW/C/752	3/6/96	7.9		Date:



SIDE OVERHEAD (FRONT VIEW)
20" DEPTH 12" DEPTH



SECTION A-A (SIDE VIEW)

DOOR LIST:

W/OUT MICROWAVE


(2) 11 1/2x17 1/2

(1) 16 1/2x17 1/2

W/ MICROWAVE

(1) 16 1/2x17 1/2

SANDWICH
SHELVES




3x SCALE

USED ON:
(KS) 36' RKWB-FW



NEWMAR CORP
P.O. Box 30,
Napanea, IN. 46550

'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
See used on list	1 of 4	Todd Stahly	<i>TS</i>		Date:
Title:	I.D. #	Date:	Date:	Revision:	By:
Microwave cabinet (KS)	CFW/C/752	3/6/96	7-9		Date:


Title block--1TB




CORNER OVERHEAD
(1) 9 1/2 X 17 1/2



SECTION A-A



TOP VIEW




REAR OVERHEAD FRONT VIEW
(3) 16 1/2 X 17 1/2 DOORS

USED ON:


(KS) 36' RKWB-FW

NEWMAR CORP P.O. Box 30, Napponee, IN. 46550	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	See use on list	1 of 2	Todd Stahly	<i>P3</i>		Date:
Title block--1TB	Title:	I.D. #	Date:	Date:	Revision:	By:
	Rear overhead	CFW/C/751	3/4/96	7-9		Date:

CUT TO MATCH
TEMPLATE




KS 32' RKSA-FW
KS 33' WRKD-FW
KS 36' RKWB-FW



Dimensions in brackets are for aluminum sidewall units.

SANDWICH
SHELF



4x SCALE

KOUNTRY STAR

DOOR LIST:
(1) 12 1/2 X 71 1/2

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 48550

'97 Model:
See the used on list

Title:
Pantry cabinet

Sheet
2 of 3

I.D. #
cfw/w/73

Drawn by:
Mike Walter

Date:
2/22/96

Checked by:
K3

Date:
7-9

Revision:

Revision:


By:

Date:

By:

Date:


Title block--75TB



NOTE:
1/2" (ID) POLYBUTYLENE TUBING
DRAINS INSTALLED AT LOW POINTS

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block---375TB	'97 Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	36' RKWB-FW	3 of 6	Todd Stahly			Date:
	Title:	I.D. #	Date:	Date:	Revision:	By:
	Pressure plumbing	CO/C/7F36RKWB	3/12/96			Date:

ALL PIPE & FITTINGS ARE ABS CHED. #40
DRAIN GRADE TO BE 1/8" PER FOOT
SUPPORT PIPE EVERY 4 FT MAX
ALL TRAP ARMS 54" MAX
ALL FIXTURES HAVE 1 1/4" P-TRAPS MINIMUM
ALL TANK HOOK-UPS ASE A DOUBLE LTTY UNLESS SPECIFIED OTHERWISE
BELOW FLOOR PLUMBING
SEE TYPICAL FOR WASHER INSTALLATION
BATH FLOOR LOCATION-----



Date:

NOTE:

SHUT-OFF VALVES ARE WITHIN 5' OF APPLIANCES ON PARK TRAILERS
 MAXIMUM DEVELOPED LENGTH - 23 FT.


1/2" BLACK MALL PIPE

3/8" O.D. COPPER TYPE "L"

MAX. LENGTH OF COPPER TYPE TO APPLIANCE PER TEST 929-84

ALL BRASS FITT. BELOW FLOOR TO BE FORGED-NOT MILLED

TOTAL BTU 94,520



NEWMAR CORP
 P.O. Box 30,
 Neppanee, IN. 46550

'97 Model:

36' RKWB-FW

Sheet

2 pf 6

Drawn by:

Todd Stahly

Checked by:

Revision: Added total btu note

By: Todd

Title:

Gas line drawing

I.D. #

CO/C/7F36RKWB

Date:

3/12/96




Date:

Revision:

By:

Date:

Title block--375TB



ELECTRICAL SYMBOLS

	TUBE LITE		COMPLEXION LITE
	12V LIGHT		110V JUNCTION BOX
	12V SWITCH		DOUBLE FLORESCENT LITE
	12V RECEPT		30 AMP BREAKER BOX
	WATER PUMP		50 AMP OPTION
	12V RANGE HOOD		CONVERTER
	FURNACE		12V DISTRIBUTION PANEL
	12V FAN VENT		12V STORAGE BATTERY
			POWER CORD

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A SERVICE, INSTALL 20A BREAKER IN #5 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:

40 A. CONVERTOR/40 A. BREAKER
50 A. CONVERTOR/2-30 A. BREAKERS
75 A. CONVERTOR/2-40 A. BREAKERS

#8 STRND. FROM BAT. TO DIST. PNL
40A. BREAKER
W/18" OF BATTERY

A	# 12 STRANDED	12	20 AMP	TV-STEREO
B	# 12 STRANDED	12	20 AMP	BEDROOMS
C	# 12 STRANDED	12	20 AMP	BATHROOM
D	# 12 STRANDED	12	20 AMP	KITCHEN
E	# 12 STRANDED	12	20 AMP	LIVINGROOM
F	# 12 STRANDED	12	20 AMP	FURNACES
G	# 12 STRANDED	12	20 AMP	SLIDE OUT LIGHTS
H	# 12 STRANDED	12	20 AMP	SLIDE OUT MOTOR
I	# 12 STRANDED	12	7.5 AMP	FANTASTIC VENT
J	# 12 STRANDED	12	20 AMP	SEC. LIGHTS-WATER HTR.

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:

36 RKWB-FW

Sheet

1 of 8

Drawn by:

Todd Stahly

Checked by:

Revision:

By:

Date:

Title:

12 Volt wiring specifications

I.D. #

co/e/7/36rkwb

Date:

5/30/96

Date:

Revision:

By:

Date:

Title block--ELECTB

ALL 110V LINES IN
SLIDEOUT ARE ON
THE APPLIANCE LINE

ELECTRICAL SYMBOLS

W _H	WATER HEATER	BB	30 AMP BREAKER BOX 50 AMP OPTION
C _F	110V CEILING FAN		CONVERTER
AC	AIR CONDITIONER	P	12V DISTRIBUTION PANEL
PC	POWER CORD		12V STORAGE BATTERY
S	110 V SWITCH		110V RECEPT
	110V LIGHT		COMP. GFI BREAKER & RECEPT
		J	110V JUNCTION BOX

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A SERVICE,
INSTALL 20A BREAKER IN #3 POSITION
AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A BREAKER
AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
40 A. CONVERTOR/40 A. BREAKER
50 A. CONVERTOR/2-30 A. BREAKERS
75 A. CONVERTOR/2-40 A. BREAKERS

P - #8 STRND. FROM BAT.
TO DIST. PNL
40A. BREAKER
W/18" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	12/2 W/GR	110/120	20 AMP HACR	DRYER
7	14/2 W/GR	110/120	15 AMP HACR	WASHER
8				

50 AMP
OPTION

NEWMAR CORP
P.O. Box 30,
Napponee, IN. 46550

'97 Model:

36 RKWB-FW

Sheet

2 of 8

Drawn by:

Todd Stahly

Checked by:

Date:

Revision:

Revision:

By:

Date:

By:

Date:

Title block--ELECTB

Title:

110 Volt wiring specifications

I.D. #

co/e/7f36rkwb

Date:

5/30/96

ALL 110V LINES IN
SLIDEOUT ARE ON
THE APPLIANCE LINE

ELECTRICAL SYMBOLS

	WATER HEATER		30 AMP BREAKER BOX 50 AMP OPTION
	110V CEILING FAN		CONVERTER
	AIR CONDITIONER		12V DISTRIBUTION PANEL
	POWER CORD		12V STORAGE BATTERY
	110 V SWITCH		110V RECEPT
	110V LIGHT		COMP. GFI BREAKER & RECEPT
			110V JUNCTION BOX

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A SERVICE,
INSTALL 20A. BREAKER IN #3 POSITION
AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER
AT DISTRIBUTION PANEL.
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:
40 A. CONVERTOR/40 A. BREAKER
50 A. CONVERTOR/2-30 A. BREAKERS
75 A. CONVERTOR/2-40 A. BREAKERS

#8 STRND. FROM BAT.
TO DIST. PNL
40A. BREAKER
W/18" OF BATTERY

PREP WIRING MUST END IN A BOX AND BE NUTTED AND TAPED

CIRCUIT	WIRE SIZE	VOLTS	FUSE BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP HACR	LITES
5	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP HACR	APPLIANCE CIRCUIT

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:

36 RKWB-FW

Sheet

3 of 8

Drawn by:

Todd Stahly

Checked by:

Date:

Revision:

By:

Date:

Revision:

By:

Date:

Title block--ELECTB

Title:

CSA 30 Amp wiring specifications

I.D. #

co/e/7f36rkwb

Date:

5/30/96

Date:

By:

Date:

ALL 110V LINES IN
SLIDEOUT ARE ON
THE APPLIANCE LINE

ELECTRICAL SYMBOLS

W _H	WATER HEATER	BB	30 AMP BREAKER BOX 50 AMP OPTION
C _F	110V CEILING FAN	X	CONVERTER
AC	AIR CONDITIONER	P	12V DISTRIBUTION PANEL
PC	POWER CORD	B	12V STORAGE BATTERY
S	110 V SWITCH	R	110V RECEPT
L	110V LIGHT	GFI	COMP. GFI BREAKER & RECEPT
		J	110V JUNCTION BOX

NOTES:

- 1) SOME ITEMS SHOWN MAY BE OPTIONAL
- 2) CLOSET LITES MAY HAVE INTEGRAL SWITCHES
- 3) W/SECOND AIR OPTION ON 50A. SERVICE, INSTALL 20A. BREAKER IN #3 POSITION AND MOVE ALL CIRCUITS DOWN ONE POSITION.
- 4) ALL PRE-WIRE FOR AIR SHALL USE 20A. BREAKER AT DISTRIBUTION PANEL
- 5) ALL BREAKERS SHALL BE HACR TYPE
- 6) ALL A/C SHALL ACCEPT HACR BREAKERS
- 7) DIST. PANEL WORKING CLEARANCE 24" X 22" MIN.

BREAKER SCHEDULE:

40 A. CONVERTOR/40 A. BREAKER
50 A. CONVERTOR/2-30 A. BREAKERS
75 A. CONVERTOR/2-40 A. BREAKERS

P - #8 STRND. FROM BAT.
TO DIST. PNL.
40A. BREAKER
W/18" OF BATTERY

CIRCUIT	WIRE SIZE	VOLTS	FUSE	BREAKER	LOAD
1	12/2 W/GR	110/120	20 AMP	HACR	AIR CONDITIONER
2	14/2 W/GR	110/120	15 AMP	HACR	MICROWAVE
3	14/2 W/GR	110/120	15 AMP	HACR	WATER HEATER
4	14/2 W/GR	110/120	15 AMP	HACR	LITES
5	14/2 W/GR	110/120	15 AMP	HACR	APPLIANCE CIRCUIT
6	14/2 W/GR	110/120	15 AMP	HACR	APPLIANCE CIRCUIT
7	14/2 W/GR	110/120	15 AMP	HACR	APPLIANCE CIRCUIT
8	14/2 W/GR	110/120	15 AMP	HACR	GENERAL
9	14/2 W/GR	110/120	15 AMP	HACR	GENERAL
10	14/2 W/GR	110/120	15 AMP	HACR	GENERAL

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

'97 Model:

36 RKWB-FW

Sheet

4 of 8

Drawn by:

Todd Stahly

Checked by:

Date:

Revision:

Revision:

Title block--ELECTB

Title:

CSA 50 Amp wiring specifications

I.D. #

co/e/7f36rkwb

Date:

5/30/96

Date:

Date:

Revision:

Revision:

By:

Date:

By:

Date: