2004 AMERICAN STAR FIFTH WHEEL BY NEWMAR







Every destination-not to mention each stop along the way-seems a place of magic when your travel companion is an American Star Fifth Wheel. It's all about comfort. And American Star has it to spare, beginning with the value it represents. Who would have thought that a coach with such high-end features as a huge pass-through storage area and truly sophisticated interior styling could be so budget-friendly? Well, anyone who knows Newmar's reputation for smart design and cost-efficient manufacturing, that's who! Now, isn't it time you experienced an American Star?







- D. Spacious, easy-cleaning laminate countertops simplify meal preparation.





29CEBK/Blue Spray С 3IRLRE/Linen Beige


32RLKS/Woodrose



visitors center that it was the Cherokees who named these 2 blue smoke. 0 hlace <u>u</u>the called them the We learned at mountains.

JUNE 10 \sim







- C. Pack everything you want: The unobstructed pass-through bay provides maximum storage space without sacrificing frame strength.





3IRLRE/Linen Beige


NEWMAR'S FREEDOM WARRANTY

Your American Star Fifth Wheel is built to take you as far as your road rolls on...for as long as you roll on with it. Because there's more than enough solid engineering here to ensure years of travel pleasure.


American Star is assembled on the same production line, to the same exacting standards and with the same meticulous care, as all Newmar coaches. It also embodies Newmar's long history of product innovation and industry "firsts." For us, it's a matter of pride. And tradition. Of taking personal responsibility and building a product that each of us, ourselves, would want to own.

As proof of our commitment, we back every RV we make with a two-year, bumper-to-bumper limited warranty: The Newmar Freedom Warranty. Ask your dealer for details. You're sure to find coverage this comprehensive a truly liberating experience.





*Ceramic tile, simulated floor and simulated tile options also available



- A. Vinyl overlay B. 3/16" panel
- C. I" tubular aluminum truss rafter with full joint weld
- D. Welded aluminum crowned roof structure with 16" on-center framing
- E. True Central Air Conditioninginsulated ducted distribution and return
- F. Fiberglass batten insulation
- G. 7mm wood decking (optional)
- H. Aluminum or optional Brite-Tek roof I. One-piece fiberglass caps
- J. Aluminum wrap

TRUE CENTRAL AIR: Newmar's True Central Air Systemstandard with every Newmar RV-is just like those found in most site-built homes. It's actually two separate, fully ducted systems: one to distribute incoming cool air, the other to quickly and effectively remove warm air from every living area.







INTERIOR COLORS

A. Blue Spray B. Woodrose

C. Linen Beige

EXTERIOR COLORS

A. Blue Spray

B. Smoke-Beige

Painted skirt is optional on all American Star Fifth Wheels.





NEWMARCORP.COM

Here you'll discover the latest model specifications, floor plans and options, as well as information on who we are, how we work and what we believe in.

Wonder where our next road will lead ?

THE NEWMAR KOUNTRY KLUB

As a Newmar owner, you qualify for membership in the Newmar Kountry Klub. Join your local chapter, and just look at the perks you'll enjoy: friendship, fun and adventure with other Newmar owners • rallies and caravans • special RV show events • discounts on RV services • a free monthly Klub magazine • Klub merchandise. And that's just for starters.

Join today! Call 877-639-5582, toll-free, or visit the Klub section of *newmarcorp.com*.

THE NEWMAR FACTORY TOUR

We'd love to have you visit our state-of-the-art production facility in Nappanee, Indiana. For details, including tour days and times, please call 574-773-7791.

> NEWMAR CORPORATION 355 N DELAWARE ST PO BOX 30 NAPPANEE IN 46550-0030 574-773-7791 Fax 574-773-2895 www.newmarcorp.com

Official Newmar Dealer:



NEWMAR QUALITY: A WAY OF LIFE

Some features shown in our literature are optional. Colors and finishes are photographic representations: The actual materials may look different. Prices, specifications and floor plans are subject to change at Newmar's discretion without prior written notice or obligation. Please see your dealer for actual samples and specifications. © 2003 Newmar Corporation. Printed in the U.S.A. (05/03)

2004 AMERICAN STAR

American Star

Ι

1

entran chin

Smokey Mounta

NEWMARCORP.COM

SPECIFICATIONS

STANDARD FEATURES

AIR CONDITIONING & HEATING

- Two 30 lb. LP-Gas Bottles with Automatic Regulator
- 13,500-Btu Brisk® Central Air Conditioner
- LP Leak Detector

APPLIANCES & ACCESSORIES

- Six-Gal. Gas/Electric Water Heater with Direct-Spark Ignition
- 22" Microwave
- Three-Burner Range with Oven and Piezzo Ignition
- AM/FM Radio with Cassette
- · Bifold Range Cover
- Dometic® 2652 Refrigerator (6 Cu. Ft.)
- Range Hood with Light and Fan
- TV Antenna with Power Booster and Two Interior Jacks

CABINETS & FURNITURE

- Oak Hardwood-Raised Panel Cabinet Doors
- · Jacknife Sofa with Throw Pillows
- · Lifts on Bed to Access Storage Area
- Queen Bed-60" X 75"
- Booth Dinette

ELECTRICAL FEATURES

- 55-amp Converter
- I2 V Battery
- 30-amp Electrical Service

EXTERIOR FEATURES

- Filon® Fiberglass Exterior Sides
- Gel-Coated Fiberglass End Caps
- Seamless Aluminum Roof

INTERIOR FEATURES

- · Mini Blind Window Shades with Lambrequins
- Quilted Bedspread with Reverse Sham and Accent Pillow
- · Carpeting in Living Room and Bedroom Areas
- Vinyl Floor in Kitchen, Foyer and Bathroom Areas
- · Hardwood/Fabric Fascia on Living Area Slideout
- Vinyl-Covered Ceiling Panels

PLUMBING & BATH FEATURES

- Monitor Panel
- Sewage Holding-Tank Rinse
- Thetford[®] Aqua Magic IV Stool
- Tub/Shower Surround with Shower Door
- Water-Heater Bypass System
- · Demand Water System with Shurflo Pump

CONSTRUCTION FEATURES

- Aluminum-Frame Sidewalls and Roof Construction, 16" On Center
- Roof R-Value Rating: 8
- Sidewall R-Value Rating: 8
- Floor R-Value Rating: II
- Enclosed Underbelly with Fiberglass Insulation
- R7 Fiberglass Insulation in Sidewalls, Floor and Roof

WINDOWS, AWNINGS & VENTS

- Power Vent in Bathroom with Wall Switch
- Triple Entrance-Door Steps

OPTIONAL FEATURES

TOWABLE CHASSIS FEATURES

- Easy-Lube Equalizers
- Shock Absorbers (2 lb.)
- Spare Tire with Carrier and Cover (90 lb.)
- Electric Over Hydraulic Disc Brakes (IO lb.)

AIR CONDITIONING & HEATING

- 13,500-Btu Penguin® Air Conditioner in Lieu of Standard (5 lb.)
- 15,000-Btu Penguin Air Conditioner in Lieu of Standard (5 lb.)
- 15,000-Btu Brisk Air Conditioner In Lieu of Standard (5 lb.)

APPLIANCES & ACCESSORIES

- Theater System with DVD Player (I5 lb.)
- Dometic® 2852 Refrigerator (8 Cu. Ft. 21 lb.)
- Ten-Gal. Gas/Electric Water Heater with Direct-Spark Ignition (I0 lb.)
- Two-Piece Washer/Dryer with 50-amp Electrial Service (241 lb.)

CABINETS & FURNITURE

- Maple Cream Cabinets
- Free-Standing Dinette in Lieu of Standard (23 lb.)
- Hide-A-Bed Sofa in Lieu of Standard (62 lb.)

ELECTRICAL FEATURES

- Battery Disconnect Switch
- 400-watt Inverter for Entertainment Center (I0 lb.)
- Exterior Security Lights, One Installed on Each Side of Coach (2 lb.)

EXTERIOR FEATURES

- BriteTek® Roof with 7mm Decking (237 lb.)
- Power Front Jacks (IO lb.)
- Stabilizer Jacks, One Pair (40 lb.)
- Snaps for Fifth Wheel Jacks
- Rear Ladder (4 lb.)

INTERIOR FEATURES

- Simulated Plank Floor in Kitchen and Foyer Areas (30 lb.)
- Day/Night Pleated Shades in Living and Bedroom Areas (5 lb.)
- Lined Drapes with Valances
- 12" Marble-Look Floor Tile in Kitchen Area and Main Bathroom (20 lb.)
- Two Sink Covers (2 lb.)

PLUMBING & BATH FEATURES

• Exterior Shower, Located on Off-Door Side


CONSTRUCTION FEATURES

• Polar Pak Insulation, RI9 Fiberglass in Roof and Floor (5 lb.)

WINDOWS, AWNINGS & VENTS


- Create-A-Breeze® Vent with Automatic Lift in Kitchen (5 lb.)
- Double-Pane Tinted Safety-Glass Windows (IIO lb.)
- Skylight in Master Bathroom, Located Above Tub/Shower (2 lb.)
- Carefree® Fiesta Side Awning (IO4 lb.)

FLOOR PLANS




Model Shown: ASFW 29CEBK

Floor Plan Options: K928, K084, M735, M737




Model Shown: ASFW 29RBKS

Floor Plan Options: K928, K084, MI60, MI62




Model Shown: ASFW 30KSRE

Floor Plan Options: K928, K084, M735, M737




Model Shown: ASFW 29CEBL

Floor Plan Options: K084




Model Shown: ASFW 30BKCL

Floor Plan Options: K925, K084, M727



FLOOR PLANS



Entertainment Center Refrig OHC Shower Bed OHC Shower Show

Model Shown: ASFW 32RLKS

Floor Plan Options: K084, K925, M727




Model Shown: ASFW 33LKSA

Model Shown: ASFW 32RKWD


Floor Plan Options: K084, K928, MI63, MI64

Floor Plan Options: K084, K928, MI60, MI62, PI83



Model Shown: ASFW 34RLCK

Floor Plan Options: K084, K927, M719, M720, PI83






FLOOR PLAN OPTIONS



FLOOR PLAN OPTIONS



FLOOR PLAN OPTIONS



PI84: ENCLOSED STOOL ROOM WITH STRAIGHT SHOWER 34RLES

FLOOR PLAN SPECIFICATIONS

FLOOR PLAN	TIRE SIZE	GAWR	GVWR	APP. LENGTH	APP. HEIGHT	WIDTH	APP. DRY WEIGHT	APP. HITCH WEIGHT	FRESH WATER	GREY	SEWAGE CAP.	APP. HITCH HEIGHT	HEAT CAP.
ASFW 29CEBK	225/75RI5-D	5,080 lb.	11,900 lb.	31' 9"	13′	96″	9,088 lb.	I,636 lb.	42 gal.	42 gal.	42 gal.	46″	35,000 Btu
ASFW 29CEBL	225/75RI5-D	5,080 lb.	11,900 lb.	32′ I″	13′	96″	9,105 lb.	1,821 lb.	42 gal.	42 gal.	42 gal.	46″	35,000 Btu
ASFW 29RBKS	225/75RI5-D	5,080 lb.	11,900 lb.	31' 6″	13′	96″	9,531 lb.	2,097 lb.	42 gal.	42 gal.	42 gal.	46″	35,000 Btu
ASFW 30BKCL	225/75RI5-D	5,080 lb.	II,900 lb.	32′ 4″	13′	96″	9,227 lb.	I,845 lb.	42 gal.	42 gal.	42 gal.	46″	35,000 Btu
ASFW 30KSRE	225/75RI5-D	5,080 lb.	II,900 lb.	33′ 3″	13′	96″	9,373 lb.	1,312 lb.	42 gal.	42 gal.	42 gal.	46″	35,000 Btu
ASFW 3IRLRE	225/75RI5-D	5,080 lb.	11,900 lb.	33' 8″	13′	96″	9,336 lb.	1,961 lb.	42 gal.	42 gal.	42 gal.	46″	35,000 Btu
ASFW 32RKWD	225/75RI5-D	5,080 lb.	11,900 lb.	34′ 11″	13′	96″	9,835 lb.	1,869 lb.	42 gal.	42 gal.	42 gal.	46″	35,000 Btu
ASFW 32RLKS	225/75RI5-D	5,080 lb.	II,900 lb.	34′ 3″	13′	96″	10,136 lb.	2,129 lb.	42 gal.	42 gal.	42 gal.	46″	35,000 Btu
ASFW 33LKSA	235/85RI6-E	6,000 lb.	14,000 lb.	36′	13′ 1″	96″	10,703 lb.	I,927 lb.	42 gal.	42 gal.	42 gal.	47″	35,000 Btu
ASFW 34RLCK	225/75RI5-D	5,080 lb.	11,900 lb.	36' 9″	13'	96″	9,970 lb.	1,994 lb.	42 gal.	42 gal.	42 gal.	46″	35,000 Btu
ASFW 34RLES	235/85RI6-E	6,000 lb.	14,000 lb.	36′ 9″	13′ 1″	96″	10,528 lb.	I,895 lb.	42 gal.	42 gal.	42 gal.	47″	35,000 Btu
ASFW 35DBDB	235/85RI6-E	6,000 lb.	14,000 lb.	38′	13' 1"	96″	10,297 lb.	2,059 lb.	42 gal.	42 gal.	84 gal.	47″	35,000 Btu

Wonder where our next road will lead ?

THE NEWMAR KOUNTRY KLUB

As a Newmar owner, you qualify for membership in the Newmar Kountry Klub. Join your local chapter, and just look at the perks you'll enjoy: friendship, fun and adventure with other Newmar owners • rallies and caravans • special RV show events • discounts on RV services • a free monthly Klub magazine • Klub merchandise. And that's just for starters.

Join today! Call 877-639-5582, toll-free, or visit the Klub section of *newmarcorp.com*.

THE NEWMAR FACTORY TOUR

We'd love to have you visit our state-of-the-art production facility in Nappanee, Indiana. For details, including tour days and times, please call 574-773-7791.

> NEWMAR CORPORATION 355 N DELAWARE ST PO BOX 30 NAPPANEE IN 46550-0030 574-773-7791 Fax 574-773-2895 www.newmarcorp.com

Official Newmar Dealer:



NEWMAR QUALITY: A WAY OF LIFE

Some features shown in our literature are optional. Colors and finishes are photographic representations: The actual materials may look different. Prices, specifications and floor plans are subject to change at Newmar's discretion without prior written notice or obligation. Please see your dealer for actual samples and specifications. © 2003 Newmar Corporation. Printed in the U.S.A. (05/03)