


WHEN YOU KNOW THE DIFFERENCE™





MOTORHOME







## This Is Just the Beginning

The 2009 Bay Star
introduces you to a lifestyle
of possibilities. Just like all
Newmar motorhomes, it's built
using decades of experience.
And it comes in a reasonable
price range that offers an array
of features essential for any
trip. So, when you're ready
to experience life on the open
road in style and comfort,
start and end every journey
with the Bay Star.

- a. Kitchen Comes Equipped with Three-burner Range, Norcold® 8 cu. ft. Refrigerator and Microwave Oven
- b. Living Area Features Flexsteel® Furniture, Booth Dinette and Cabinets for Storage

Shown in 2901 floorplan with Mineral Décor and Baltic Beech Cabinetry.







- b. Pull-out Step in Bathroom Doubles as a Step-stool and Storage Drawer
- c. Queen-sized Bed Comes with a Tufted Mattress, Quilted Bedspread and Accent Pillow and has Lifts on the Bed Top for Accessing a Storage Area

Shown in 2901 floorplan with Mineral Décor and Baltic Beech Cabinetry.



Bay Star by Newmar.









- c. Cockpit Features Include Tilt Steering Wheel, Rearview Monitor System and AM/FM Dash Radio with CD Player and MP3 Adapter
- d. Full-Paint Masterpiece Finish™ with Front Protective Film and Rear Ladder (optional) in Chestnut Exterior Paint Scheme






# Bay Star by Newmar.

- a. Claret Color Scheme (top to bottom)
- b. Chestnut Color Scheme (top to bottom)
- c. Mineral Color Scheme (top to bottom)







Vinyl Flooring, Standard



Fall Spice Cabinetry, Optional



Cabinet Hardware

#### **CEILINGS: R-VALUE = 16**

- a. BriteTEK™ Roof
- b. 9mm Wood Decking
- c. Fiberglass Batten Insulation
- d. A/C Ducting
- e. Aluminum Roof Truss
- f. Kraft Paper Vapor Barrier
- g. 5/8" Bead Foam
- h. 3/16" Panel
- i. Padded Vinyl Overlay

#### WALLS: R-VALUE = 11

- . 3/16" Plywood Interior Wall
- k. 5/8" Bead Foam
- I. Kraft Paper Vapor Barrier
- m. Fiberglass Batten Insulation
- n. 3/16" Plywood Exterior Wall
- o. Composite One-piece Gelcoat Exterior Sidewall
- p. 16" On-center Aluminum Framing with 3 1/2" Header

#### FLOORING: R-VALUE = 11

- q. Carpet/Tile
- r. Carpet Padding
- s. 5/8" Floor Decking
- t. Fiberglass Batten Insulation
- u. 2" x 3" Wood Framing
- v. Polyethylene Moisture Barrier
- w. Aluminum Ducting



#### 16" ON-CENTER FRAMING

Just like a fine site-built residential home, your Newmar home is framed 16 inches on center, which allows the best placement of outlets, switches and other components.

#### **SIKAFLEX®**

Used throughout Newmar construction, Sikaflex elastic adhesive is one of the strongest bonding agents on the market today. It also serves as a sealant against air and water. And it helps dampen both sound and vibration.

#### **PROTECTED C-CHANNELS**

To keep the electrical wiring that runs through holes in the aluminum-frame C-channels from chafing, each hole is ringed with a plastic grommet.

#### **FULL-PAINT MASTERPIECE FINISH™**

Newmar's Full-Paint Masterpiece Finish raises the exterior beauty and durability of our motorhomes to a whole new level. To obtain such rich-looking graphics, we use up to 16 gallons of paint on each unit, applying three coats each of primer, a base coat and color for graphics, and end with a final clear coat.

## NEWMAR TOTAL COMFORT™ CENTRAL AIR CONDITIONING



Experience RV air conditioning just like that found in site-built homes. Newmar's Total Comfort Central Air Conditioning is actually two separate, fully ducted systems: one to distribute incoming cool air, the other to quickly and effectively remove warm air from every living area.

#### **NEWMAR EXPRESS LIMITED WARRANTY**

Every Bay Star Motorhome is backed by Newmar's one-year limited warranty/unlimited miles. Ask your Newmar dealer for details.

#### THE LIMITED FIVE-YEAR STRUCTURAL WARRANTY

If any part of your Newmar recreational vehicle superstructure (which is the steel/aluminum structure of the sidewall, roof or frame) fails to perform properly within five years from the date of purchase, due to faulty workmanship or material supplied by Newmar, it will be repaired without charge for either parts or labor by Newmar. This structural warranty is available only to the original purchaser and is non-transferable.

## **BSCA 2702**

Length: 27' 9" Width: 101.5"


Option: K779



### **BSCA 2901**

Length: 29' 9" Width: 101.5"

Option: K779



## **BSCA 3201**

Length: 32' 10" Width: 101.5"

Option: K779



## **BSCA 3202**

Length: 32' 9" Width: 101.5" Option: K779





# **Bay Star**

by Newmar.


Carpet

Vinyl Flooring

## **BSCA 3205**

Length: 32' 10" Width: 101.5"


Option: K779



## **BSCA 3304**

Length: 33' 10" Width: 101.5" Options: K040\_1,

K329\_1, K779






## K040\_1

Wardrobe with Sliding Mirror Doors

3304



## K329\_1

Desk

3304



## K779

Freestanding Dinette with Two Folding Chairs 2702, 2901, 3201, 3202, 3205, 3304

#### STANDARD FEATURES

#### **CHASSIS FEATURES**

- Ford\* F-53 18,000 lb. Chassis (27'-29' floorplans)
- Ford F-53 20,500 lb. Chassis (32'-33' floorplans)
- Electric Leveling Jacks with Automatic Control
- Cruise Control
- Tilt Steering Wheel
- Stainless Steel Wheel Simulators

#### **AIR CONDITIONING & HEATING**

- 13.5M Brisk® Central Air Conditioner
- Propane Furnace with In-floor Ducted Heat
- Dash Heater and Air Conditioner
- Propane Leak Detector

#### **APPLIANCES & ACCESSORIES**

- Three-burner Range with Metal Oven Door & Piezo Ignition
- Bi-fold Range Cover
- Range Hood with Light and Fan
- Norcold\* 8 cu. ft. Refrigerator
- Black Refrigerator Front Panel
- Microwave Oven
- 6 gal. Gas/Electric Water Heater with Electronic Ignition
- 26" LCD TV in Living Area
- AM/FM Dash Radio with MP3 Adapter and CD Player
- Rearview Monitor System, Black-and-White with Audio
- TV Antenna with Power Booster with Two Interior Jacks
- Satellite Prep
- Telephone Connection with Phone Jack in Living Area
- Cable TV Connection with Rg6 Coax
- 10 Bc Fire Extinguisher, Carbon Monoxide and Smoke Detectors

#### **CABINETS & FURNITURE**

- Baltic Beech Raised-panel Cabinet Doors on Overhead Cabinets
- Booth Dinette with Seatbelts
- Laminate Countertop with Wood Edge in Kitchen with ABS Sink and Sink Covers
- Laminate Countertop with Wood Edge with ABS Bowl in Bathroom
- Residential-style Full-extension Ball-bearing Drawer Guides
- Kitchen Countertop Extension\*
- Pullout Pantry\*
- Flexsteel® Furniture
- Fabric Driver/Passenger Seats
- Fabric Swivel Chair\*
- Lifts on Bed Top to Access Storage Area
- Tufted Mattress with Quilted Bedspread and Accent Pillow
- Pullout Step-stool with Storage in Bathroom Cabinet

#### **ELECTRICAL FEATURES**

- 4.0 kW Cummins Onan\* Generator with Remote Switch and Automatic Changeover
- 30 Amp Electrical Service with Flexible Cord
- Two 12 Volt House Batteries
- Battery Disconnect Switch
- 110 Volt Exterior Receptacle
- 5 Watt Solar Panel
- 45 Amp Converter
- Daytime Headlight System
- Emergency Start Switch
- Incandescent Lights Throughout
- Lighted Wardrobe
- Manually Operated Hold-to-Run Slideout Switch
- Exterior TV Jack
- 12 Volt Auxiliary Receptacle on Dashboard

#### **EXTERIOR FEATURES**

- Full-Paint Masterpiece Finish™ with Front Protective Film
- One-piece Windshield
- Convex Exterior Mirrors with Defrost
- Entrance Door with Automatic Double Step
- Lighted Exterior Storage Compartments with Cargo Liner
- 5,000 lb. Towing Hitch with Two Extra 14 Gauge Wires
- Assist Handle at Entrance Door
- Undercoating
- Mud Flaps

#### **INTERIOR FEATURES**

- Padded Vinyl Ceiling
- Day/Night Pleated Window Shades and Lambrequins
- Mini-blinds in Kitchen and Bathroom
- Vinyl Floor in Kitchen and Bathroom
- Deluxe Carpeting with High-density Padding in Living Room and Bedroom
- Flat-panel Interior Passage Doors
- Interior Assist Handle at Main Entrance Door
- Shoe Storage Located in Entrance Step Compartment
- Wastebasket in Bathroom
- Wraparound Windshield Privacy Shade

#### **PLUMBING & BATH FEATURES**

- Demand Water System with SHURflo® Pump
- Sewage Holding-tank Rinse
- Water Heater Bypass System
- Thetford<sup>™</sup> Aqua Magic Stool with Spray Attachment
- Towel Bars and Tissue Holder
- Towel Ladder, on Hinged Bathroom Door Only
- Tub/Shower Surround with Shower Door
- Exterior Shower
- Water Pump Switches in Bathroom and Kitchen
- Monitor Panel

#### WINDOWS, AWNINGS & VENTS

- Tinted Safety-glass Windows
- Power Vent with Wall Switch in Bathroom
- Skylight in Bathroom\*
- A&E\* 8500 Side Awning
- Slideout Covers
- Dash Fans

### **OPTIONAL FEATURES**

#### **OPTION PACKAGE:**

 Extra 13.5M Brisk\* Central Air Conditioner, 5.5 Cummins Onan\* Marquis Generator and 50 Amp Service with Energy Management System (32'-33' floorplans)

#### **AIR CONDITIONING & HEATING**

- 15.0M Penguin™ Heat Pump Central Air Conditioner
- Auxiliary Heater in Bedroom

#### **APPLIANCES & ACCESSORIES**

- Surround Sound System with AM/FM Radio, DVD Player and Subwoofer
- SIRIUS\* Satellite Radio Capability (Does not include monthly subscription)
- 10-disc CD Player
- 19" LCD TV and DVD Player in Bedroom
- Automatic Satellite Dish without Receiver
- DVD/VCR Player in Living Area
- CB Antenna
- High-definition Wiring With Selector Switch

#### **CABINETS & FURNITURE**

- Fall Spice Cabinetry
- Ultraleather Swivel Chair\*
- Hidden-leaf Dinette Table with Four Chairs (Two Fixed, Two Folding)\*
- Wardrobe in Place of Bunk Beds\*
- Desk in Place of Bunk Beds\*
- Ultraleather Driver and Passenger Seats

#### **ELECTRICAL FEATURES**

- 600 Watt Inverter for Living Area or Bedroom TV
- Solar Prep

#### **EXTERIOR FEATURES**

- Convex Exterior Mirrors with Defrost and Remote Control
- Rear Ladder

## WINDOWS, AWNINGS & VENTS

- Double-pane Tinted Safety Glass Windows
- Rear Window (Single-pane)
- Power Vent in Kitchen
- Bunk Windows\*

\*CHECK WITH DEALERSHIP ON FLOORPLAN AVAILABILITY



# Floorplan Specifications

FLOORPLAN	APP. OVERALL LENGTH <sup>1</sup>	WIDTH	APP. OVERALL HEIGHT	interior Width	INTERIOR HEIGHT	GREY	SEWAGE	WATER	PROPANE	FURNACE	WATER HEATER
BSCA 2702	27' 9"	101.5"	12' 4"	95.5"	80"	60 gal.	40 gal.	75 gal.	25 gal.	30 ,000 Btu	6 gal.
BSCA 2901	29' 9"	101.5"	12' 4"	95.5"	80"	60 gal.	40 gal.	75 gal.	25 gal.	30,000 Btu	6 gal.
BSCA 3201	32' 10"	101.5"	12' 4"	95.5"	80"	60 gal.	40 gal.	75 gal.	25 gal.	30,000 Btu	6 gal.
BSCA 3202	32' 9"	101.5"	12' 4"	95.5"	80"	60 gal.	40 gal.	75 gal.	25 gal.	30,000 Btu	6 gal.
BSCA 3205	32' 10"	101.5"	12' 4"	95.5"	80"	60 gal.	40 gal.	75 gal.	25 gal.	30,000 Btu	6 gal.
BSCA 3304	33' 10"	101.5"	12' 4"	95.5"	80"	60 gal.	40 gal.	75 gal.	25 gal.	34,000 Btu	6 gal.

## Ford® Chassis Information

FLOORPLAN	ENGINE HP	AXLE RATIO	FUEL CAP.	WHEELBASE	FRONT GAWR <sup>2</sup>	REAR GAWR <sup>2</sup>	GVWR <sup>2</sup>	GCWR <sup>2</sup>	APP. UVW	APP. NCC
BSCA 2702	362	5.38	75 gal.	172"	7,000 lb.	11,000 lb.	18,000 lb.	26,000 lb.	15,130 lb.	2,870 lb.
BSCA 2901	362	5.38	75 gal.	190"	7,000 lb.	11,000 lb.	18,000 lb.	26,000 lb.	15,630 lb.	2,370 lb.
BSCA 3201	362	5.38	75 gal.	200"	7,500 lb.	13,500 lb.	20,500 lb.	26,000 lb.	16,445 lb.	4,055 lb.
BSCA 3202	362	5.38	75 gal.	200"	7,500 lb.	13,500 lb.	20,500 lb.	26,000 lb.	16,426 lb.	4,074 lb.
BSCA 3205	362	5.38	75 gal.	208"	7,500 lb.	13,500 lb.	20,500 lb.	26,000 lb.	16,666 lb.	3,834 lb.
BSCA 3304	362	5.38	75 gal.	208"	7,500 lb.	13,500 lb.	20,500 lb.	26,000 lb.	16,882 lb.	3,618 lb.

GAWR: Gross Axle Weight Rating is the maximum permissible weight for an axle.

GVWR: Gross Vehicle Weight Rating is the maximum permissible weight of a fully loaded motor-

home.

GCWR: Gross Combination Weight Rating is the value specified by the manufacturer of the vehicle as the maximum allowable loaded weight of this motorhome and any towed trailer or towed vehicle.

UVW: Unloaded Vehicle Weight is the weight of this motorhome as built at the factory with full fuel, engine oil and coolants. The UVW does not include cargo, fresh water, LP gas or dealer-installed accessories.

Net Carrying Capacity is the maximum weight of all occupants, including the driver, personal belongings, food, fresh water, waste water, LP gas, tools, tongue weight of towed vehicle, dealer-installed accessories, etc., that can be carried by the motorhome.

<sup>&</sup>lt;sup>1</sup> Lengths do not include the rear ladder.

 $<sup>^{\</sup>rm 2}$  Specifications are supplied by chassis manufacturer.









## The Newmar Factory Tour

We'd love to have you visit our state-of-the-art production facility in Nappanee, Indiana. Factory tours are given Monday through Friday at 10 a.m. and 1 p.m. Eastern Standard Time. Please arrive 15 minutes before the hour, and check in at the tour area located in Building Nine on Cheyenne Street. No open-toed sandals can be worn, and children under the age of eight are not allowed to take the tour. For more information, please call 1-800-860-0086.

## The Newmar Difference

Over the past 40 years, Newmar has created a heritage devoted to quality, innovation, luxury and Amish craftsmanship. Newmar products incorporate sound construction principles, such as the leveled and squared chassis, sub-floor structure that's integrated and welded to the chassis rail and insulation that makes them easy to heat and cool. We use a real-world wiring system and we test and weigh each and every vehicle to make sure it meets our high expectations. We also provide custom-built touches, like our hand-crafted cabinetry. With Newmar, you get the ultimate in luxury from a company that's dedicated to its roots and stands for the utmost in quality.





NEWMAR CORPORATION • 355 N DELAWARE ST • PO BOX 30 • NAPPANEE IN 46550-0030 574-773-7791 • FAX 574-773-2895 • www.newmarcorp.com