




ELECTRICAL SYMBOLS

WORKING CLEARANCE MIN. 24W/22D

NOTE: MAINTAIN WORKING CLEARANCE
AT ELECTRIC PANEL

POWER CORD	110V LIGHT
110V RECEPT 6/450V PORTS	120vdc DINETTE LIGHT
INVERTER/CONVERTER	110V SWITCH
120vac BREAKER BOX	110V RECEPT
120vac BREAKER BOX (DRAWN)	COMP. & R. BREAKER & RECEPT
HYDRONIC HEAT SYSTEM	T.V.
AIR CONDITIONER	STEREO
MONITOR PANEL	110V JUNCTION BOX

NOTES:

(STD) DUO N280 SILHOUETTE
 30A CIRCUITS WIRED W/14-2 ROMEX TYPE NM-B.
 20A CIRCUITS WIRED W/14-2 ROMEX TYPE NM-B.
 15A CIRCUITS WIRED W/14-2 ROMEX TYPE NM-B.
 ALL PRE-WIRE FOR AIR USE 20 AMP FUSE AT BREAKER BOX.
 CANADA ONLY: ALL GENERAL PURPOSE CIRCUITS TO BE 15A MAX.


**SOME CIRCUITS MAY NOT APPLY TO
CERTAIN BRAND AND TYPE UNITS.**

CIRCUIT	FUSE BREAKER	LOAD
1	20 Amp HACR	Front air conditioner
3A	20 Amp HACR	Hydronic Heat System
3B	20 Amp HACR	Hydronic Heat System
5	20 Amp HACR	Rear air conditioner
7	20 Amp HACR	Center air conditioner
8	20 Amp HACR	Dryer
9	15 Amp HACR	Washer
10	15 Amp HACR	Block heater
11	15 Amp HACR	Heat pads
13	15 Amp HACR	Freezer
14	15 Amp HACR	Wash/dry combo
15	30 Amp HACR	Inverter/Converter - subpanel
18	15 Amp HACR	Refr

50 Amp Service
w/ Invt
and
Subpanel

CIRCUIT	FUSE BREAKER	LOAD
2	20 Amp HACR	Microwave
4	20 Amp HACR	Lights/General recepts
9	20 Amp HACR	Kitchen recept(s)
12	20 Amp HACR	Kitchen recept


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block: EL_TB-EXKG_14	Model: EX DP 4544	Sheet 2 OF 4	Drawn by: B. G.	Checked by: D. K.	Revision: ADDED NOTE TO WORKING CLEARANCE IN UPPER/RIGHT CORNER	By: B. G.
	Title: HALOGEN LIGHT LAYOUT/ SWITCHES/12V	I.D. # 2014\ HE\CODE\ELEC\EX\4544	Date: 3/8/13	Date: 3/11/13	Revision: MOVED S-O SWITCH FROM STOOL ROOM WALL TO BACK SIDE OF ODS 3" WALL (ECO 19)	Date: 4/17/13 By: B. G. Date: 4/3/13



ELECTRICAL SYMBOLS

WORKING CLEARANCE MIN. 24Wx22D

NOTE: MAINTAIN WORKING CLEARANCE
AT ELECTRIC PANEL



NOTES:
(STD) DUO
N280 SILHOUETTE
30A CIRCUITS WIRED W/10-2 ROMEX TYPE NM-B.
20A CIRCUITS WIRED W/14-2 ROMEX TYPE NM-B.
15A CIRCUITS WIRED W/14-2 ROMEX TYPE NM-B.
ALL PRE-WIRE FOR AIR USE 20 AMP FUSE AT BREAKER BOX.
CANADA ONLY: ALL GENERAL PURPOSE CIRCUITS TO BE 15A MAX.


**SOME CIRCUITS MAY NOT APPLY TO
CERTAIN BRAND AND TYPE UNITS.**

CIRCUIT	FUSE BREAKER	LOAD
1	20 Amp HACR	Front air conditioner
3A	20 Amp HACR	Hydronic Heat System
3B	20 Amp HACR	Hydronic Heat System
6	20 Amp HACR	Rear air conditioner
7	20 Amp HACR	Center air conditioner
8	20 Amp HACR	Dryer
9	15 Amp HACR	Washer
10	15 Amp HACR	Block heater
11	15 Amp HACR	Heat pads
13	15 Amp HACR	Freezer
14	15 Amp HACR	Wash/dry combo
15	30 Amp HACR	Inverter/Converter - subpanel
16	15 Amp HACR	Refr

CIRCUIT	FUSE BREAKER	LOAD
2	20 Amp HACR	Microwave
4	20 Amp HACR	Lights/General recepts
5	20 Amp HACR	Kitchen recept(s)
12	20 Amp HACR	Kitchen recept

50 Amp
Service
w/ inv
and
Subpanel


NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block: EL_TB-EXKG_14	Model:	Sheet	Drawn by:	Checked by:	Revision:	By:
	EX DP 4552	2 OF 4	B. G.			Date:
	Title: HALOGEN LIGHT LAYOUT/ SWITCHES/12V	I.D. # 2014\	Date:	Date:	Revision:	By:
		HE\CODE\ELEC\EX	5/18/13			Date:



ELECTRICAL SYMBOLS

WORKING CLEARANCE MIN. 24W/22D

NOTE: MAINTAIN WORKING CLEARANCE AT ELECTRIC PANEL



(STD) DUO
N280 SILHOUETTE

NOTES:
30A CIRCUITS WIRED W/14-2 ROMEX TYPE NM-B.
20A CIRCUITS WIRED W/14-2 ROMEX TYPE NM-B.
15A CIRCUITS WIRED W/14-2 ROMEX TYPE NM-B.
ALL PRE-WIRE FOR AIR USE 20 AMP FUSE AT BREAKER BOX.
CANADA ONLY: ALL GENERAL PURPOSE CIRCUITS TO BE 15A MAX.


SOME CIRCUITS MAY NOT APPLY TO CERTAIN BRAND AND TYPE UNITS.

CIRCUIT	FUSE BREAKER	LOAD
1	20 Amp HACR	Front air conditioner
3A	20 Amp HACR	Hydronic Heat System
3B	20 Amp HACR	Hydronic Heat System
5	20 Amp HACR	Rear air conditioner
7	20 Amp HACR	Center air conditioner
8	20 Amp HACR	Dryer
9	15 Amp HACR	Washer
10	15 Amp HACR	Block heater
11	15 Amp HACR	Heat pads
13	15 Amp HACR	Freezer
14	15 Amp HACR	Wash/dry combo
15	30 Amp HACR	Inverter/Converter - subpanel
18	15 Amp HACR	Refr

CIRCUIT	FUSE BREAKER	LOAD
2	20 Amp HACR	Microwave
4	20 Amp HACR	Lights/General recepts
9	20 Amp HACR	Kitchen recept(s)
12	20 Amp HACR	Kitchen recept

50 Amp Service w/ Invt and Subpanel

NEWMAR CORP P.O. Box 30, Nappanee, IN. 46550 Title block: EL_TB-EXKG_14	Model: EX DP 4553	Sheet 2 OF 4	Drawn by: B. G.	Checked by: D. K.	Revision: ADDED NOTE TO WORKING CLEARANCE IN UPPER/RIGHT CORNER	By: B. G. Date: 4/17/13
	Title: HALOGEN LIGHT LAYOUT/ SWITCHES/12V	I.D. # 2014/ HEX CODE ELEC/EX 4553	Date: 11/14/12	Date: 12/12/12	Revision: MOVED S-O SWITCH FROM STOOL ROOM WALL TO BACK SIDE OF ODS 3" WALL (ECO 19)	By: B. G. Date: 4/3/13



ELECTRICAL SYMBOLS

WORKING CLEARANCE MIN. 24Wx22D

NOTE: MAINTAIN WORKING CLEARANCE
AT ELECTRIC PANEL

	POWER CORD		110V LIGHT
	110V RECEPT W/USB PORTS		120vac DINETTE LIGHT
	INVERTER/CONVERTER		110V SWITCH
	120vac BREAKER BOX		110V RECEPT
	120vac BREAKER BOX (CANADA)		COMP. GFI BREAKER & RECEPT
	HYDRONIC HEAT SYSTEM		T.V.
	AIR CONDITIONER		STEREO
	MONITOR PANEL		110V JUNCTION BOX

NOTES:
(STD) DUO
N280 SILHOUETTE
30A CIRCUITS WIRED W/10-2 ROMEX TYPE NM-B.
20A CIRCUITS WIRED W/10-2 ROMEX TYPE NM-B.
15A CIRCUITS WIRED W/14-2 ROMEX TYPE NM-B.
ALL PRE-WIRE FOR AIR USE 20 AMP FUSE AT BREAKER BOX.
CANADA ONLY: ALL GENERAL PURPOSE CIRCUITS TO BE 15A MAX.

**SOME CIRCUITS MAY NOT APPLY TO
CERTAIN BRAND AND TYPE UNITS.**

CIRCUIT	FUSE BREAKER	LOAD
1	20 Amp HACR	Front air conditioner
3A	20 Amp HACR	Hydronic Heat System
3B	20 Amp HACR	Hydronic Heat System
6	20 Amp HACR	Rear air conditioner
7	20 Amp HACR	Center air conditioner
8	20 Amp HACR	Dryer
9	15 Amp HACR	Washer
10	15 Amp HACR	Block heater
11	15 Amp HACR	Heat pads
13	15 Amp HACR	Freezer
14	15 Amp HACR	Wash/dry combo
15	30 Amp HACR	Inverter/Converter - subpanel
16	15 Amp HACR	Refr

50 Amp
Service
w/ inv
and
Subpanel

CIRCUIT	FUSE BREAKER	LOAD
2	20 Amp HACR	Microwave
4	20 Amp HACR	Lights/General recepts
5	20 Amp HACR	Kitchen recept(s)
12	20 Amp HACR	Kitchen recept

NEWMAR CORP
P.O. Box 30,
Nappanee, IN. 46550

Model:
EX DP 4554

Title: HALOGEN LIGHT LAYOUT/
SWITCHES/12V

Sheet
2 OF 4

I.D. # 2014\
HEXCODE/ELEC/EX
4554

Drawn by:
B. G.

Date:
4/17/13

Checked by:
M. W.

Date:
4/26/13

Revision:REVISED KIT/LR DUE TO MOVING FRONT FEATURE CEILING FORWARD 16" By: B. G.

Revision: Date: 5/9/13

Revision: By:

Revision: Date:

Title block: EL_TB-EXKG_14

