






2014
**VENTANA LE
 & VENTANA**
Diesel Motor Coach



WHEN YOU KNOW THE DIFFERENCE SM

2014 Ventana LE



Ventana LE Exterior
Floor plan #3850 in Garnet Décor Exterior



Your dreams are
now within reach.

Ventana LE makes the dream of owning a Newmar diesel coach a reality. It has everything you need for every adventure to come. All-new graphics and design detailing, protected by Newmar's Full-Paint Masterpiece™ Finish. A cleaner, greener 340HP Cummins® ISB engine. And the smooth ride that's a hallmark of a Freightliner® Chassis.

For the first time, Ventana LE adds Newmar's exclusive Comfort Drive™ Steering to its growing list of high performance extras. The road ahead has never looked better.



Comfort Drive™
STEERING



Features at a glance:

- Full-Paint Masterpiece™ Finish with front protective film
- Comfort Drive™ steering with adjustable control
- Freightliner® Custom Chassis with 340HP Cummins ISB Engine
- 6.0 kW Cummins Onan® Diesel Quiet Series Generator



Driven By You

Freightliner Custom Chassis are renowned for their exceptional ride and handling, tight turning radius and extraordinary dependability.



Ventana LE Interior

Floor plan #3850 with Garnet Décor Style and Empire Maple Cabinetry – New, Vast, Unique.

Awe inspiring. All encompassing.

Step into the great wide open of the 2014 Ventana LE. The spacious interior is new—literally—from top to bottom, with a stylishly original ceiling treatment that eliminates exposed vents and luxury vinyl tile that extends the breadth of the space.

And what a space it is. The living area includes residential quality amenities and adjoins an L-shaped kitchen that features fine furniture cabinetry with a fully sculpted base, solid surface counters, a new textured metal backsplash and an extendable dinette that seats four.

Features at a glance:

- Glazed unitized cabinets
- Polished solid surface kitchen countertop with stainless steel sink
- Flexsteel® Delux leather sofa
- Sony® Surround Sound System with subwoofer*



*Optional


End each day in restful style.

Crafted for ultimate comfort, Ventana LE's sleeping quarters feature a queen size bed with a hardwood frame accented by a faux leather headboard and a sumptuous bedspread ensemble. Storage abounds thanks to overhead cabinetry and a full wardrobe.

Decorative wood crackle molding adds an elegant touch to a space designed with great views in mind, whether from the window with day/night shades or the 32" LED TV/DVD system.

Features at a glance:


- LED TV in living and bedroom areas
- Smooth-top queen mattress with quilted bedspread, bed scarf and accent pillows
- Luxury vinyl tile floor in kitchen, bathroom and living area
- Laminate countertop on nightstands, dressers and chest of drawers
- Sony® LED TV



Sleep in a den of luxury. ►

From bedclothes to mattress to wall detail, Ventana LE's quarters are five-star quality.





Practical touches, hand-crafted with care.

The Ventana LE bathroom effortlessly combines form with function, whether in the handy shower, the multitude of storage options, or the ingenious new pivot-entry door for easy half-bath access even when the coach is in motion.

Features at a glance:


- Shower with glass door
- Pullout bathroom step-stool with storage
- Newmar-designed pivot-ease half-bath door

VENTANA LE EXTERIOR DECOR




Ashbrook Exterior

VENTANA LE INTERIOR DECOR




Quartz Interior




Garnet Interior


WOOD OPTIONS



Bisque Maple



Sienna Maple







Empire Maple






Sandhill Exterior

VENTANA LE FLOOR PLANS



VENTANA LE FLOOR PLANS




FLOOR PLAN SPECIFICATIONS

Floor Plan	App. Overall Length	Width	App. Overall Height	Interior Width	Interior Height	Grey Tank	Sewage Tank	Water Tank	Propane Tank	Furnace
3433	34'10"	101.5"	12'8"	95.5"	84"	65 gal.	45 gal.	105 gal.	32 gal.	54,000 btu
3436	34'10"	101.5"	12'8"	95.5"	84"	65 gal.	45 gal.	105 gal.	32 gal.	35,000 btu
3634	36'8"	101.5"	12'8"	95.5"	84"	65 gal.	45 gal.	105 gal.	32 gal.	54,000 btu
3845	38'8"	101.5"	12'8"	95.5"	84"	65 gal.	45 gal.	105 gal.	32 gal.	54,000 btu

FLOOR PLAN SPECIFICATIONS

Floor Plan	App. Overall Length	Width	App. Overall Height	Interior Width	Interior Height	Grey Tank	Sewage Tank	Water Tank	Propane Tank	Furnace
3847	38'8"	101.5"	12'8"	95.5"	84"	65 gal.	45 gal.	105 gal.	32 gal.	54,000 btu
3849	38'8"	101.5"	12'8"	95.5"	84"	65 gal.	45 gal.	105 gal.	32 gal.	54,000 btu
3850	38'8"	101.5"	12'8"	95.5"	84"	65 gal.	45 gal.	105 gal.	32 gal.	54,000 btu

VENTANA LE FEATURES & OPTIONS



Chassis Features

Built specifically for Newmar with the highest quality in handling, safety, performance, and dependability.

Freightliner® XCR Chassis with 340Hp Cummins ISB Engine
Chrome Wheel Simulators
Hydraulic Leveling Jacks
Comfort Drive Steering System with Power Column and Adjustable Control
Cruise Control
Manual Tilt and Telescope Steering Column with VIP Smart Wheel
Recessed Fuel Fills with Crossover to Fill from Either Side
Anti-Lock Braking System




Air Conditioning & Heating

Total Comfort Air Conditioning and Heating systems make climate control simple and effective.

Two 13.5M Penguin™ Heat Pump Central Air Conditioners
Propane Furnace with Ducted Heat
Dash Heater & High-Output Air Conditioner
Propane Leak Detector
Wall Mounted Sensors for Heating and Air Conditioning
Driver/Passenger Overhead Dash Fans

OPTIONS
Two 15M Penguin™ Heat Pump Central Air Conditioners & Energy Management System




Appliances

All of the amenities of a fine home are integrated in the Newmar design, in both form and capabilities.

30" Over the Range Microwave Oven
Three-burner Cooktop with Oven Door
Norcold® 10 Cu. Ft. Refrigerator
Black Panel Refrigerator Front
10 gal. Gas/Electric Water Heater with Direct-Spark Ignition*
One-Piece Compact Washer/Dryer Prep *

OPTIONS
Norcold® 12 Cu. Ft. Four-Door Refrigerator with Icemaker*
Maytag Residential Refrigerator with Icemaker and Water Dispenser, includes 2000 Watt Pure Sine Inverter with Two Extra Batteries*
GE® 19.5 Cf Refrigerator with Icemaker, 2000 Watt Inverter with Six-6 Volt Batteries
30" Convection Microwave Oven with Three Burner Cooktop

Icemaker Added to Refrigerator *
Whirlpool® Two Piece Stacked Washer & Dryer
Compact One-Piece Washer/Dryer *
Air Horns



Audio, Video & Accesories

Stay entertained on the road and off, with spectacular visual and sound options from industry leaders.

LED TV in Living and Bedroom Areas, TV Sizes Vary per Floorplan*
Rearview Color Monitor System with Audio
Side View Cameras Displayed Onto Rear View Monitor Screen
DVD Player in Bedroom
TV Antenna with Power Booster
Video Selector Switch
Satellite Prep

OPTIONS
32" LED TV in Front Overhead*
Automatic Satellite without Receiver
Sony® Surround Sound System with Sub-Woofer
11" Flip-down LCD TV and DVD Player with Headphones at Each Bunk*



Cabinets & Furniture

Amish craftsmanship and elegance in design meld the wood cabinetry and furniture seamlessly with the Newmar interior.

Empire Maple Mitered Designer Glazed Cabinet Doors
Concealed Hinges on Cabinet Doors
Drawers with Full Extension Guides
Fixed Pantry Shelves
Polished Solid Surface Countertop in Kitchen with Stainless Steel Sink
Laminate Countertop on Nightstands, Dressers and Chest of Drawers
Flexsteel® Delux Leather Sofa and Driver/Passenger Seats
Smooth-Top Mattress
Lifts on Bed Top to Access Storage Area*
Front Seats with 6 Way Power
Passenger Seat Work Station

OPTIONS
Sienna Maple Cabinets
Bisque Maple Cabinets
Plush Pillow Top Mattress
Hide-A-Bed Sofa with Air Mattress*

Sleep Number Deluxe® Air Mattress
Extenda L Sofa on Off Door Side
Power Incline Adjustable Bed Base, Sleep Number Deluxe® Air Mattress with Window & Cabinet Changes



Electrical Features

A Newmar coach's electrical and lighting system is designed for maximum reliability, functionality, and style.

6.0 kW Cummins Onan® Diesel Quiet Series Generator
50 Amp Electrical Service with Flexible Cord
Four 6 Volt House Batteries on Pullout Tray
Battery Disconnect Switch
110 Volt Exterior Receptacle
1200 Watt Inverter
Emergency Start Switch
Exterior Security Light on Doorside
Midship Side Turn Signals
Halogen Lights Recessed in Ceiling and Overhead Cabinets
Manually Operated Hold-To-Run Slideout Switch
ICC Light Flasher Switch
12 Volt Auxiliary Receptacle on Dashboard
Recept with Built in USB Charger at Dinette and Bedroom Dresser Cabinet
Engine Block Heater
Exterior TV Jack
Lights in Exterior Storage Compartments
Interior Courtesy Lights


OPTIONS
8.0 Kw Onan® Diesel Quite Series Generator
LED Lighting in Place of Halogen



Exterior Features

The Full-Paint Masterpiece Finish is one of the most beautiful and durable in the industry, with the goal of a perfect finish, every time.


Full-Paint Masterpiece™ Finish with Front Protective Film
Convex Exterior Mirrors with Remote Control and Defrost
Entrance Door with Automatic Step
Lighted Exterior Storage Compartments with Cargo Liner
Assist Handle at Entrance Door
Mud Flaps
Rear Ladder
Rear Hitch for Towing Car
Undercoating



Plumbing & Bath Features

The Demand Water System's residential flow response ensures that the comfort and reliability of home are never far away.

Demand Water System with SHURflo® Pump
Sewage Holding-Tank Rinse
Water Heater Bypass System*
Dometic Traveler China Bowl Stool or Macerator Stool*
Monitor Panel
Fiberglass Shower with Glass Door*
Exterior Shower
Water Filter for Entire Unit




Construction Features

From the chassis up, Newmar coaches are built to be dependable, durable, comfortable, and beautiful.

BriteTEK™ Roof with Walkable Decking
Gelcoated Fiberglass Exterior Sidewalls, Front and Rear Caps
Aluminum-Frame Sidewalls & Roof Construction, 16" on Center
5/8" Foam Insulation Laminated in Sidewalls & Ceiling

OPTIONS
One Piece Molded Fiberglass Roof




Interior Features

Flooring – both tile and carpet – is installed with Newmar's own in-house process, ensuring the best in quality and longevity, as well as the finest fit.

Dash Panel Color Coordinated ABS
Front Entrance Door with Power Stepwell Cover
Interior Assist Handle at Main Entry Door
Inlayed Six Panel Design Interior Passage Doors
Decorative Wall Art
Padded Vinyl Ceiling
Day/Night Pleated Window Shades & Lambrequins
Mini Blinds in Kitchen and Bathroom
Vinyl Tile Floor in Kitchen, Bathroom and Living Area
Carpet on Slideout Floors
MCD Power Shades at Windshield and Manual Shades on Driver/Passenger Side Windows
Quilted Bedspread with Shams, Bed Scarf and Accent Pillows
10 Bc Fire Extinguisher, Smoke Detector and Carbon Monoxide Detector

OPTIONS
Vinyl Floor Extended into Bedroom Area
MCD Window Shades



Windows, Vents & Awnings

Experience as much – or as little – of the outdoors as you want in comfort and style.

One Piece Tinted Windshield
Single-Pane Tinted Safety-Glass Windows
Power Vent in Kitchen and Bathroom
Shower Skylight
Dometic® Oasis Manual Front Entrance Door Awning
Dometic® Slideout Awning Covers

OPTIONS
Dometic® Weather Pro Side Awning & Oasis Power Front Entrance Door Awning
Bunk Windows
Double Pane Tinted Safety Glass Windows*
Fantastic® Vent with Rain Sensor in Kitchen and Bathroom

ROOF R-VALUE = 19	FLOOR R-VALUE = 16
a. BriteTEK™ Roof (optional one-piece fiberglass roof)	q. Carpet/Tile
b. 9mm Wood Decking	r. Carpet Padding
c. Fiberglass Batten Insulation	s. 5/8" Floor Decking
d. A/C Ducting	t. Fiberglass Batten Insulation
e. Aluminum Roof Truss	u. 2" x 3" Wood Framing
f. Kraft Paper Vapor Barrier	v. Polyethylene Moisture Barrier
g. 5/8" Bead Foam	w. Foam Panels for Noise Protection
h. 3/16" Panel	x. Aluminum Ducting
i. Padded Vinyl Overlay	

BASEMENT R-VALUE = 4
y. Cargo Liner
z. 3/8" Floor Decking
aa. 3/16" Luan Panel
bb. 1 1/2" Bead Foam
cc. Aluminum Sheeting (Prevents Distortion)
1. 13.5M Penguin™ Heat Pump Central Air Conditioners (2)
2. One-Piece Windshield
3. Coated Aluminum Wheels
4. Double-Pane Tinted Safety Glass Windows
5. Side-Hinged Baggage Doors w/ Optional Pullout Tray

*Check with dealership on floor plan availability and complete listing of features.

VENTANA & LE CONSTRUCTION

Like a fine home, Ventana is framed 16 inches on center, allowing the best placement of outlets, switches and other components. Newmar uses only Sikaflex® elastic adhesive throughout Ventana's construction – one of the strongest bonding agents available. It seals against air and water and helps dampen sound and vibration. Electrical wiring holes in Ventana's aluminum frame are ringed with plastic grommets to protect wires from chafing. And Newmar's Total Comfort™ Central Air is two separate, fully ducted systems that distribute cool air and remove warm air.



VENTANA LE SPECIFICATIONS

Floor Plan	Engine HP	Axle Ratio	Fuel Cap.	Wheel Base	Front GAWR*	Rear GAWR*	Tag GAWR*	GVWR*	GCWR*	App. UVW	App. NCC
3433	340	4.78	100 gal.	206	12,000 lb.	20,000 lb.	0	31,000 lb.	33,000 lb.	25,500 lb.	5,500 lb.
3436	340	4.78	100 gal.	206	12,000 lb.	20,000 lb.	0	31,000 lb.	33,000 lb.	25,600 lb.	5,400 lb.
3634	340	4.78	100 gal.	228	12,000 lb.	20,000 lb.	0	31,000 lb.	33,000 lb.	25,300 lb.	5,700 lb.
3845	340	4.78	100 gal.	252	12,000 lb.	20,000 lb.	0	31,000 lb.	33,000 lb.	26,100 lb.	4,900 lb.
3847	340	4.78	100 gal.	252	12,000 lb.	20,000 lb.	0	31,000 lb.	33,000 lb.	26,100 lb.	4,900 lb.
3849	340	4.78	100 gal.	252	12,000 lb.	20,000 lb.	0	31,000 lb.	33,000 lb.	26,100 lb.	4,900 lb.
3850	340	4.78	100 gal.	252	12,000 lb.	20,000 lb.	0	31,000 lb.	33,000 lb.	26,100 lb.	4,900 lb.

VENTANA SPECIFICATIONS

Floor Plan	Engine HP	Axle Ratio	Fuel Cap.	Wheel Base	Front GAWR*	Rear GAWR*	Tag GAWR*	GVWR*	GCWR*	App. UVW	App. NCC
3433	360	4.78	100	206	12,000 lb.	23,000 lb.	0	35,000 lb.	45,000 lb.	26,900 lb.	8,100 lb.
3436	360	4.78	100	206	12,000 lb.	23,000 lb.	0	35,000 lb.	45,000 lb.	26,800 lb.	8,200 lb.
3634	360	4.78	100	228	12,400 lb.	23,000 lb.	0	35,400 lb.	45,400 lb.	26,900 lb.	8,500 lb.
4036	400	4.63	100	245+TAG	14,000 lb.	20,000 lb.	10,000 lb.	44,000 lb.	54,000 lb.	32,700 lb.	11,300 lb.
4037	400	4.63	100	245+TAG	14,000 lb.	20,000 lb.	10,000 lb.	44,000 lb.	54,000 lb.	32,700 lb.	11,300 lb.
4039	400	4.63	100	245+TAG	14,000 lb.	20,000 lb.	10,000 lb.	44,000 lb.	54,000 lb.	32,700 lb.	11,300 lb.
4360	400	4.63	100	281+TAG	14,000 lb.	20,000 lb.	10,000 lb.	44,000 lb.	54,000 lb.	33,500 lb.	10,500 lb.
4369	400	4.63	100	281+TAG	14,000 lb.	20,000 lb.	10,000 lb.	44,000 lb.	54,000 lb.	33,500 lb.	10,500 lb.
4373	400	4.63	100	281+TAG	14,000 lb.	20,000 lb.	10,000 lb.	44,000 lb.	54,000 lb.	33,500 lb.	10,500 lb.
4377	400	4.63	100	281+TAG	14,000 lb.	20,000 lb.	10,000 lb.	44,000 lb.	54,000 lb.	33,500 lb.	10,500 lb.



Lengths, heights, widths and dry weights are approximate. Weight will vary based on optional equipment added to the above base weight.

GAWR: Gross Axle Weight Rating is the maximum permissible weight for an axle.

GVWR: Gross Vehicle Weight Rating is the maximum permissible weight for a fully loaded motor coach.

GCWR: Gross Combination Weight Rating is the value specified by the manufacturer of the vehicle as the maximum allowable loaded weight of this motor coach and any towed trailer or towed vehicle.

UVW: Unloaded Vehicle Weight is the weight of this motorcoach as built at the factory with full fuel, engine oil and coolants. The UVW does not include cargo, fresh water, propane gas or dealer-installed accessories.

NCC: Net Carrying Capacity is the maximum weight of all occupants, including the driver, personal belongings, food, fresh water, waste water, propane gas, tools, tongue weight of towed vehicle, dealer installed accessories, etc., that can be carried by the motor coach.

*Specifications supplied by the chassis manufacturer.

Trust.

The strongest possible foundation for a motor coach.

According to Newmar president Matthew Miller, “Customers say they’re loyal to us because they trust us to stand behind our products – from support, parts and service to paying our warranties. It feels good to own a coach that has all of that behind it.”

How do we sustain this high level of service? At Newmar, there’s a Miller way of doing things. These principles guide us every day. Courtesy. Integrity. And reliability. So when you buy from Newmar, you know that every single person who touches your coach or talks with you has your back. Period.


Our Partners.

Where the finest names in quality and performance are along for the ride.

Newmar strives to offer the best motor coach experience possible, and to that end we partner with the most prestigious names in mobile lifestyle, entertainment, and technology. Depending on the Newmar motor coach you choose, our compliments range from Sony’s comprehensive audio, video, communications and information technology to Freightliner and Spartan’s superior and dependable chassis designs. Newmar only accepts best-in-class performance from the most trusted names in the business. At Newmar, that’s our difference. And our promise.



▲ Mahlon Miller, Newmar founder, and Matthew Miller, Newmar president, lifelong motor coach enthusiasts



2014 Ventana LE & Ventana

NEWMAR EXPRESS LIMITED WARRANTY

Every Ventana LE & Ventana Diesel Pusher is backed by Newmar's one-year limited warranty/unlimited miles. Ask your Newmar dealer for details.

LIMITED FIVE-YEAR STRUCTURAL WARRANTY

If any part of your Newmar recreational vehicle superstructure (which is the steel/aluminum structure of the sidewall, roof or frame) fails to perform properly within five years from the date of purchase because of faulty workmanship or material supplied by Newmar, it will be repaired without charge for either parts or labor by Newmar. This structural warranty is available only to the original purchaser and is non-transferable.

Some features in our literature are optional. Colors and finishes are photographic representations. The actual materials may look different. Prices, specifications and floorplans are subject to change at Newmar's discretion, without prior notice or obligation. Please see your dealer for actual samples and specifications.



WHEN YOU KNOW THE DIFFERENCE SM

NEWMAR CORPORATION
355 N DELAWARE ST
PO BOX 30
NAPPANEE IN 46550-0030
574-773-7791 Fax 574-773-2895
www.newmarcorp.com