




Dutch Star 2019

- SKIN: 62930 ONYX MET.
- A - 64546C PEPPER WHITE
- B - 62447 NEWMAR BROWN MICA
- C - 64548 NEWMAR SOVEREIGN MET.

UNIT: 608333



DEALER: Steinbring Motorcoach

SPECIAL: 1800 (REV. 1)

PLEASE ACKNOWLEDGE AND DATE THE FOLLOWING
ORDER/PRINT FOR APPROVAL TO BUILD, AND FAX TO
NEWMAR (AT 574-773-2895) AS SOON AS POSSIBLE

DATE: _____

SIGN: _____



Paint Code Formulas - BASF Diamont

SPECIAL FOR UNIT 608333 - 2019 DUTCH STAR

SKIN: 62930	BASE #	BASE NAME	1 QT	1 QUART	1 GLN	1 GALLON
			Grams	Cum.	Grams	Cum. Grams
ONYX MET	UR50	UNIVERSAL MID TEMP REDUCER	78.75	78.75	315.0	315.0
	BC200	BLACK	644.83	723.58	2579.3	2894.3
	BC600	GOLD	47.58	771.15	190.3	3084.6
	BC105	WHITE	40.78	811.93	163.1	3247.7
	BC805	RED OXIDE	32.98	844.90	131.9	3379.6
	BC140	MEDIUM FINE IRIDESCENT	11.20	856.10	44.8	3424.4
	BC101	FLOP CONTROL	8.60	864.70	34.4	3458.8
	BC171	MEDIUM ALUMINUM	1.80	866.50	7.2	3466.0
COLOR A: 64546 (64546C)	BASE #	BASE NAME	1 QT	1 QUART	1 GLN	1 GALLON
			Grams	Cum.	Grams	Cum. Grams
PEPPER WHITE	UR50	UNIVERSAL MID TEMP REDUCER	78.93	78.93	315.7	315.7
	BC101	FLOP CONTROL	86.68	165.60	346.7	662.4
	BC191	0	724.35	889.95	2897.4	3559.8
	BC209	BLACK TONER	41.65	931.60	166.6	3726.4
	BC605	YELLOW OXIDE	22.55	954.15	90.2	3816.6
COLOR B: 62447	BASE #	BASE NAME	1 QT	1 QUART	1 GLN	1 GALLON
			Grams	Cum.	Grams	Cum. Grams
BROWN MICA, BROWN MICA MET	UR50	UNIVERSAL MID TEMP REDUCER	72.48	72.48	289.9	289.9
	BC101	FLOP CONTROL	48.30	120.78	193.2	483.1
	BC171	MEDIUM ALUMINUM	243.00	363.78	972.0	1455.1
	BC175	MEDIUM STARFLAKE ALUMINUM	32.60	396.38	130.4	1585.5
	BC200	BLACK	399.03	795.40	1596.1	3181.6
	BC800	RED GOLD	35.28	830.68	141.1	3322.7
	BC821	DARK MAROON	27.78	858.45	111.1	3433.8
	BC610	GREEN GOLD	10.88	869.33	43.5	3477.3
COLOR C: 64548	BASE #	BASE NAME	1 QT	1 QUART	1 GLN	1 GALLON
			Grams	Cum.	Grams	Cum. Grams
SOVEREIGN MET, SOVEREIGN	UR50	UNIVERSAL MID TEMP REDUCER	82.80	82.80	331.2	331.2
	BC140	MEDIUM FINE IRIDESCENT	291.58	374.38	1166.3	1497.5
	BC170	MEDIUM IRIDESCENT	204.78	579.15	819.1	2316.6
	BC621	YELLOW GOLD	145.98	725.13	583.9	2900.5
	BC600	GOLD	85.60	810.73	342.4	3242.9
	BC840	RED VIOLET	21.20	831.93	84.8	3327.7
	BC200	BLACK	20.40	852.33	81.6	3409.3
	BC805	RED OXIDE	13.60	865.93	54.4	3463.7

Paint Code Formulas - BASF Onyx Waterborne

SPECIAL FOR UNIT 608333 - 2019 DUTCH STAR

SKIN: 62930 ONYX MET	BASE #	BASE NAME	1 QT Grams	1 QUART Cum.	1 GLN Grams	1 GALLON Cum. Grams
	HB002	HYDRO BASE	667.48	667.48	2669.9	2669.9
	HB250	BLACK	197.70	865.18	790.8	3460.7
	HB200	BLUE BLACK	38.00	903.18	152.0	3612.7
	HB650	YELLOW GOLD	31.13	934.30	124.5	3737.2
	HB999	LOW STRENGTH WHITE	7.78	942.08	31.1	3768.3
	HB770	RED OXIDE	5.80	947.88	23.2	3791.5
	HB120	FINE ALUMINUM	1.05	948.93	4.2	3795.7
COLOR A: 64546 (64546C) PEPPER WHITE	BASE #	BASE NAME	1 QT Grams	1 QUART Cum.	1 GLN Grams	1 GALLON Cum. Grams
	HB002	HYDRO BASE	495.08	495.08	1980.3	1980.3
	HB990	WHITE	590.40	1085.48	2361.6	4341.9
	HB259	LOW STRENGTH BLACK	67.05	1152.53	268.2	4610.1
	HB670	YELLOW OXIDE	15.65	1168.18	62.6	4672.7
COLOR B: 62447 BROWN MICA, BROWN MICA MET	BASE #	BASE NAME	1 QT Grams	1 QUART Cum.	1 GLN Grams	1 GALLON Cum. Grams
	HB002	HYDRO BASE	614.10	614.10	2456.4	2456.4
	HB203	DEEP BLACK	117.85	731.95	471.4	2927.8
	HB150	MEDIUM ALUMINUM	69.75	801.70	279.0	3206.8
	HB110	ULTRA FINE ALUMINUM	26.40	828.10	105.6	3312.4
	HB780	RED GOLD	21.65	849.75	86.6	3399.0
	HB880	RED VIOLET	13.25	863.00	53.0	3452.0
	HB861	MAROON	10.85	873.85	43.4	3495.4
	HB090	FLOP CONTROL	80.53	954.38	322.1	3817.5
COLOR C: 64548 SOVEREIGN MET, SOVEREIGN	BASE #	BASE NAME	1 QT Grams	1 QUART Cum.	1 GLN Grams	1 GALLON Cum. Grams
	HB002	HYDRO BASE	609.63	609.63	2438.5	2438.5
	HB680	GOLD	133.28	742.90	533.1	2971.6
	HB650	YELLOW GOLD	67.18	810.08	268.7	3240.3
	HB130	FINE ALUMINUM	60.63	870.70	242.5	3482.8
	HB110	ULTRA FINE ALUMINUM	50.88	921.58	203.5	3686.3
	HB150	MEDIUM ALUMINUM	25.95	947.53	103.8	3790.1
	HB870	MAGENTA	15.18	962.70	60.7	3850.8
	HB740	BRIGHT ORANGE	5.45	968.15	21.8	3872.6
	HB203	DEEP BLACK	5.45	973.60	21.8	3894.4
	HB961	TRANSPARENT WHITE	3.23	976.83	12.9	3907.3